

OFFICE OF THE BOARD OF HEALTH OF THE CITY OF BOSTON.

B. R. Mar 13. 1894

+3-61.9

Statement of Mortality for the month of January, 1891.

With an enumeration of the more prominent causes; accompanied by an abstract of Meteorological Observations.

Published by order of the Board of Health.

SAMUEL H. DURGIN, M.D.,

Deaths during the month of January, Population by National Census, 448,477.		Rate per 1,000 inhabitants, 23.92
Topulation by Ivational Census, 440,477.		2,555
Total number	894	NATIVITY.
SEX.		United States 596
Males	450	Ireland
Females	444	England
CONDITION.		Scotland
Married	290	Germany
		British America
Single	401	Italy 9
Widows	100	Other Countries
Widowers	. 36	Unknown 9
Unknown	7	PARENTAGE.
COLOR.		United States
White	867	Irish
Colored	27	English
		Scotch
		German
Under 1 year	177	British American
Total deaths of children Under 2 years	232	Italian
Under 5 years	282	Other Countries 65
(Under 1 year	6	Mixed
Under 2 years		Unknown 96
Diarrhœal diseases Under 5 years	6	
(All ages	8	Still-births during the month 46

	for .	for).	1								A	G	E.									S	EX.
CAUSES OF DEATH.	Total Mortality for January, 1891.	Total Mortality f January, 1890.	Under 3 mos.	3 mos. and under 6 mos.	6 months and under 1 year.	1 year and under 2 yrs.	years and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	Total under 5 years.	5 years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	Males.	Females.
I. ZYMOTICS.	Tot	ToT	Un	3 n	0 9 II	1 J	2 3	8 y	4 3	Tot	g e	10 m	20 m	08 I	0 1	09	09 n	01	08	06	100	Ms	Fe
ALCOHOLISM	6	6											1	2		2	1					4	2
CROUP	6	13			1	1	4			6												4	2
CARBUNCLE																							
CHOLERA MORBUS																							
Cholera Infantum		2																					
CEREBRO-SPINAL MENINGITIS	204			1	3					4						1						5	
Congestive Fever																							
DIARRHŒA	7	10	5							5						1		1				5	2
DYSENTERY	1	2		1						1			·									1	
DIPHTHERIA . ,	16	63			2	5	2	3	1	13	2		*		1							13	3
ERYSIPELAS	5	3	1							1				-		3	1					3	2
INTERMITTENT FEVER																							
INFLUENZA	1	13																	1				1
MEASLES	6				2	2	2			6												2	4
PURPURA		1																					
PUERPERAL FEVER	2												1		1								2
Ружміа	1	2														1							1
REMITTENT FEVER	1													1			1					1	
RHEUMATISM	6													2	1	2	-			1		3	3
SCARLATINA	6	5				2		1		3	3											4	2
SMALL POX																							
SYPHILIS (CONGENITAL)	2	2		1			1			2												1	1
Syphilis																							
SEPTICÆMIA	1	1															1						1
Tonsillitis,																							
TYPHOID FEVER	8	7										3	3	1	1							5	3
Typhus Fever																-						-	
WHOOPING COUGH	4	5			1	3				4												1	3
YELLOW FEVER																				-			
Other Zymotic Diseases		1			-																		
															-								
II. CONSTITUTIONAL.																							
CANCER	29	34											1	4	7	3	9	4	1	-		5	24
Hydrocephalus and Tuberc. Meningitis	16	17		4	2	3		-	2	11	2		3				-	-				9	7
MARASMUS, SCROFULA AND TABES MESENTERICA		21	16	3	1	1		1		22	1					1		1				16	9
PHTHISIS PULMONALIS	123	213	4	1	3	3	-	1		13		11	34	25	23	8	4	-	1			57	66
OTHER CONSTITUTIONAL DISEASES .									-		-						-		-				
OTHER CONSTITUTIONAL DISEASES .	16	25				1			-	1	2	1	1	5		2	2	1	1	1		11	5

of January, Classified by Cause, Age and Sex.

	le .	for .									A	G	E.									S	EX,
CAUSES OF DEATH.	Total Mortality for January, 1891.	Total Mortality f	Under 3 mos.	3 mos. and	6 mos. and under 1 year.	1 year and under 2 yrs.	2 years and under 3 vrs.	3 years and	4 years and	Total under	5 years and under 10 vrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	Males.	Females.
APOPLEXY	23	25										2	1	2	3	4	2	4	5			7	16
Bright's Disease	12	22		-	-	-	-	-	-	-		-	2	3	2	-	3	2	-			7	5
Bronchitis	48	81	2	3	11	7	4	3	-	30	1	-	-	1	1	1	6	5	3	1		24	24
HEART DISEASE	76	84	1		1			-	1	3	1	5	10	7	5	14	16	10	5	-		36	40
MENINGITIS	18	17	1		4	7				12		1	1	2	2							11	7
Nephritis	14	18			-		-		2	2		1		3	2	3	2	-	1	_		7	7
PLEURISY	3				-								1	1			1					. 1	2
PNEUMONIA	139	332	5	8	10	11	6	4	2	46	4	6	4	14	11	11	23	12	7	1		75	64
OTHER LOCAL DISEASES	141	167	8	8	5	8	4	2	2	37	3	3	9	17	20	16	11	16	8	. 1	-	71	70
IV. DEVELOPMENTAL.																							
CYANOSIS	1	2	1							1													1
INANITION	21	6	16	2	1					19						2						12	9
OLD AGE	24	28																9	11	4		10	14
PREMATURE BIRTH	12	16	12							12												6	6
PUERP'L DISEASES (not including Puerp'i Fever)	2	4											2										2
OTHER DEVELOPMENTAL DISEASES	31	26	21	2	1					24			1				3	2	1			12	19
V. VIOLENT.																							
ACCIDENTAL	28	29		1		1	1			3	1		5	5	2	5	1	4	1	1		17	11
Homicidal	1	1												1								1	
SUICIDAL	3	1											1		1				1			2	1
OTHER VIOLENT CAUSES	2	1 .												1			1					1	1
UNENOWN CAUSES	2	3	1							1			1										2
TOTAL FROM ALL CAUSES	894	1309	94	35	48	55	24	15	11	282	20	33	82	97	83	80	87	74	47	9	11.	450	444
TOTAL FROM ZYMOTIC DISEASES	84	136	6	3	9	13	9	4	1	45	5	3	5	6	4	10	3	1	1	1		52	32
" CONSTITUTIONAL DISEASES	209	310	20	8	6	8		2	3	47	6	12	39	34	30	14	15	9	3			98	111
" " LOCAL do	474	746	17	19	31	33	14	9	7	130	8	18	28	50	46	49	64	49	29	3		239	235
" " DEVELOPMENTAL do	91	82	50	4	2					56			3			2	3	11	12	4		40	51
" " VIOLENT CAUSES	34	32		1		1	1			3	1		6	7	3	5	2	4	2	1		21	13

Comparative Statement of Cases of Contagious Disease reported to the Board of Health for the month of January, 1891, and for the corresponding month in 1890.

CASES REPORTED DURI	NG JANUA	RY, 1891.	CASES REPORTED DURIN	G JANUAF	RY, 1890.
	City.	Quarantine.		City.	Quarantine.
Diphtheria	80		Diphtheria	200	
Measles	441		Measles	14	****
Small Pox	****		Small Pox		****
Scarlating	109		Scarlatina	98	****
Typhoid Fever	29	1	Typhoid Fever	37	****
Typhus Fever			Typhus Fever		****
Yellow Fever	****		Yellow Fever		****

METEOROLOGICAL OBSERVATIONS TAKEN AT THE SIGNAL OFFICE, BOSTON.

For the month of January, 1891, as reported by J. W. SMITH, Sergeant Signal Corps, U. S. A.

DATE.	DAILY MEAN BAROMETER.	DAILY MEAN TEMPERATURE.	DAILY MEAN HUMIDITY.	PREVAILING DIRECTION OF WIND.	DAILY RAIN FALL.	GENERA	U. ITEMS.
1	30.10	24	87	S.E.	.01	Mean Barometer, 30.013.	
2	29.43	43	100	s.w.	.93	Highest Barometer, 30.613, on the 16t	
2	29.95	27	78	N.W.	.38	Lowest Barometer, 28.772, on the 12th Monthly Range of Barometer, —	1.
						Mean Temperature, 31.1.	
1	30.26	18	83	N.W.	.00	Highest Temperature, 56.0, on the 22c	
б	29.94	24	100	N.	.31	Lowest Temperature, 23.0, on the 14t Monthly Range of Temperature, —	h.
8	29.94	22	86	N.W.	Т	Greatest Daily Range of Temperature	e, 23.0, on the 14th.
7	30.02	25	68	N.W.	.00	Least Daily Range of Temperature, 3	.0, on the 25th.
8	30.27	22	73	N.W.	.00	Mean Daily Range of Temperature, -	
9	30.36	24	77	N.W.	.00	Mean Daily Dew-point, 25.2. Mean Daily Relative Humidity, 81.7.	
						Prevailing Direction of Wind, West.	
10	30.20	32	61	N.W.	.00	Total Movement of Wind, 8,725 Miles	
11	29.85	38	81	S.W.	.40	Highest Velocity of Wind and Directi Number of Foggy Days, 0,	on, 48 miles S.W. on the 12th.
12	29.96	39	81	W.	.23	" Clear " 5.	
18	29.80	23	65	w.	.00	" Fair " 11.	
14	29.86	28	85	S.	.01	Number of Cloudy " 15.	
15	30,35	30	61	w.	.00	Total Number of Days on which Rain Depth of unmelted Snow on ground a	
				N.		Dates of Auroras,	Dates of Coronas,
16	30.52	28	72		.00	Dates of Solar Halos, 31st.	
17	30.27	24	100	N.	.40	Dates of Lunar Halos, 15th, 23d, 24th. Mean Max. Temp., 37.6.	Mean Min. Temp., 24.6.
18	29,94	32	74	N.	.67	Thunder storm, none.	мени м.п. тетр., 24.0.
19	30.08	24	91	N.	.00	Dates of Frosts,	
20	30.03	30	81	N.W.	.00	Comparative Temperature.	COMPARATIVE PRECIPITATION
21	30.08	35	85	s.w.	.00	1871 26.0	Inche
22	29.66	46	96	s.	.51	1872 27.0 1873	1871 2.6
	30.00	40	73	w.	.00	1874 30.0	1873 5.76
28						1875 20.0	1874 4.3
24	30.17	41	80	S.W.	.00	1876 29.0	1875 3.6 1876 1.8
25	29.69	31	90	N.E.	.35	1877 23.0	1877 3.3
26	30.03	31	84	W.	.00	1879 24.0	1878 7.60
27	30.14	30	84	N.E.	.01	1880	1879 2.79
28	30.28	34	90	Calm.	,00	1881	1880 3.7
29	30,05	35	100	E.	.16	1883	1882 3.6
30				W.		1884 24.0	1883 3.5
	29.75	41	81		.02	1885 27.0	1884 6.2 1885 5.3
31	30.18	35	74	W.	T	1886 26.0	1886 7.00
						1888 20.0	1887 4.80
OTALS					4.39	1889 35.0	1888 2.26
	-	-	-			1890	1890 2.00
EANS	30.013	31.1	81.7	W.	.141		1891 4.39

Average monthly temperature for 21 years, 26.7.

Average monthly precipitation for 21 years, 4.36.

T indicates trace of precipitation.

Statement of Mortality for the month of February, 1891.

With an enumeration of the more prominent causes; accompanied by an abstract of Meteorological Observations.

Published by order of the Board of Health.

SAMUEL H. DURGIN, M.D.,

Population by National Census, 448,477.	Rate per 1,000 inhabitants, 19.66
Total number	NATIVITY.
SEX.	United States
Males	Ireland
Females	England
CONDITION.	Scotland
Married	Germany
	British America 41
Single	Italy
Widows 95	Other Countries
Widowers 24	Unknown
Unknown 3	PARENTAGE.
COLOR.	United States
White 716	Irish
Colored	English
	Scotch
	German
Under 1 year 150	British American
Total deaths of children Under 2 years 196	Italian
Under 5 years	Other Countries 49
(Under 1 year 4	Mixed
Under 2 years 4	Unknown
Diarrhœal diseases Under 5 years 4	
All ages 6	Still-births during the month 47

	or .	for 10.	11								A	G	Ē.			-						SI	EX.
CAUSES OF DEATH.	February, 1891.	Total Mortality for February, 1890.	Under 3 mos.	bs. and ler 6 mos.	6 months and under I year.	ar and ler 2 yrs.	2 years and under 3 yrs.	ars and ler 4 yrs.	4 years and under 5 yrs.	funder 5 years.	o years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 80 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	ears and	100 years and over.	68,	Females.
I. ZYMOTICS.	Tota Fel	Tota	Und	3 mos. a	6 mc	1 year a	2 ye	3 ye	4 ye	Tota	o ye	10 y	20 y	30 y un	40 y	50 y	60 y	70 y	80 y	90 y	100	Males,	Fen
ALCOHOLISM	3	11													1	1	1					2	1
CROUP	3	5			1		1	1		3												2	1
CARBUNCLE																							
CHOLERA MORBUS																							
CHOLERA INFANTUM	2	1	1 1		1	4				2												1	1
CEREBRO-SPINAL MENINGITIS	2	1	1			1				2												1	1
Congestive Fever																							
DIARRHŒA	3	4	2							2						1						1	2
DYSENTERY	1																	1			-		1
DIPHTHERIA	18	49			2		4	3	2	11	7		*									9	9
ERYSIPELAS	6	3	1							1			1		1	1		1	1			1	5
INTERMITTENT FEVER																							
ÎNFLUENZA	1	3													1								1
MEASLES	2			1		1				2											1	1	1
Purpura																							
PUERPERAL FEVER	2	5											1	1									2
Ружміа	1	2															1						1
REMITTENT FEVER																							
RHEUMATISM	1	4														1							1
SCARLATINA	8	3			1	1	1	1	2	6	2											2	6
SMALL POX														:									
Syphilis (Congenital)	1	3				1				1													1
Syphilis		1																				- !	
SEPTICÆMIA	1												1										1
TONSILLITIS,	1						1			1													1
TYPHOID FEVER	4	5				1				1			1	1			1					2	2
TYPHUS FEVER																							
WHOOPING COUGH	1	6			1					1												1	
YELLOW FEVER																							
OTHER ZYMOTIC DISEASES	2												2		i	-						2 !	
															_								
																	1						
II. CONSTITUTIONAL.																			,				
CANCER	22	23	1									1	1		5	5	8	3				10	12
HYDROCEPHALUS AND TUBERC. MENINGITIS	13	13	1	1	4	4				10	3											7	6
MARASMUS, SCROFULA AND TABES MESENTERICA	24	15	15	2	3	4				24						1			1		1	16	8
PHTHISIS PULMONALIS	88	125		1		1	-			2		5	32	25	17	5		1	1			46	42
OTHER CONSTITUTIONAL DISEASES .	13	7			i	1				1	1	3	3	4	1							5	8
																			-				

of February, Classified by Cause, Age and Sex.

	10 ,	for).	- 1					-			A	G:	E.									SE	X,
CAUSES OF DEATH.	Total Mortality f. February, 1891.	Fotal Mortality for February, 1890.	Under 3 mos.	3 mos. and under 6 mos.	6 mos. and under 1 year.	1 year and under 2 yrs.	2 years and under 3 yrs.	S years and under 4 yrs.	4 years and under 5 yrs.	Total under 5 years	5 years and under 10 yrs.	10 years and under 20 yrk.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	00 years and over.	Males.	Females.
III. LOCAL.	===	,====	1	00	9		≎1 —	===	7	Ţ	0	=	21		=				=	8			
APOPLEXY	18	28												2		5	8	3	_			7	11
BRIGHT'S DISEASE	10	9												3		_1	5		1			4	
Bronchitis	46	48	4	6	5	5	2			22	3	2			2	3	2	5	5	2		19	27
HEART DISEASE	51	65		1						1		3	5	6	9	8	6	8	5			23	
Meningitis	23	21		1	6	4	6	1		18				1	2	2						12	11
NEPHRITIS	10	7									1	1	2	3	1	2						5	5
PLEURISY	1													1									1
PNEUMONIA	121	85	4	5	8	15	2		1	35	3	5	9	10	15	11	15	11	6	1		50	71
OTHER LOCAL DISEASES	130	87	11	3	4	5	2	1	1	27	3	2	15	12	21	18	14	16	2			70	60
IV. DEVELOPMENTAL.																							
CYANOSIS	3		3							3												2	1
INANITION	15	9	13		1	1				15												9	6
OLD AGE	14	21															1	3	8	2		3	11
PREMATURE BIRTH	20	13	20							20												11	9
PUERP'L DISEASES (not including Puerp'l Fever)	2	4										1		1									2
OTHER DEVELOPMENTAL DISEASES	17	21	8	2	1	1	1			13					1		2		1			8	9
V. VIOLENT.																							
Accidental	22	27	4							4			5	2	5	5	1					16	6
Homicidal												-											
SUICIDAL	5	3											1	2	1	1						5	
OTHER VIOLENT CAUSES	1	2											1.										1
Unknown Causes	3	3	1							1						1		1				1	2
TOTAL FROM ALL CAUSES	795	742	89	23	38	46	20	7	6	229	23	23	79	74	83	71	65	58	30	5		354	381
TOTAL FROM ZYMOTIC DISEASES	63	106	5	1	6	5	7	5	4	33	9	I	6	2	3	4	3	2	1			25	38
" CONSTITUTIONAL DISEASES	160	183	16	4	7	10				37	4	9	35	29	23	10	8	4	1			84	76
" " LOCAL do	410	350	19	16	23	29	12	2	2	103	10	13	31	38	50	50	50	43	19	3		190	220
" " DEVELOPMENTAL do	71	68	44	2	2	2	1			51	-	1		1	1		3	3	9	2		33	38
" " VIOLENT CAUSES	28	32	4							4		_	7	4	6	6	1					21	7
			1'		_			_	_		-	-						-				mon	, .

Comparative Statement of Cases of Contagious Disease reported to the Board of Health for the month of February, 1891, and for the corresponding month in 1890.

CASES REPORTED DURIN	G FEBRUA	ARY, 1891.	CASES REPORTED DURING	FEBRUA	RY, 1890.
	City.	Quarantine.		City.	Quarantine
Diphtheria Measies Smail Pox Searlatine Typhoid Fever Typhus Fever Yellow Fever	71 478 95 22		Diphtheria Measies Small Pox Scarlatina Typhoid Fever Typlus Fever Yellow Fever	189 16 103 26	

METEOROLOGICAL OBSERVATIONS TAKEN AT THE SIGNAL OFFICE, BOSTON.

For the month of February, 1891. as reported by J. W. SMITH, Sergeant Signal Corps, U. S. A.

DATE.	DAILY MEAN BAROMETER.	Daily Mean Temperature.		PREVAILING DIRECTION OF WIND.	DAILY RAIN FALL.	GENERAL ITEMS.
1	29.68	42	92	W.	.28	Mean Barometer, 30.068.
2	30.18	37	72	w.	.00	Highest Barometer, 30.73, on the 15th. Lowest Barometer, 29.35, on the 3d.
8	29.66	39	90	s.	.38	Monthly Range of Barometer, —
4	30.05	17	69	w.	.00	Mean Temperature, 32.0.
-	30.54	15	69	s.w.	,00	Highest Temperature, 62.0, on the 25th. Lowest Temperature, 20.0, on the 5th.
0	30.10	36	93	s.w.	.18	Monthly Range of Temperature, —
6				N.E.		Greatest Daily Range of Temperature, 29.0, on the 24th. Least Daily Range of Temperature, 8.0, on the 14th.
7	30.01	35	66		.00	Mean Daily Range of Temperature,
8	30.16	26	97	N.	.30	Mean Daily Dew-point, 25.5.
9	30.26	24	97	N.W.	,20	Mean Daily Relative Humidity, 80.4. Prevailing Direction of Wind, West.
10	29.72	38	85 .	W.	.47	Total Movement of Wind, 9,215 Miles.
11	30.23	28	65	W.	.00	Highest Velocity of Wind and Direction, 41 miles W. on the 22d.
12	30.24	30	82 ,	8	.00	Number of Foggy Days, 0. " Clear " 8.
13	30.07	32	85	N.W.	.00	" Fair " 9.
14	30.49	16	61	N.W.	.00	Number of Cloudy " 11.
15	30.52	19	66	S.W.		Total Number of Days on which Rain or Snow fell, 15. Depth of unmelted Snow on ground at end of month, 2 inches.
				s.w.		Dates of Auroras, Dates of Coronas,
16	29.76	42	89		T	Dates of Solar Halos, 28th.
17	29.70	42	97	N.E.	.25	Dates of Lunar Halos, 15th, 23d, 24th. Mean Max. Temp., 39.5. Mean Min. Temp., 24.4.
18	29.76	40	75	W.	.15	Thunder storm, none.
19	30.50	27	46	N.W.	.00	Dates of Frosts,
20	30.39	26	83	E.	.29	Comparative Temperature. Comparative Precipitations.
21	29.70	38	98	W.	.21	1871 28.6 Inches.
22	29.93	34	67	W.	.06	1872 28.1 1871 2.87 1873 27.2 1872 2.31
28	30.54	24	69	S.	.00	1874
24	30.28	42	83	s.	.00	1875
25	29.66	54 .	89	 S.	.02	1877
				N.	.66	1878
26	29.46	41	98			1879
27	29.83	26	74	W.	.24	1881
28	30.36	20	80	l S.	T	1882
						1883
						1885
						1886
						1887
TOTALS					3.64	1889
						1890
MEANS	30.068	32.0	80.4	w.	.13	1891 32.0

Statement of Mortality for the month of March, 1891.

With an enumeration of the more prominent causes; accompanied by an abstract of Meteorological Observations.

Published by order of the Board of Health.

SAMUEL H. DURGIN, M.D.,

Deaths during the month of March, 1891, . Population by National Census, 448,477.	Rate per 1,000 inhabitants, 21.75
Total number 813	NATIVITY.
SEX.	United States
Males 414	Ireland
Females	England
CONDITION.	Scotland
Married 288	Germany
Translate	British America 41
Single	Italy
Widows	Other Countries
Widowers	Unknown
Unknown 6	PARENTAGE.
COLOR.	United States 201
White	Irish
Colored	English
	Scotch
	German
Under 1 year 153	British American
Total deaths of children Under 2 years 189	Italian
Under 5 years 227	Other Countries
(Under 1 year 2	Mixed
Under 2 years	Unknown
Diarrheal diseases Under 5 years 3	
All ages 8	Still-births during the month

	for	for									A.	G :	E.									SI	EX.
CAUSES OF DEATH.	Total Mortality for March, 1891.	Fotal Mortality March, 1890.	Under 3 mos.	mos. and inder 6 mos.	6 months and under 1 year.	I year and under 2 yrs.	years and under 3 yrs.	3 years and	years and under 5 yrs.	Total under 5 years.	5 years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	00 years and over.	Мајев.	Females.
-				0	9 -	-	62	00 -	-	170	0	=	2	36		200	1962	1	100	06 27	-		
ALCOHOLISM		2	-	1			1					-			1							1 2	3
CROUP	5	8					1	2		5	-			-						-			3
CARBUNCLE			-			_														_			
CHOLERA MORBUS	-	-	-	-	1			-	-														
CHOLERA INFANTUM	1	1	-	-	-					1	-	-						-			-		1
CEREBRO-SPINAL MENINGITIS	3		-	-			2	1	-	3	-											2	1
Congestive Fever	-		-	-			-								<u> </u>		-					4	
DIARRHŒA	3	11		-							-		_			_		2	_			1	2
DYSENTERY	4	3		1	-	1				2						2							4
DIPHTHERIA	13	41			1	1	1	1	3	7	3			1	2			-				6	7
ERYSIPELAS	4	7	2							2			1					1				2	2
INTERMITTENT FEVER							_			_						_		_					
INPLUENZA	1	3						_			1				_							1	
MEASLES	4			2		1				3	1			_		_		***************************************				1	3
PURPURA	-		-					_	_	_			_	_									
PUERPERAL FEVER	-	5	-																				
Ружміа	5	1	-									1	3				1			_		5	
REMITTENT FEVER	-	-	-	_			_		_	_				_									
RHEUMATISM	3	3	-	-													3_					1	2
SCARLATINA	7	6	-				2	1	1	4	1		2									2	5
SMALL POX		1						_													-		
SYPHILIS (CONGENITAL)	4	4	3	1						4												3	1
SYPHILIS																			_		_		
Septicæmia	2	2	1							1				_			1		_			2	
Tonsillitis,	1					1				1											-11-	1	
TYPHOID FEVER	11	7											4	4		2	1				_	7	4
TYPHUS FEVER																							
WHOOPING COUGH	2	6				2				2												1	1
YELLOW FEVER																							
OTHER ZYMOTIC DISEASES	1																	1				1	
II. CONSTITUTIONAL.																							
CANCER	25	20											1	3	3	5	9	3	1			10	15
HYDROCEPHALUS AND TUBERC. MENINGITIS	10	19	1		3	4		1		9	1											5	5
MARASMUS, SCROPULA AND TABES MESENTERICA	21	33	10	3	3	3				19	1							1				13	8
PHTHISIS PULMONALIS	98	133			1		3			4	1	5	38	23	12	7	5	2	1			58	40
OTHER CONSTITUTIONAL DISEASES .	21	11				1			1	2		2	8	4	4		1					14	7

of March, Classified by Cause, Age and Sex.

	lor	for		~							A	Gł:	E.		-		-					SI	ex.
CAUSES OF DEATH.	Total Mortality March, 1891.	Total Mortality March, 1890.	Under 3 mos.	3 mos. and under 6 mos.	6 mos. and under 1 year.	1 year and under 2 yrs.	years and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	Total under	5 years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	Males.	Females.
THE BOOKE	-	-	2	8	9	=	C2	==	4	=		=											
APOPLEXY	30	36					_						3	2	3	5	6	5	5	1		11	19
Bright's Disease	9	11									<u> </u>			1	2	2	2	2				6	3
Bronchitis	46	51	4	5	6	5	1	2		23	1		1	1		6	5	9				21	25
HEART DISEASE	70	67	1		1					2	2	2	5	8	13	12	10	9	7			30	40
Meningitis	17	19	1	1	7	3	1	1	1	15	1			1		_						7	10
Nephritis	13	12			1					1		_	1		4	5	2					10	3
PLEURISY	2	1												1			1					2 ·	
PNEUMONIA	104	111	2	3	7	7	4		2	25	1	2	8	14	15	13	9	13	3	1		49	55
OTHER LOCAL DISEASES	149	128	16	10	9	6	2	2		45	4	4	10	14	11	26	13	17	5			81	68
IV. DEVELOPMENTAL.]																					
CYANOSIS	1	4	1		_					1					_								1
INANITION	14	9	12		1					13						1						4	10
OLD AGE	26	19						-									3	8	11	4		5	21
PREMATURE BIRTH	13	12	13							13												9	4
PUERP'L DISEASES (not including Puerp'l Fever)	3	2						-				1	1	1									3
OTHER DEVELOPMENTAL DISEASES	29	20	15	2						17	1					3	4	3	1			12	17
V. VIOLENT.																							
ACCIDENTAL	26	17	-					1		2	-	3	6	8	7	3	1		1		-	23	3
Homicidal		1													_					_			
SUICIDAL	4	8		-						-				1	1	1	1					3	1
OTHER VIOLENT CAUSES		2		-			_		_						-		-						
OTHER VIOLENT CRUSES								-				-											
UNENOWN CAUSES	5	4	1					-		1	-		1		2	1		_	-		-	2	3
Total from all Causes	813	860	53	29	41	36	18	12	8	227	19	20	95	82	50)	94	79	78	35	6		414	399
*Total from Zimotic Diseases	77	110	6	5	2	7	6	5	4	35	6	1	12	5	3	4	7	4				39	38
" Constitutional Diseases	175	216	11	3	7	8	3	1	1	34	3	7	47	30	19	12	15	6	2			100	75
" " Local do	440	436	24	19	31	21	8	 5		111	9	8	28	42	48	69	48	55	20	2		217	223
" " DEVELOPMENTAL do	86	66	41	2	1				-	44	1	1	1	1	_	4	7	11	12	4		30	56
" VIOLENT CAUSES	30	28		-			1	1	-	2		3	6	4		4	2		1	-		26	4
VIOLENT CAUSES		-																				mon	

Comparative Statement of Cases of Contagious Disease reported to the Board of Health for the month of March, 1891, and for the corresponding month in 1890.

CASES REPORTED DUR	ING MARC	CH, 1891.	CASES REPORTED DURI	ING MARC	H, 1890.
	City.	Quarantine.		City.	Quarantine.
Diphtheria	59		Diphtheria	154	
Measles	447		Measles	25	
Small Pox			Small Pox		
Scarlatina	108		Scarlatina	105	
Typhoid Fever	32		Typhoid Fever	32	
Typhus Fever			Typhus Fever		
Yellow Fever			Yellow Fever		

^{*} Including tubercular diseases, 198.

METEOROLOGICAL OBSERVATIONS TAKEN AT THE SIGNAL OFFICE, BOSTON.

For the month of March, 1891. as reported by J. W. SMITH, Sergeant Signal Corps, U. S. A.

DATE.	DAILY MEAN BAROMETER.	DAILY MEAN TEMPERATURE.	DAILY MEAN HUMIDITY.	PREVAILING DIRECTION OF WIND.	DAILY RAIN FALL.	GENER	AL ITEMS.
1	30.44	20	56	N.W.	.12	Mean Barometer, 30.127.	
2	30.53	111	65	N.W.	.00	Highest Barometer, 30.567, on the 2d	
3	30.30	21	75	E.	.02	Lowest Barometer, 29.396, on the 13th	.n.
0						Mean Temperature, 33.6.	
4	29.80	25	100	E.	1.05	Highest Temperature, 55.0, on the 13	
5	29.92	23	71	N.W.	.08	Lowest Temperature, 3.0, on the 2d. Monthly Range of Temperature, —	
6	30.06	27	67	N.W.	.00	Greatest Daily Range of Temperature	
7 1	30.09	34	54	N.W.	.00	Least Daily Range of Temperature,	
8	30.16	34	69	N.W.	.00	Mean Daily Range of Temperature, Mean Daily Dew-point, 24.5.	
9	30.14	36	94	E.	.14	Mean Daily Relative Humidity, 72.8.	
10		39	58	w.	.25	Prevailing Direction of Wind, N.W.	
10	30.13			W.		Total Movement of Wind, 10,907 Mil Highest Velocity of Wind and Direct	
11	30.44	39 \	63		.00	Number of Foggy Days, 0.	ion, 45 miles S. on the luth.
12	30.32	39	92	S.	.03	" Clear " 11.	
18	29.61	46	96	E.	.61	" Fair " 6.	
14	29.77	33	68	W.	.02	Number of Cloudy " 14. Total Number of Days on which Rai	n or Snow fell. 14.
15	30.23	28	56	W.	.00		at end of month, none in city, 2 to 4
16	30.00	40	55	s.w.	T	inches in surrounding country.	
17	30.22	23	44	N.W.	.00	Dates of Auroras, Dates of Solar Halos, 8th, 15th, 27th,	Dates of Coronas, 28th, 30th.
		37		S.W.	.00	Dates of Lunar Halos, 15th, 17th, 26th	
18	30.08		63			Mean Max. Temp., 40.0.	Mean Min. Temp., 27.3.
19		32	87	N.E.	.03	Thunder storm, none.	Dates of Frosts,
	30.37	32	83	N.E.	T	Comparative Temperature.	Comparative Precipitations.
21	29.98	36	100	N.E.	1.25	1871 41.5	Inches. 1871 4.55
22	29.84	40	100	E.	.29	1873	1872 4.05
28	30.10	41	100	N.E.	.02	1874	1873 3.76
24	30.19	39	96	N.E.	.03	1875 31.3	1874 1.60 1875 5.04
25	30.15	42	65	N.W.	.00	1877 34.4	1876 7.19
26	30.36	33	63	N.W.	.00	1878 39.4	1877 9.79
				N.W.		1879	1878 6.14
27	30.24	35	59		•00	1881	1880 3.25
28	29.91	37	59	N.	۰00	1882 35.8	1881 9.86
29	29.91	42	78	N.	.00	1883 31.3	1882 · · · · · · 3.35 1883 · · · · · · 2.33
30	30.12	40	52	E.	.00	1885 27.9	1884 4.86
81	30.16	35	75	E.	.00	1886	1885 1.15
						1887	1886 3.20
OTALS					3.94	1889 37.4	1888 3.32
						1890 34.9	1889 1.19
KVM8	30.127	33.6	72.8	N.W.	.127	1891 33.6	1890 5.88

Statement of Mortality for the month of April, 1891.

With an enumeration of the more prominent causes; accompanied by an abstract of Meteorological Observations.

Published by order of the Board of Health.

SAMUEL H. DURGIN, M.D.,

Population by National Census, 448,477.	Rate per 1,000 inhabitants, 24.42
Total number 913	NATIVITY.
SEX.	United States 591
Males 470	Ireland
Females	England ,
CONDITION.	Scotland
Married 309	Germany
	British America 61
Single	Italy 4
Widows	Other Countries
Widowers 40	Unknown
Unknown 6	PARENTAGE.
COLOR.	United States
White	Irish
Colored 20	English
	Scotch
,	German
Under 1 year 171	British American
Total deaths of children Under 2 years 212	Italian
Under 5 years 252	Other Countries 80
(Under 1 year 3	Mixed 69
Under 2 years 5	Unknown
Diarrhœal diseases Under 5 years 5	
All ages 6	Still-births during the month 48

	for	for									A	G :	E.									SI	EX.
CAUSES OF DEATH.	Total Mortality April, 1891.	Total Mortality April, 1890.	Under 3 mos.	3 mos. and under 6 mos.	6 months and under 1 year.	l year and under 2 yrs.	years and under 3 yrs.	years and under 4 yrs.	e F	il under 5 years.	5 years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	0 years and over.		Females.
i, zymotic.	Tot	Tot	Un	3 m	on a	1 y	2 4	3 y	4 y	Total	o y	10 J	20 J	30 m	40	50 ur	90 a	70 un	80 J	90	100	Mak	Fer
ALCOHOLISM	8	9											1			2						3	
CROUP	2	6				1	1			2												1	1
CARBUNCLE																							
CHOLERA MORBUS		1								ē													
CHOLERA INFANTUM	4			1	1	2				4												3	1
CEREBRO-SPINAL MENINGITIS		2									1												
Congestive Fever		1																					
DIABRHŒA	1	7		1						1													1
DYSENTERY	1	1															1						1
Diphtheria	17	40				4	3	2		9	6		2									11	6
ERYSIPELAS	8	7		2	1					3				1	1	2			1			4	4
INTERMITTENT FEVER																							
INPLUENZA	3	1													_		1	2				8	
MEASLES	2	-			1					1	1		-									1	1
PURPURA		2																					
PUERPERAL FEVER	4	4											3	1									4
Ружна		1																					
REMITTENT FEVER		ļ											_				_						
RHEUMATISM	1	3											1				-					1	
SCARLATINA	7	4			1	2	2	1		6	1				-							4	3
SMALL POX																							
SYPHILIS (CONGENITAL)	2	4	1	1						2			-							_		1	1
SYPHILIS	2													2	-					-			2
SEPTICÆMIA	2	1	-											2									2
Tonsillitis																-							
TYPHOID FEVER	9	7						-	-			6	2	1						-		4	5
Typhus Fever			-							-	-		_										
WHOOPING COUGH	8	2	3	1	1	1				6	1	1										2	6
		2	0			_								_	-					-			
Vellow Fever			-							-													
OTHER ZYMOTIC DISEASES															-								
II. CONSTITUTIONAL.									1														
CANCER	01	20	-	-			-		_						-		-					11	
HYDROCEPHALUR AND TUBERC. MENINGITIS	31	36				_	-		-	15	_			3	8	5	7	4	1			11	20
MARASMUS, SCROFULA AND TABES MESENTERICA	18	18	1	1	2		3	2	2		3											11	7
		21	16	4	2	2	1	1		26							1	_			_	10	17
PHTHISIS PULMONALIS	125	114	1		1		1			3	1	9	37	33	20	13	6	2	1			62	63
OTHER CONSTITUTIONAL DISEASES .	18	12	1	1	1	2	1	2	-	7		2	2	3		4			1			7	11

of April, Classified by Cause, Age and Sex.

	for	for	11		=						A	Gł:	E.						-			SI	EX.
CAUSES OF DEATH.	Total Mortality April, 1891.	Total Mortality April, 1890.	Under 3 mos.	3 mos. and under 6 mos.	6 mos. and under 1 year.	1 year and under 2 yrs.	2 years and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	Total under	5 years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	Males.	Females.
	31	27									1		1			4	9	9			=	9	22
APOPLEXY	17	10			-		_			-			2	1	2	6	3					12	5
Bright's Disease	42	41	2	3	4	6	1	1	1	18	1	2		2	1		4	4				22	20
Bronchitis	64	56		-	1	-	-	-		1	-	3	4	- 6	6	-	17	8	5	1		31	33
	26	19	4	2	6	8		1	1	22	1	2	-	1	_			-				17	9
MENINGITIS	18	19	11 2	-			1		_	1	-	1	1	_	4	2	2	3			-	9	9
Nephritis	1	3							_	1		_	-	_	_		1					1	
PLEURISY		114	11 7	3	10		-		2	00	3	4	13	7.5	19	20	17	16	6	2		82	69
PNEUMONIA	151				13	4	3	4	-	36				1 Name .		18	_	10				73	61
OTHER LOCAL DISEASES	134	106	19	2	6	4		1		33	2	4	6	14	19	18	18						
IV. DEVELOPMENTAL.																							
CYANOSIS	3		3	1						3												2	1
INANITION	19	10	14	3						17	1								1			9	10
OLD AGE	31	15															2	11	15	3		14	17
PREMATURE BIRTH	12	11	12							12												9	3
PUERP'L DISEASES (not including Puerp'l Fever)	2	1												2									. 2
OTHER DEVELOPMENTAL DISEASES	20	13	18	1						19									1			10	10
															_		-						
v. violent.																							
ACCIDENTAL	33	24	1			1	1	1		4	1	1	-6	4	5	5	4	2	1			24	9
Homicidal						_	_							-									
SUICIDAL	8	9					_	-					1	3	1	1	2					6	2
OTHER VIOLENT CAUSES		1									-						-		—	_			
OTTALL VIOLENT CITCUITS						_						-			-	-							
Unknown Causes	6	2	1				_	-		1				1	2	1					-	1	5
TOTAL FROM ALL CAUSES	913	785	104	26	41	11	18	16	6	252	23	36	88	104	88	100	95	73	48	6		470	443
TOTAL FROM ZYMOTIC DISEASES	76					10	6	3		34	9	7	9	7	7	4	2	2	1		11	38	38
INCLUDING TUBERCULAR DISEASES	258	103	4	6	5	-		5	2		4	11	42	39	28	22	14	6	2			101	118
TOTAL FROM CONSTITUTIONAL DISEASES	219	201	19	6	6	8	5			51	-	-		-					27	3		256	228
44 LOCAL do	484	395	32	10	30	22	6	7	4	111	8	16	30	48	51	67	71	'		3		44	43
66 66 DEVELOPMENTAL do	87	50	47	4			_			51	1				_	-	2		17	3			
" VIOLENT CAUSES	41	34	1			1	1 .	1		4	1	1	7	7	6	6	6	2'	1			30	11

Comparative Statement of Cases of Contagious Disease reported to the Board of Health for the month of April, 1891, and for the corresponding month in 1890.

CASES REPORTED DUR	ING APRII	4, 1891.	CASES REPO	RTED	DU	RING APRIL,	1890.
	City.	Quarantine.	structure advantage of the state.			City.	Quarantine.
Diphtheria	71		Diphtheria			164	
Measles	501		Measles			34	
Small Pox		****	Small Pox				7
Scarlatina	151		Scarlatina			122	****
Typhoid Fever	24		Typhoid Fever			25	****
Typhus Fever			Typhus Fever			****	****
Yellow Fever	****		Yellow Fever			****	***

METEOROLOGICAL OBSERVATIONS TAKEN AT THE SIGNAL OFFICE, BOSTON.

For the month of April, 1891, as reported by J. W. SMITH, Sergeant Signal Corps, U. S. A.

DATE.	DAILY MEAN BAROMETER.	DAILY MEAN TEMPERATURE.	DAILY MEAN HUMIDITY.	PREVAILING DIRECTION OF WIND.	DAILY RAIN FALL.	GENERAL ITEMS.
1	30.15	38	78	E.	.00	Mean Barometer, 29.957.
2	80.07	38	81 .	E.	т	Highest Barometer, 30.587, on the 10th. Lowest Barometer, 28.969, on the 3d.
8	29,14	40	90	w.	.91	Monthly Range of Barometer, —
4	29.57	38	71	W.	,00	Mean Temperature, 48.0.
5	29.89	36	55	w.	.00	Highest Temperature, 78.0, on the 27th. Lowest Temperature, 27.0, on the 6th.
						Monthly Range of Temperature, —
6	29.85	36	62	W.	•00	Greatest Daily Range of Temperature, 33.0, on the 27th.
7	29.88	36	55	W.	.00	Least Daily Range of Temperature, 6.0, on the 15th. Mean Daily Range of Temperature, —
8	30.18	39	59	W.	.00	Mean Daily Dew-point, 39.3.
9	30.45	38	61	E.	.00	Mean Daily Relative Humidity, 75.1.
10	80.85	42	68	E.	.00	Prevailing Direction of Wind, West. Total Movement of Wind, 9,048 Miles,
11	30.31	45	89	s.	.02	Highest Velocity of Wind and Direction, 60 miles N.E. on the 3d.
12	30.05	54	71	w.	.17	Number of Foggy Days, 0.
18	29.92	52	84	w.	.00	" Clear " 11. " Fair " 11.
14	30.08	62	79	s.w.	.00	Number of Cloudy " 8.
15	30.12	41	92	N.E.	.47	Total Number of Days on which Rain or Snow fell, 7. Depth of unmelted Snow on ground at end of month, none.
16	30.18	46	. 89	E.	.00	Dates of Auroras, Dates of Coronas,
						Dates of Solar Halos, 6th, 10th, 17th.
17	30.25	50	88	E.	.00	Dates of Lunar Halos, none, Mean Max. Temp., 56.8. Mean Min. Temp., 39.3.
18	29.98	61	85	s.w.	.00	Thunder storm, 18th.
19	29.89	69	77	w	.09	Dates of Frosts,
20	30.18	50	85	E.	.00	Comparative Temperature. Comparative Precipitations.
21	30.30	54	75	W.	.00	1871 47.0 Inches. 1872 44.6 1871 3.79
22	29.82	62	75	S.W.	.00	1873 47.1
28	29.52	59	91	w.	.01	1874
24	29.58	50	81	N.E.	T	1875
25	29.63	46	90	N.W.	.04	1877
26	29.92	46	59	N.W.	.00	1878
27	29.96	62	66	W.	.00	1880
28	29.76	58	67	w.	.00	1881
29	29.84	46	68	N.W.	.00	1883
30	29.70	54	68	s.w.	.00	1884
						1886
						1887
Totals					1.71	1888 42.2 1887 2.68 1889 47.7 1888 2.04 1890 46.3 1889 3.07
MEANS	29.957	48.0	75.1	w.	.057	1891 48.0 1890 2.29 1891 1.71

Statement of Mortality for the month of May, 1891.

With an enumeration of the more prominent causes; accompanied by an abstract of Meteorological Observations.

Published by order of the Board of Health.

SAMUEL H. DURGIN, M.D.,

Deaths during the month of May, 1891,	у
Population by National Census, 448,477.	Rate per 1,000 inhabitants, 23.84
Total number	NATIVITY.
SEX.	United States
Males 439	Ireland
Females	England
	Scotland
CONDITION.	Germany
Married	British America
Single	Italy
Widows	Other Countries 26
Widowers	Unknown
Unknown 8	PARENTAGE.
COLOR.	United States
White	Irish
Colored 28	English 20
· · · · · · · · · · · · · · · · · · ·	Scotch
	German
Under 1 year 153	British American
Total deaths of children Under 2 years 195	Italian
Under 5 years 247	Other Countries
Onder o years 241	Mixed
(Under 1 year 2	Unknown
Under 2 years 2	Christian
Under 5 years 2	
All ages 4	Still-births during the month

	or	for		_			_				A	G	E.		=	_						SI	EX.
CAUSES OF DEATH.	Total Mortality May, 1891.	Fotal Mortality May, 1890.	Under 8 mos.	3 mos. and under 6 mos.	6 months and under 1 year.	1 year and under 2 yrs.	2 years and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	Fotal under 5 years.	years and under 10 yrs.	0 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	Males.	Females.
		5	=		9		104	100	4	1	10	-	2	1	4	1		1	100	3 -		2	1
ALCOHOLISY		5	-	-	1	. 1	- 2	-	1	6				-				, -				2	4
CROUP				-	-	1	Ė	-	-														
CARBUNCLE		1						-	-		-												
CHOLERA MORBUS	2		1	-	1					2				-								- 1	1
CHOLERA INFANTUM					1	-					-												
CEREBRO-SPINAL MENINGITIS			-			-			-	-													
Congestive Fever		4					-											1					2
()IARRHŒA																	Ė	- 1					
DYSENTERY	24	:50	1		-	3	4	4	2	14	8	1	-	-	-		1					13	11
DIPHTHERIA			2			.,	-		2	2	0	1	1	*	1	8			1		-	3	5
ERYSIPELAS	S	5	. 2										1						1				-
INTERMITTENT FEVER					_								_									-	
INFLUENZA	<u> </u>	1		1	-					1			1	2	1		- 1	1	1			4	1
MEASLES	4	1			1	2			. 1	4												3	
Purpura	1		1							1 ,												1	
PUERPERAG FEVER	2	. 1										!	1	1									2
PYÆMIA	1	2			-		_								1							1	
REMITTENT FEVER			-																				
RHEUMATISM	2	1	1							1						1							2
SCARLATINA		7		-	1	1	_		3	5	3											4	4
SMALL Pox																							
STPHILIS (CONGENITAL)	1	2	1							1													1
SYPHILIS										_			_			_							
SEPTICÆMIA	4	4							_				1		1	2						2 1	2
TONSHLITIS	1	1	1							1													1
TYPHOLD FEVER	15	7							1	1			5 1	2								3	5
Typhus Fever																							
WHOOPING COUGH	0	2		1		1	1			5												2	1
YELLOW FEVER																							No. leave
OTHER ZYMOTIC DISEASES	1	1													1	1			- 1			1	
II. CONSTITUTIONAL.									-														
CANCER	27	33											2	2	4	9	3	5	2	1		9	19
HYDROCEPHALUS AND TUBERC. MENINGITIS	18	19	2	3	2	- i	4	1	T	17		T	1	N								7	11
Marasmus, Scrofula and Tabes Mesenterica	23	25	14	3	1	3	1			1)11							11					11	12
PHTHISIS PULMONALIS	129	121					2			2	3	22	48	27	11	9 1	3)	4				60	69
OTHER CONSTITUTIONAL DISEASES .	16	18	-	1	1	1	-	1		4 .	2	2	3	1	2		1	1				12	4

of May, Classified by Cause, Age and Sex.

	i.	l Ju	11	_							A	G	E.	_								81	EX,
CAUSES OF DEATH.	Total Mortality May, 1891.	Total Mortality May, 1890.	Under 3 mos.	3 mos. and under 6 mos.	6 mos. and under I year.	I year and under 2 yrs.	2 years and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	Total under	5 years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	Males.	Femaleн.
APOPLEXY	28	35											1	3	8	5	4	7		==		11	17
Bright's Disease	14	10		1				-				1	-		2	4	4	2				6	8
BRONCHITIS	62	31	1 4	7	12	6	2		1	32	1	2	2			3	ā	9	7	1		30	32
HEART DISEASE	68	56				1		1		2	2	7	3	8	9	14	13	6	4			32	36
Meningitis	26	16	1	2	ő	5	3	1		17	1	1	-	3	2			1	1			13	13
Nephritis	13	- 11			-		1			1		2	1	1	1	3	2	2	-			. 8	5
								-		_	_				-	-						-	-
PREUMONIA	131	87	3	2	9	9	2		 1	28	2	4	8	16	15	15	14	21	6			71	60
THE CALL OF THE CA	117	143	6	1	5	3	1	ĭ		17	3		13	7	19	13	18	15	4	1		56	61
Other Local Diseases					-	_				-	-										-		
IV. DEVELOPMENTAL.																							
CYANOSIS	I	1	1							1												1	
INANITION	19	6	14	1	2	1			1	19												11	8
OLD AGE	20	25															2	6	10	2		7	1.
PREMATURE BIRTH	17	17	16	1						17												12	5
PUERP'L DISEASES (not including Puerp'l Fever)	3	3											2	1									3
OTHER DEVELOPMENTAL DISEASES	22	16	13		1				1	15				1			4	3		1		7	15
V. VIOLENT.																							
ACCIDENTAL	31	28	1	1			2	1	2	7	2	2	2	9	3	2	1	2	1			24	7
Homicidal	3												1	1				1					3
SUICIDAL	4	1 .														2	1.	1				4	
OTHER VIOLENT CAUSES	3													1		1	1					1	2
Unknown Causes	6	6	2	2						4				1		1						4	2
TOTAL FROM ALL CAUSES	891	790	85	26	42	42	25	13	14 2	247	27	51	97	88	81	88	80	87	37	8		439	452
TOTAL FROM ZYMOTIC DISEASES	89 276	87	8	2	4	8	7	5	8	42	11	1	9	6	5	7	3	3	2			42	47
Total From Constitutional Diseases	214	211	16	7	4	9	7	2		45	. 5	24	54	30	17	18	8	10	2	1		99	115
" LOCAL do	459	389	14	12	31	24	9	5	2	97	9	24	29	38	56	57	60	63	22	4		227	232
" OEVELOPMENTAL do	82	68	44	2	3	-1			2	52			2	2	T i		6	7	10	3		38	44
" VIOLENT CAUSES	41	29	1	1			2	1	2	7	2	2	3	11	3	5	3	4	1			29	12
			-				-	-	-				-			-	-	- 10	- 1				_

Comparative Statement of Cases of Contagious Disease reported to the Board of Health for the month of May, 1891, and for the corresponding month in 1890.

CASES REPORTED DU	RING MAY	, 1891.	CASES REPORTED DUR	ING MAY,	1890.
	City.	Quarantine.	Land Till American	City.	Quarantine
Diphtheria			Diphtheria	141	
Measles	310	1	Measles	92	
Small Pox			Small Pox	1	
Scarlatina	15+		Scarlatina	118	1
Typhoid Fever	25		Typhoid Fever	34	
Typhus Fever			Typhus Fever		
Yellow Fever	****		Yellow Fever		

METEOROLOGICAL OBSERVATIONS TAKEN AT THE SIGNAL OFFICE, BOSTON.

For the month of May, 1891, as reported by J. W. SMITH, Sergeant Signal Corps, U.S.A.

DATE.	DAILY MEAN BAROMETER.	Daily Mean Temperature.	DAILY MEAN HUMIDITY.	PREVAILING DIRECTION OF WIND.	DAILY RAIN FALL.	GENERAL ITEMS.
1 -	29.69	51	81	E.	.00	Mean Barometer, 30.02.
2	11 29.99	60	58	N.W.	.00	Highest Barometer, 30.48, on the 20th.
3	29,91	53	84	S.	.09	Lowest Barometer, 29.69, on the 16th. Monthly Range of Barometer, —
4	29.95	56	63	w.	. т	Mean Temperature, 56.0.
						Highest Temperature, 81.0, on the 11th.
5	29.90	42	61	W.	.00	Lowest Temperature, 33.0, on the 6th.
- 6	29.89	42	79	W.	T	Monthly Range of Temperature,
*	30.02	46	63	N.W.	.00	Least Daily Range of Temperature, 6.0 on the 29th.
4	29.97	54	60	w.	.00	Mean Daily Range of Temperature, —
9	29.98	52	82	N.E.	.00	Mean Daily Dew-point, 44.7. Mean Daily Relative Humidity, 70.5.
ŧo.	29.87	60	72	s.w.	.00	Prevailing Direction of Wind, S.W.
11	29.83	71	53	s.w.	,00	Total Movement of Wind, 8,338 Miles.
	H					Highest Velocity of Wind and Direction, 36 miles S.W. on the 4th. Number of Foggy Days, 0.
12	30.12	51	76	N.E.	Т	" Clear " 7.
13	30.08	50	80	N.	.08	" Fair " 16.
14	30.06	59	66	s.w.	.00	Number of Cloudy " 8. Total Number of Days on which Rain or Snow fell, 8.
15	30.15	52	76	E.	.00	Depth of unmelted Snow on ground at end of month, 0.
16	29.79	57	100	E.	.8	Dates of Auroras, none.
17	29.88	51	47	N.W.	.26	Dates of Solar Halos, 2d, 6th, 15th. Dates of Lunar Halos, 20th.
18	29.90	52	48	s.w.	.01	Mean Max. Temp., 64.6. Mean Min. Temp., 47.0.
19	30.26	56	49	w.	.00	Thunder storm, none. Dates of Frosts, 5th and 6th
20	30.47	62	71	S.	.00	Comparative Temperature. Comparative Precipitations
21	30.31	66	72	s.w.	т	1871
22	29,88	68	74	s.w.	т	1872
23	30.12	53	68	Ε.	.00	1873
24		56				1875
	30.14		61	S.W.	,00	1876
25	30,00	62	65	8. W.	.00	1578
26	29 98	64	81	S.W.	.03	1879 60 1878 1.03
27	30.22	52	59	E.	Т	1880
28	30.21	58	50	S.W.	.00	1881
29	30.04	52	98	N.E.	.26	1883
30	29.96	60	87	W.	.01	1864
31	29.98	62	91	E.	т	1886
						1887
ALS	-	_	-	- Aller	1.56	1886
						1890
W8	30.02	56	70	S.W.	.05	1891 1.56

Statement of Mortality for the month of June, 1891.

With an enumeration of the more prominent causes; accompanied by an abstract of Meteorological Observations.

Published by order of the Board of Health.

SAMUEL H. DURGIN, M.D.,

Deaths during the month of June, 1891, . Population estimated at 459,062.	Rate per 1,000 inhabitants, 19.23
Total number	NATIVITY.
SEX.	United States 477
Males	Ireland
Females	England ,
CONDITION.	Scotland
Married	Germany
	British America
Single	Italy
Widows	Other Countries
Widowers	Unknown
Unknown 6	PARENTAGE.
COLOR.	United States
White 715	Irish
Colored	English
	Scotch
	German
Under 1 year 152	British American
otal deaths of children Under 2 years 187	Italian
Under 5 years 228	Other Countries
(1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1	Mixed
Under 1 year	Unknown 80
Diarrhœal diseases Under 5 years	
All ages 27	Still-births during the month 51

	for	for		_							A	G	E.				-		_		Ī	SI	EX.
CAUSES OF DEATH.	otal Mortality f	Total Mortality f. June, 1890.	er S mos.	3 mos. and under 6 mos.	6 months and under 1 year.	1 year and under 2 yrs.	2 years and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	Fotal under 5 years.	ars and ler 10 yrs.	10 years and under 20 yrs.	ears and ler 30 yrs.	30 years and under 40 yrs.	ears and ler 50 yrs.	50 years and under 60 yrs.	80 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.		зіем.
I. ZYMOTICS.	T otal	Tota	Under 3	8 mo	6 mc	1 ye	2 yea	3 yes	4 year	Total	o year	10 ye	20 ye	30 ye	40 y und	50 y	80 ye	70 ye	80 y	90 y	100 y	Males.	Female
ALCOHOLISM	7	2	11					-					4	3	_							4	3
CROUP ,	1	6			1						1												1
CARBUNCLE									i														
Cholera Morbus	1	1																			1		
CHOLERA INFANTUM	23	5	2	12	9					23												13	10
CEREBRO-SPINAL MENINGITIS	1	2										1											1
Congestive Fever																							
DIARRHŒA	2	5		1						1		İ						1					2
DYSENTERY	2	1													1				1			1	1
DIPHTHERIA	16	29				2	5	4	2	13	3			-				-				8	8
ERYSIPELAS	4	1										1			1			1	1			2	2
INTERMITTENT FEVER									-						-								
INFLUENZA	3		1			-										-	2	1				2	1
MEASLES	2	8	-		1				1	. 2												1	1
Purpura																							
Puerperal Fever	1	2											1					-					1
Ружміа	2							-			-				1	1				_		1	1
REMITTENT FEVER				_									-										
RHEUMATISM	2	3	-	-									1		-	1			-				2
SCARLATINA	2	2									1			1						_		1	1
Small Pox							П																
STPHILIS (CONGENITAL)	1	1	1			-4-	-			1					-			-					1
Syphilis					-	-	_									_	-	-					
SEPTICÆMIA	11	1			-								2	1	4	3		1	-			4	7
Tonsillitis,			-																				
TYPHOID FEVER	4	8			-				-			-	3	1		_			-			4	
Typhus Fever																							
WHOOPING COUGH	1	5		1			-		-	1										-		1	
YELLOW FEVER					_			_	- '		-						=	-		-			
OTHER ZYMOTIC DISEASES																_	-						
			Н									-		-		-		-					
II. CONSTITUTIONAL.																							
CANCER	27	31	-	-		-				-		1		4	3	7	4	7	1	-	-	5	22
Hydrocephalus and Tuberc. Meningitis	25	22	1	3	4	5	3	-	3	19	4			2								11	14
Marasmus, Scrofula and Tabes Mesenterica		18	7	3	4	2				16					-	1		3	1		-	11	10
PHTHISIS PULMONALIS	119	107	1	1	-				1	8	-	10	30	38	16	15	- 5	2				54	65
OTHER CONSTITUTIONAL DISEASES .	18					7	1													- 1	-	9	9
OTHER CONSTITUTIONAL DISEASES ,	10	13				1	1		1	3	1	4	4	2	4		1			-		9	9

of June, Classified by Cause, Age and Sex.

	- Lo	for				-					A	G	E.									S	EX,
CAUSES OF DEATH.	Total Mortality June, 1891.	Total Mortality June, 1890.	Under 3 mos.	3 mos. and under 6 mos.	6 mos. and under I year.	1 year and under 2 yrs.		3 years and under 4 yrs.	4 years and under 5 yrs.	Total under	5 years and under 10 yrs.	C 03	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	Males.	Femules,
APOPLEXY	33	19											3	2	8	6	6	6	2			12	21
BRIGHT'S DISEASE	10	11		-				-				1	1	3	1	2	2					5	5
Bronchitis	41	22	1 5	5	8	6	2			26	-	1	3	1		3	3	3	1			22	19
HEART DISEASE	45	56	11			-	1		3	4	1	2	5	4	11	2	10	5	1	-		18	27
MENINGITIS	15	17	-	1	5	5	1	1	1	13	-	1				1					-	7	8
Nephritis	10	8		1		-						1	1	1	1	3	2	1		_	-	5	5
PLEURISY											-			-									
PNEUMONIA	60	38	1	3	4	8		-	2	18	3	2	6	6	1	3	10	6	3	1	1	33	27
OTHER LOCAL DISEASES	121	110	17	5	7	4	4	2		39	3	3	7	8	17	16	13	10	5			65	56
IV. DEVELOPMENTAL.																							
Cyanosis	1	2	1	-	-			_		1								-				1	
INANITION	7	9	4	1	1					6			1	-				-	_	_		2	5
OLD AGE	23	18	1														2	9	9	2	1	11	12
PREMATURE BIRTH	21	14	21							21		_							_			7	14
PUERP'L DISEASES (not including Puerp'l Fever)		3																-	-	T			
OTHER DEVELOPMENTAL DISEASES	14	16	9			1				10	-				2			-	2			6	8
v. violent.																							
ACCIDENTAL	35	38	1		1	1	2		2	7	1	5	2	6	5	3	5			1		30	5
Homicidal		1													-	-	-						
SUICIDAL	1	6	-		-			-						1			-	-i	-			1	
OTHER VIOLENT CAUSES	2	1	1		-		-		_	1			1						-		-11	1	1
					-																		
Unknown Causes	2	7	1											1				1	-			2	
TOTAL FROM ALL CAUSES	736	669	72	36	44	35	18	7	16	228	17	33	75	85	76	67	65	57	27	4	2	360	376
TOTAL FROM ZYMOTIC DISEASES INCLUDING TUBERCULAR DISEASES	85 260	82	3	14	10	2 [5	4	3	41	5	2	11	6 1	7	5 ;	2	4	2			42	43
TOTAL FROM CONSTITUTIONAL DISEASES	210	191	9	7	8	8	4		5	41	4	15	34	46	23	23	10	12	2			90	120
" " LOCAL do	335	281	23	14	24	23	7	3	6	100	7	11	26	25	39	36	46	31	12	1	1	167	168
" DEVELOPMENTAL do	66	62	35	1	1	1				38	-		1		2		2	9	11	2	1	27	39
" VIOLENT CAUSES	38	46	2		1	1	2		2	8	1	5	3	7	5	3	5	. !		1	-	32	6
Company Charles of Company		Q 4 -			70:	-						-	- T			-	_	_		-			

Comparative Statement of Cases of Contagious Disease reported to the Board of Health for the month of June, 1891, and for the corresponding month in 1890.

CASES REPORTED DUI	RING JUNE,	1891.	CASES REPORTED DUF	RING JUNE	1890.
	City.	Quarantine.		City.	Quarantine.
Diphtheria	49		Diphtheria	110	
Measles	250	5	Measles	246	
Small Pox			Small Pox		
Scarlatina	97 .		Scarlatina	76	
Typhoid Fever	42		Typhoid Fever	39	
Typhus Fever			Typhus Fever	- * * *	****
Yellow Fever	****	i I	Yellow Fever		

METEOROLOGICAL OBSERVATIONS TAKEN AT THE U.S. WEATHER BUREAU, BOSTON.

For the month of June, 1891, as reported by J. W. SMITH, observer in charge.

DATE.	DAILY MEAN BAROMETER.	DAILY MEAN TEMPERATURE.	DAILY MEAN HUMIDITY.	PREVAILING DIRECTION OF WIND.	DAILY RAIN FALL.	GENER	AL ITEMS.
1	29.90	59	93	E.	.00	Mean Barometer, 29.94.	
2	29.91	72	85	s.w.	.29	Highest Barometer, 30.23, on the 6th. Lowest Barometer, 29.70, on the 28th	
8 1	30.00	58	94	N.E.	Т	Monthly Range of Barometer, —	•
4	30.08	49	90	N.E.	.36	Mean Temperature, 65.0.	
5 [30.18	56	46	N.W.	.00	Highest Temperature, 98.0, on the 16 Lowest Temperature, 45.0, on the 5th	
6	30.18	59	45	w.	.00	Monthly Range of Temperature, -	
7	30.09	61	61	w.	.00	Greatest Daily Range of Temperature, Least Daily Range of Temperature,	
8	30.10	68	38	w.	.00	Mean Daily Range of Temperature,	
9	30.08	72	47	w.	.00	Mean Daily Dew-point, 54.0.	
10	30.06	72	61		.00	Mean Daily Relative Humidity, 70.8. Prevailing Direction of Wind, W.	
				W.	.00	Total Movement of Wind, 7,527 Miles	
11	29.98	76	66	s.w.		Highest Velocity of Wind and Direct Number of Foggy Days, 0.	ion, 28 miles N.E. on the 18th.
12	29.92	74	60	W.	T	" Clear " 7.	
13	30.07	72	, 58	W.	.00	" Fair " 11.	
14	30.01	76	50	w.	.00	Number of Cloudy " 12. Total Number of Days on which Rain	or Snow fell, 6.
15	29.91	81	52	W.	.00	Depth of unmelted Snow on ground	
16	29.79	84	51	w.	.00	Dates of Auroras, none. Dates of Solar Halos, none.	
17	29.87	61	89	N.E.	т	Dates of Lunar Halos, 2nd.	
18	29.90	52	95	N.E.	.82	Mean Max. Temp., 73.4.	Mean Min. Temp., 56.6.
19	29.84	54	98	N.E.	.06	Thunder storm, 24th. Dates of Frosts, none.	
20	29.92	57	100	N.E.	.14	Comparative Temperature.	Comparative Precipitations.
21	29.94	62	90	E.	.00	1871 66	Inches.
22	29.82	62	98	N.W.	1.39	1872 68	1871 5.47 1872 4.87
23	29.78	68	71	E.	.00	1874 66	1873 0.54
24	29.88	68	62	N.W.		1875 67	1874 3.74 1875 7.55
25	29.89	66	70	N.W.	.00	1876 68	1876 1.72
26	29.82	65	80	E.	т	1878 64	1877
27		60	63	N.W.	т	1879 64	1879 6.24
28		60	61		.00	1881 61	1880 0.75
29				211111	.00 T	1882 66	1881 7.79 1882 1.03
		66	70	N.E.		1883 69	1883 2.07
30	29.96	60	80 1	E.	. T	1885 66 1886 63 1887 64	1884 4.01 1885 3.70 1886 1.34
Totals	-		-	,	3.06	1888 67 1889 68 1890 64	1887 1.98 1888
MEANS	29.94	65.0	70.8	w.	1.06	1891 65	1891 3.06

Statement of Mortality for the month of July, 1891.

With an enumeration of the more prominent causes; accompanied by an abstract of Meteorological Observations.

Published by order of the Board of Health.

SAMUEL H. DURGIN, M.D.,

Population estimated at 459,062.	Rate per 1,000 inhabitants, 26.20
Total number 1006	NATIVITY.
SEX.	United States 717
Males	Ireland
Females	England 19
CONDITION.	Scotland
Married 204	Germany
Matted	British America 49
Single	Italy
Widows	Other Countries
Widowers	Unknown
Unknown	PARENTAGE.
COLOR.	United States
White	Irish
Colored	English
	Scotch
	German
Under 1 year 436	British American
Total deaths of children Under 2 years 497	Italian
Under 5 years 532	Other Countries
	Mixed
Under 1 year	Unknown
Under 2 years 249	
Diarrhœal diseases Under 5 years	

	for	for									A	G :	E.									SE	X.
CAUSES OF DEATH.	Total Mortulity July, 1891.	Total Mortality July, 1890.	Under 3 mos.	3 mos. and under 6 mos.	6 months and under 1 year.	l year and under 2 yrs.	2 years and under 3 yrs.	5 years and under 4 yrs.	4 years and under 5 yrs.	Potal under 5 years.	5 years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under so yrs.	30 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	Males.	Fennies.
ALCOHOLISM	5	9		Ë						-			2	2	1							4	1
CROUP	1	1	-					1		1												1	
CARBUNCLE		3																					
Cholera Morbus	10	7			1		· · ·			1	2	1	1		1	1		1	2			6	4
CHOLERA INFANTUM	236	178	31	80	98	22	3		1	235	1											131	105
CEREBRO-SPINAL MENINGITIS	3	3		2	1					3												1	2
Congestive Fever				-																			
Diarrhœa	18	9	6	5	3	2				16							2					8	10
DYSENTERY	7	4			1					1							2	3	.1				7
Diphtheria	6	28			1		1	2	1	5			1	`									6
ERYSIPELAS	2	2	1	-					-	1								1				1]
INTERMITTENT FEVER	1						_								1			_					1
INPLUENZA	1																	1]
Measles		2													_			_		-			
Purpura															_								
PUERPERAL FEVER	1			-									1		_		_		-				1
PYÆMIA	3	3												1	1		1						8
REMITTENT FEVER																							
RHEUMATISM																							
SCARLATINA		1																					
SMALL POX			-				-												-				
SYPHILIS (CONGENITAL)	7	4	6		1					7	-											3	4
SYPHILIS											-												
SEPTICÆMIA	1	-		-			-						1	-	_			_	-	-			1
TONSILLITIS	7	9										-	4	2	1							5	2
	!																	-					
WHOOPING COUGH	1	7		-	1					1		-	-			_			_				1
Yellow Fever		<u> </u>														-							
	1	ļ		1						1	-	-				-							1
Other Zynotic Diseases				-								-											
II. CONSTITUTIONAL.																							
CANCER	27	24					_				-	-	-	3	7	8	7	2				8	19
Hydrocephalus and Tuberc. Meningitis	20	18		5	6	2	4	1	1	19	1		-									7	13
Marasmus, Scrofula and Tabes Mesenterica		35	21	16		-3		1		50	-						1	1	1			28	25
PHTH1818 PULMONALIS	115	113	1	-	2	2	-			5	1	7	46	26	11	11		2				56	59
							-		-							-		-				3	5
OTHER CONSTITUTIONAL DISEASES .	8	9									1	2	2	1	1		1					0	

of July, Classified by Cause, Age and Sex.

	for	for									A	G	E.									S	EX,
CAUSES OF DEATH.	Total Mortality July, 1891.	Total Mortality July, 1890.	Under 3 mos.	3 mos. and under 6 mos.	6 mos. and under 1 year.	1 year and under 2 yrs.	2 years and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	Total under	b years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	Males,	Females.
Apoplexy	2:2	28												2	5	2	5	4	3	1		13	9
Bright's Disease	12	14			<u> </u>							1	1		3	4	3	-	-			5	7
Bronchitis	81	21	2	2	3	8		1		16			1	1	3	2	2	5	1	-		15	16
HEART DISEASE	47	58	1				-	1		2	1	5	2	6	5	9	7	7	3			27	20
MENINGITIS	32	28	3	4	6	3	3	2	1	22	2	3	3	1	1					_		17	15
NEPHRITIS	17	17		1						1	1		2	1	5	3	3	1	-			10	7
PLEURISY	1																	1				1	-
PNEUMONIA	35	41	2	4	2	6	1		1	16		1	3	4	5	3	2		1			20	15
OTHER LOCAL DISEASES	164	143	12	26	24	12	4	1	1	80	4	3	7	12	12	14	22	9	1			89	75
IV. DEVELOPMENTAL.																							
CYANOSIS		1												-									
INANITION	13	12	7	3	1				1	12							1					8	5
OLD AGE	21	14													1		2	5	10	3		12	9
PREMATURE BIRTII	18	13	18							18												12	6
PUERP'L DISEASES (not including Puerp'l Fever)		4																					
OTHER DEVELOPMENTAL DISEASES	19	32	10	2	1	1	2			16		1					1	1				5	14
V. VIOLENT.																							
Accidental	33	. 34	1						-	1	5	3	12	6	3	2	-	1				28	5
HOMICIDAL		1																-					
SUICIDAL	3														1		2					2	1
Other Violent Causes	1	2														1							1
UNENOWN CAUSES	3	9		1	1					2				1								2	1
TOTAL FROM ALL CAUSES	1006	941	122	152	162	61	18	10	7	32	19	27	89	69	68	60	69	45	24	4		528	478
TOTAL FROM ZYMOTIC DISEASES	311 486	270	44	88	107	24	4	8	2	272	3	1	10	5	5	1	5	6	3			160	151
COTAL FROM CONSTITUTIONAL DISEASES	223	199	22	21	17	7	4	2	1	74	3	9	48	30	19	19	14	5	2			102	121
" LOCAL do	361	350	20	37	35	29	8	5	3	137	8	13	19	27	39	37	44	27	9	1		197	164
" DEVELOPMENTAL do	71	76	35	5	2	1	2		1	46		1			1		4	6	10	3		37	34
" " VIOLENT CAUSES	37	37	1							1	5	3	12	6	4	3	2	1				30	7

Comparative Statement of Cases of Contagious Disease reported to the Board of Health for the month of July, 1891, and for the corresponding month in 1890.

CASES REPORTED DUR	ING JULY	7, 1891.	CASES REPORTED DUR	ING JULY	, 1890.
	City.	Quarantine.		City.	Quarantine.
Diphtheria	31		Diphtheria	73	
Measles	41		Measles	216	****
Small Pox			Small Pox		****
Scarlatina	49		Scarlatina	72	
Typhoid Fever	62		Typhoid Fever	48	
Typhus Fever			Typhus Fever		
Yellow Fever			Yellow Fever		

METEOROLOGICAL OBSERVATIONS TAKEN AT THE U.S. WEATHER BUREAU, BOSTON.

For the month of July, 1891, as reported by J. W. SMITH, observer in charge.

DATE.	DAILY MEAN BAROMETER.	DAILY MEAN TEMPERATURE.		PREVAILING DIRECTION OF WIND.	DAILY RAIN FALL.	GENERAL ITEMS.	
1	30.08	65	78	E.	.00	Mean Barometer, 50.02.	
2	30.06	64	80	s.w.	T	Highest Barometer, 30.40, on the 22nd. Lowest Barometer, 29.73, on the 8th.	
S	29.91	66	78	S.	.00	Monthly Range of Barometer, —	
4	29.76	69	69	s.	.57	Mean Temperature, 69.0.	
5	29.80	68	63	s.w.	.09	Highest Temperature, 90.0, on the 13th. Lowest Temperature, 56.0, on the 28th.	
				W.	.00	Monthly Range of Temperature, —	
6	29.83	66	. 58			Greatest Daily Range of Temperature, 25.0 on the 13th.	
7	29.81	66	76	W.	.15	Least Daily Range of Temperature, 7.0 on the 29th. Mean Daily Range of Temperature, —	
8	29.83	66	73	N.W.	.52	Mean Daily Dew-point, 58.2.	
9	30.03	63	76	N.E.	T	Mean Daily Relative Humidity, 72.0.	
10	30.25	67	51	N.W.	.00	Prevailing Direction of Wind, S.W. Total Movement of Wind, 7,627 Miles.	
11	30.27	71	53	s.	.00	Highest Velocity of Wind and Direction, 30 miles S.W. on the 15th.	
12	30.14	66	85	E.	.00	Number of Foggy Days, 0. "Clear "10.	
13	30.09	78	65	s.w.	.00	" Fair " 12.	
14	30.00	78	75	s.w.	т	Number of Cloudy " 9.	
15	29.90	78	81	s.w.	T	Total Number of Days on which Rain or Snow fell, 10. Depth of unmelted Snow on ground at end of month, 0.	
16	29,95	77	67	W.	.05	Dates of Auroras, 0.	
		1 78		W.	.00	Dates of Solar Halos, 8th, 16th, 20th.	
17	30.07		57		.05	Dates of Lunar Halos, 19th, 20th. Mean Max. Temp., 76.5. Mean Min. Temp., 61.4.	
. 18	30.00	72	76	Calm.		Thunder storm, 4th.	
19	29.92	70	75	s.w.	.22	Dates of Frosts, none.	
20	30.16	74	74	S.W.	.00	COMPARATIVE TEMPERATURE. COMPARATIVE PRECIPITATIO	ns.
21	30.25	72	84	s.w.	.00	1871	
22	30.37	72	67	E.	.00	1873 73	
23	30.31	68	66	s.w.	.00	1874 73 1873 3. 1875	
24	30.01	70	88	s.w.	.64	1876 74	.93
25	29.89	66	75	s.w.	.00	1877	
26	29.94	76	65	N.W.	.00	1878	
27	29.96	69	58	w.	.00	1880 70	
28	30.06	67	55	s.w.	.00	1881 68 1880 6. 1881	
20	30.07	66	91	s.w.	.53	1882	.91
30		62		E.	T	1884	
	29.89		94		.91	1885	
31	29.86	64	76	N.W.	.91	1887	
					0.80	1888	
TOTALS	_	-	_	Market	3.73	1889	
				C XXX	1.00	1891	
MEANS	30.02	69.0	72.0	s.w.	1.20	1891 3.	10

Statement of Mortality for the month of August, 1891.

With an enumeration of the more prominent causes; accompanied by an abstract of Meteorological Observations.

Published by order of the Board of Health.

SAMUEL H. DURGIN, M.D.,

Deaths during the month of August, 1891, . Population estimated at 459,062.	Rate per 1,000 inhabitants, 25.53
Total number	NATIVITY.
SEX.	United States 680
Males	Ireland
Females	England
Married	Germany
	Italy
Widows	Other Countries
Widowers 30	Unknown
Unknown 9	PARENTAGE.
COLOR.	United States
White 944	Irish
Colored	English
1	Scotch
(Under 1 year 365	German
	British American 62
Total deaths of children Under 2 years 425	Italian
Under 5 years 453	Other Countries
Under 1 year	Mixed
All ages	Still-births during the month

CAUSES OF DEATH.	Total Mortality for August, 1893.	Total Mortality for August, 18:0.	AGE.														SI	SEX.					
			Under 3 mos.	8 mos. and under 6 mos.	6 months and under 1 year.	l year and under 2 yrs.	2 years and under 3 yrs.	years and under 4 yrs.	4 years and under 5 yrs.	Fotal under 5 years.	5 years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	0 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	er 100 yrs.	100 years and over.	(+B*	Females.
I. ZYMOTICS.	Tots	Tot	Unc	8 m	6 m	l y	2 yc	3 ye	4 ye	Tota	o ye	10 y	20 y	30 y	40 y	50 y	80 y un	70 y	80 y	90 y	100	Males.	Fe
ALCOHOLISM	6	5											1	2	2	1						6	
CROUP	2	1				2				2													2
CARBUNCLE	1														1								1
CHOLERA MORBUS	6	10												1	2	1	2					3	3
Cholera Infantum	206	206	49	60	61	31	5			206												118	88
CEREBRO-SPINAL MENINGITIS	1	3				1				1													1
CONGESTIVE FEVER																							
DIARRHŒA	24	19	2	3	5					10				1	2	1	1	7	2			11	13
DYSENTERY	18	6	2	1		1				4		1	2			2	3	6				5	13
DIPHTHERIA	8	27			1	1		1	1	4	4											5	3
ERYSIPILAS		1																					
INTERMITTENT FEVER																							
INFLUENZA																							-
MEASLES		3																					
PURPURA	2												1		1							1	1
PUERPERAL FEVER	1	1											1										1
PYÆMIA	1													1								1	-
REMITTENT FEVER				_																			
RHEUMATISM																							
SCARLATINA	1	2					1]													1
SMALL Pox																							
Syphilis (Congenital)		1 5																					-
SYPHILIS																							
BEPTICÆMIA	1														1								1
	_														-								
	14	20									-		6		1							9	5
Typhoto Fever	14	20									1			0	1							9	9
Typhus Fever	-									0													-
WHOOPING COUGH	6	2	1	2	1	1	1															1	5
YELLOW FEVER																							
OTHER ZYMOTIC DISEASES	1									_				1								1	
TT CHANGE TO THE TOTAL TO																							
II. CONSTITUTIONAL.																							
CANCER	36	28												6	9	9	5	6				9	27
Hydrocephalus and Tuberc. Meningitis	12	11		1	2		1	2		11			1									5	7
MARASMUS, SCROFULA AND TABES MESENTERICA		55	29	8	8	1				46					1			2				26	23
PHTHISIS PULMONALIS	105	120	2	1		1				4	1	12	32	21	20	7	6	2				57	48
OTHER CONSTITUTIONAL DISEASES .	11	18										3	3	2		1	1	1				5	6

of August, Classified by Cause, Age and Sex.

	for L.	for ,									A	G	E.									SI	EX,
CAUSES OF DEATH.	Total Mortality fi	Total Mortality	Under 5 mos.	3 mos, and under r mos.	6 mos. and under 1 year.	1 year and under 2 yrs.	2 years and under 3 yrs.	8 years and under 4 yrs.	4 years and under 5 yrs.	Total under	5 years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yes.	30 years and under 40 yrs.	40 years and under an yrs.	8 5	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	Males.	Females.
APOPLEXY	18	26											1.	1	1	3	5	6	1			8	10
Bright's Disease	14	8										1	1	4	2	1	2	2	1			8	6
Bronchitis	20	23			3	2	2	1		8		1	2	2		2	2	3				9	11
HEART DISEASE	53	48							1	1			3	4	12	10	11	7	5			23	30
Meningitis	27	15	3	3	5	4	2	1	1	19	3	1	1	1		2						18	9
Nephritis	11	8	1							1		1	2	- 3	1		1	1	1			7	4
PLEURISY																							
PNEUMONIA	27	33	2	2	1	2	1	7.1	1	10	1	1	3	3	+	2	2	1				13	14
OTHER LOCAL DISEASES	152	175	24	15	15	6		1	2	63	3	8	7	15	10	16	15	9	5	1		81	71
IV. DEVELOPMENTAL.																							
CYANOSIS	1	1	1							1												1	
INANITION	12	9	7	5						12												9	
OLD AGE	27	17															1	10	13	3		11	16
PREMATURE BIRTH	15	12	14		1					15		_										5	10
PUERP'L DISEASES (not including Puerp'l Fever)	2	2											2										- 2
OTHER DEVELOPMENTAL DISEASES	25	35	19	1	1	1				22							2	1				13	12
			7																				
V. VIOLENT.																							
Accidental	50	35	1	1			1	_		5	1 6	10	11	10	2		2	2				39	11
Homicidal	4	2					_						2	1	1		_					3	
Suicidal	2	9												2								2	
OTHER VIOLENT CAUSES	3					7				7					1	1						2	1
OTHER VIOLENCE ONCOMES TO THE TENTH				-									-										
UNKNOWN CAUSES	2	6												1	1								2
TOTAL PROM ALL CAUSES	977	1007	157	103	105	60	14	8	6	453	19	.42	83	85	75	61	61	66	28	4		515	462
TOTAL FROM ZYMOTIC DISEASES	299 450	311	CONTRACT COLUMN		68	M-ACCUMENT	7	1	1	234	5	4	11		10	5	6	13	2			161	138
TOTAL FROM CONSTITUTIONAL DISEASES	213	232	, 31	10	10	7	1	2		61	1	15	37	29	30	17	12	11				102	111
« « Local do	322	336		20		14	5	4	5		7	13	20	33	30	36	38	29	13	1		167	155
" " DEVELOPMENTAL do	82	76	41	6	2	1				50			2				3	11	13	3		39	43
45 44 VIOLENT CAUSES	59	46	1	1	1	1	1	1		6		10	13	13	4	3	2	2				46	13

Comparative Statement of Cases of Contagious Disease reported to the Board of Health for the month of August, 1891, and for the corresponding month in 1890.

CASES REPORTED DUR	ING AUGU	ST, 1891.	CASES REPORTED DURIN	NG AUGUS	ST, 1890.
1	City.	Quarantine.		City.	Quarantine.
Diphtheria	36		Diphtheria	69	
Measles	20	5	Measles	71	****
Small Pox			Small Pox		
Scarlatina	40		Scarlatina	80	****
Typhoid Fever	111	****	Typhoid Fever	102	****
Typhus Fever			Typhus Fever		****
Yellow Fever	****		Yellow Fever		****

METEOROLOGICAL OBSERVATIONS TAKEN AT THE WEATHER BUREAU. BOSTON

For the month of August, 1891. as reported by J. W. SMITH, Local Forecast Official and Observer, Weather Bureau.

DATE.	DAILY MEAN BAROMETER.	Daily Mean Temperature.	DAILY MEAN HUMIDITY.	PREVAILING DIRECTION OF WIND.	DAILY RAIN FALL.	GENER	AL ITEMS.
1	29.79	66	62	s.w.	.00	Mean Barometer, 30,006.	
2	29.74	68	76	s.w.	.28	Highest Barometer, 30.298, on the 26	
						Lowest Barometer, 29.709, on the 1st	
3	30.00	68	66	S.E.	.00	Monthly Range of Barometer, 0.589. Mean Temperature, 70.0.	
4	30.12	66	81	E.	.00	Highest Temperature, 90.0, on the 12	th.
5	30.18	64	86	E.	.00	Lowest Temperature, 54.0, on the 1st	
-6	30.14	68	70	E.	.26	Monthly Range of Temperature, 36.0 Greatest Daily Range of Temperature	
7	30.03	72	72	s.w.	.14	Least Daily Range of Temperature,	
8	29.95	74	63	N.W.	.22	Mean Daily Range of Temperature,	
9	30.00	66	72	E.	.00	Mean Daily Dew-point, 62.0. Mean Daily Relative Humidity, 78.0.	
10	29.94	79	68	w.	.02	Prevailing Direction of Wind, S.W.	
						Total Movement of Wind, 7,099 Mile	
11	30.00	78	62	W.	.00	Highest Velocity of Wind and Direct Number of Clear Days, 9.	ion, 35 miles S.W. on the 21st.
	29.85	81	80	w.	.14	Number of Fair Days, 14.	
13	29.97	71	70	E.	.00	Number of Cloudy Days, 8.	
14	30.06	72	68	s.w.	.00	Total Number of Days on which Rain Dates of Solar Halos,	n or Snow fell, 13.
15	30.04	66	86	S.E.	.45	Dates of Lunar Halos, 26th.	
16	11 30.07	64	87	N.	T	Mean Max. Temp., 76.8.	Meau Min. Temp., 63.2.
17	30.03	72	72	s.w.	.00	Thunder storm, 7th and 12th. Dates of Frosts, none.	
18	1 29.92	74	77	s.w.	.00		
19	29.98	67	80	E.	.00		
20	30.00	72	79	s.w.	.00	Comparative Temperature.	Comparative Precipitations.
21	1 29.80	74	80	s.w.	.00	1871	Inches.
22	29.83	79	88	s.w.	.53	1872	1871 3.08
23	29.95	72	80	E.	.00	1874 68	1873 6,21
24	29.98	76	90	s.	.14	1875	1874 6.67 1875 3.50
25	30.15	81	80	s.w.	.00	1877	1876 1.23
26	30.27	67	74	E.	.00	1878 68	1878 7.66
2"	1 30.08	65	98	E.	.05	1880 69	1879 6.71 1880 2.90
28	29.86	70	98	s.	1.31	1881	1881 1.23
29	30.07	62	56	s.w.	.00	1883 68	1882 1.46 1883 0.39
30	30.16	58	94	N.E.	.25	1884 68	1884 5.01
31	30.21	58	94	N.E.	.08	1886 68	1885 7.64 1886 3.64
TOTALS					3.87	1887 67 1888 69 1889 67	1887 3.05 1888 6.53
						1890 69	1889 3.95 1890 2.70
MEANS	30.006	70.0	78	s.w.	.124	1891 70	1891 3.87

Average monthly temperature for 21 years, 69.1.

Average monthly precipitation for 21 years, 4.41.

T indicates trace of precipitation.

Total Deficiency in Precipitation during month, 0.60. Total Deficiency in Precipitation since January 1st, 4.83. Total Excess in Temperature during month, 45.0. Total Excess in Temperature since January 1st, 277.0.

Statement of Mortality for the month of September, 1891.

With an enumeration of the more prominent causes; accompanied by an abstract of Meteorological Observations.

Published by order of the Board of Health.

SAMUEL H. DURGIN, M.D.,

Population estimated at 459,062.	Rate per 1,000 inhabitants, 22.29
Total number 853	NATIVITY.
SEX.	United States
Males 420	Ireland
Females	England
CONDITION.	Scotland 4
Married	Germany
Married	British America
Single	Italy
Widows	Other Countries
Widowers	Unknown
Unknown 6	PARENTAGE.
COLOR.	United States
White	Irish
Colored	English
	Scotch
	German
Under 1 year	British American
Cotal deaths of children Under 2 years 320	Italian
Under 5 years 347	Other Countries
,	Mixed
Under 1 year 80	Unknown
Diarrhœal diseases	
Under 5 years 100	

	for 31.	ity for 1890.									A	. G	E.								- 1	SI	EX.
CAUSES OF DEATH. 1. ZYMOTICS.	Total Montality for September, 1891.	Total Mortality for September, 1890.	Under 3 mos.	8 mos. and under 6 mos.	6 months and under 1 year.	1 year and under 2 yrs.	2 years and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 ars.	Total under	5 years and under lu vrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and	70 years and under Styre.	80 years and under 90 yrs.	90 years and under lon vrs.	100 years and over.	Mules.	Femules.
ALCOHOLISM	6	2											1	4	1							5	1
CROUP	1	4					1			1												1	
Carbuncle		1																					
CHOLERA MORBUS	+	3												1	2	1							1
CHOLERA INFANTUM	83	73	22	19	27	15				83												49	31
CEREBRO-SPINAL MENINGITIS	1	1					1			1													1
Congestive Féver																							
DIARRHŒA	17	25	3	2	4	4				13			2				1		1			4	13
DYSENTERY	8	6			3	1		-		4					1	1	2					3	ő
DIPHTHERIA	11	19			3	1	2		1	7	4											3	S
ERYSIPELAS																							
INTERMITTENT FEVER	1														1							1	
INFLUENZA																							
Measles	1										1												1
PURPURA		1																					
PUERPERAL FEVER	1	2											1										1
LYAMIA			_																				
REMITTENT FEVER																							
RHEUMATISM	1	1																1					1
SCARLATINA	1	4				1				1													1
SMALL POX																							
Syphilis (Congenital)	3	5	2		1					3												2	1
Syphilis	1														T i	1						i	1
SEPTICÆMIA		2														_	-						
Tonsillitis,																							
TYPHOID FEVER	29	27						1		1	1	6	15	3	1	1		1				16	13
Typhus Fever																							
WHOOPING COUGH	3	3			2		1			3													3
YELLOW FEVER																							
OTHER ZYMOTIC DISEASES	3	2			1		1			2		1										3	
					-																		_
II, CONSTITUTIONAL.																							
CANCER	22	19		-							-	-	1		5	9	5	2			-	5	17
Hydrocephalus and Tuberc. Meningitis	18	18	1	3	6	4	2			16	1	1	1		0		0	-				10	8
MARASMUS, SCROFULA AND TARES MESENTERICA	47	42	12	6	19	7	-			44	1	1			-			1	2			22	25
PHTHISIS PULMONALIS	111	101			-	1				1		11	47	20	17	8	6	6	1		-11-	52	59
OTHER CONSTITUTIONAL DISEASES .	18	15			1	2	-			3		3	6	5	-		1					9	9

of September, Classified by Cause, Age and Sex.

	for 91.	ity for 1890.									A	G	E.									S	EX,
CAUSES OF DEATH.	l'otal Mortality for September, 1891.	Total Moutality September, 189	Under 5 mos.	3 mos, and under 6 mos.	6 mos. and under I year.	I year and under 2 yrs.	2 years and under 3 yrs.		4 years and under 5 yrs.	Total under	5 years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	to years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 vrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	Males,	Females.
																		-		65 -			
APOPLEXT		, 28		1						1			2	1	4	-	4	7	5			13	19
Bright's Disease	10	4									2	1		-		4	1	2				4	6
Bronchitis		25	3		3	4	_		1	15		1	1	2	1	2	1	3	2	1		12	17
HEART DISEASE		59	1		-	1				2	2	1	4	4	18	17	14	5	3	_		37	33
Meningitis	28	10	3	2	7	8	2	2	_	24	1		1	1	-		1		1			14	14
NEPHRITIS	8	6		1					l					2	2	3	1					5	3
PLEURISY																							
PNEUMONIA	24	19		1	4	5	2			11	1		1	4	5		1	1				17	7
Other Local Diseases	157	126	18	11	17	10	2	2	3	63	2	4	12	18	10	14	18	13	3		1	75	82
IV. DEVELOPMENTAL.																							
CYANOSIS	1	2	1	-					-	1						=							1
INANITION	11	8	10			1		_		11				_				-				3	8
OLD AGE	13	13																4	7	2		5	8
PREMATURE BIRTH	14	9	14							14												7	7
PUERP'L DISEASES (not including Puerp'l Fever)	1	4												1									1
OTHER DEVELOPMENTAL DISEASES	19	22	13	2	1	-		-		16						1		1	1			9	10
v. violent.																							
		1 00	11 0					-		_				-				-					
ACCIDENTAL	33	28		-			1		2	6	3		3	7	4	4	2	3				26	7
Homicidal	1							_!						1								1	
Suicidal	4	4						!				1		3								4	
OTHER VIOLENT CAUSES	3	1				_						1	1		1		_'						3
									_	_		_			!			_		-			
Unknown Causes	4	5													2	-	1		1			3	1
TOTAL FROM ALL CAUSES	853	751	106	50	99	65	15	5	7	347	18	32	92	77	75	74	59	50	26	3		420	433
TOTAL FROM ZYMOTIC DISEASES INCLUDING TUBERCULAR DISEASES	175 350	181	27	21	41	22	6	1	1	119	6	7	19	8	6	4	3	2	1		-	87	88
INCHOMING I COMMISSION PRODUCTS F V V	216	195	13	9	26	14	2			64	1	15	48	25	22	17	12	9	3			98	118
Total From Constitutional Diseases	210																						
	358	277	25	18	31	28	6	4	4	116	8	7	21	32	40	48	41	31	13	1		177	181
TOTAL FROM CONSTITUTIONAL DISEASES		277	38	18	31	28	6	4	4	42	8	7	21	1	40	1	41	5	8	2		24	181 35

Comparative Statement of Cases of Contagious Disease reported to the Board of Health for the month of September, 1891, and for the corresponding month in 1890.

CASES REPORTED DURING	G SEPTEM	IBER, 1891.	CASES REPORTED DURING	SEPTEM	BER, 1890.
	City.	Quarantine.		City.	Quarantine.
Diphtheria	44		Diphtheria	75	1
Measles	15		Measles	32	2
Small Pox			Small Pox		
Scarlatina	56		Scarlatina	21	
Typhoid Fever	205	1	Typhoid Fever	214	1
Typhus Fever			Typhus Fever		
Yellow Fever			Yellow Fever		

METEOROLOGICAL OBSERVATIONS TAKEN AT THE WEATHER BUREAU OFFICE, BOSTON

For the month of September, 1891. as reported by J. W. SMITH, Observer and Local Forecast Official.

DATE.	Ц	DAILY MEAN BAROMETER.	Daily Mean Temperature.	DAILY MEAN HUMIDITY.	PREVAILING DIRECTION OF WIND.	DAILT RAIN FALL.	GENERAL ITEMS.
1	-	30.18	60	93	N.E.	.16	Mean Barometer, 30.15.
2		30.12	64	84	*Calm. N.W.	.00	Highest Barometer, 30.42, on the 30th.
8	11	30.16	1 70	79	S.	.00	Lowest Barometer, 29.79, on the 14th. Monthly Range of Barometer, 0.63.
4		30.13	72			.00	Mean Temperature, 67.0.
				73	8.		Highest Temperature, 90.0, on the 19th.
5		30.25	62	82	N.E.	.18	Lowest Temperature, 50.0, on the 9th. Monthly Range of Temperature, 40.0.
6		30.09	60	100	*Calm. N.E.	.12	Greatest Daily Range of Temperature, 26.0 on the 18th.
7	Ш	30.08	63	72	N.E.	1.70	Least Daily Range of Temperature, 3.0 on the 6th and 22nd.
8		29,96	64	60	W.	T	Mean Daily Range of Temperature, 14.5.
9		29,99	60	72	W.	.00	Mean Daily Dew-point, 58.0. Mean Daily Relative Humidity, 78.4.
							Prevailing Direction of Wind, S.W.
10		29.94	65	68	s.w.	.00	Total Movement of Wind, 6,482 Miles.
11		29.96	69	72	S.W.	.00	Highest Velocity of Wind and Direction, S.W. 27 miles on the 29th.
12		29.85	68	84	s.w.	.00	Number of Foggy Days, Number of Clear Days, 18.
18	11	29.97	70	70	N.W.	.01	Number of Fair Days, 6.
14		29.93	70	67	w.	.04	Number of Cloudy Days, 6.
		30.00	60		E.	.00	Total Number of Days on which Rain or Snow fell, 11.
15				62			Depth of unmelted Snow on ground at end of mouth, Dates of Auroras, 9th. Began 7.55 P.M., ended 9.20.
16		30.17	64	82	s.w.	.01	Dates of Solar Halos,
17		30.32	65	75	s.w.	.00	Dates of Lunar Halos, 11th and 18th.
18		30.01	77	75	s.w.	T	Mean Max. Temp., 73.9. Mean Min. Temp., 59.5.
19		29.82	68	80	E,	.01	Thunder storm, 17th. Dates of Frosts,
20		30.20	65	68	S.W.	.00	COMPARATIVE TEMPERATURE. COMPARATIVE PRECIPITATIO
21			68	78	s.w.	.00	1871 59 Inch
							1872 64 1871 1.5
22		30.15	62	93	N.E.	.04	1873 62
28		30.09	68	89	E.	T	1874
24		30,23	69	86	s.w.	.00	1875
25		30.07	76	84	s.w.	.00	1877 64 1876 3.8
26	11	30.16	72	75	w. 1	.00	1878
27	ii		64	85	*Calm. E.	.00	1879 61 1878
							1881 66 1880 2.5
28			73	85	s.w.	.00	1882 63
29		30.09	73	88	s.w.	.01	1883
30		30.35	64	60	N.W.	.01	1884
							1886
-							1887 60
TALS	.11				_	2.29	1888
	11						1890
ANS	1.	30.15	67	78.4	S.W.	.076	1891 67 1890

Average monthly temperature for 21 years, 62.4.

Average monthly precipitation for 21 years, 3,12.

T indicates trace of precipitation.

^{*}Calm is computed from less than four miles in one hour. In cases where "calm" has prevailed during the twenty-four hours, the direction occupying the next highest time is also given.

Statement of Mortality for the month of October, 1891.

With an enumeration of the more prominent causes; accompanied by an abstract of Meteorological Observations.

Published by order of the Board of Health.

SAMUEL H. DURGIN, M.D.,

Deaths during the month of October, 1891, Population estimated at 459,062.	Rate per 1,000 inhabitants, 21.59
Total number 826	NATIVITY.
SEX.	United States
Males 427	Ireland
Females	England
CONDITION.	Scotland
Married	Germany
	British America
Single	Italy
Widows 96	Other Countries 20
Widowers	Unknown
Unknown	PARENTAGE.
COLOR.	United States 196
White 812	Irish
Colored	English
	Scotch 8
(17.1.1	German
Under 1 year 193	British American
Total deaths of children Under 2 years 242	Italian
Under 5 years 274	Other Countries
(Under 1 year 29	Mixed
Under 2 years	Unknown 64
An ages · · · · · · · 40	Still-births during the month 50

	for L.	for 0.									A	Gł:	E.									SI	GX.
CAUSES OF DEATH.	Total Mortality f	Total Mortality for October, 1890.	Under 3 mos.	3 mos. and under 6 mos.	months and under I year.	1 year and under 2 yrs.	2 years and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	Total under 5 years.	5 years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	00 years and over.	Мліев.	Femules.
	6	9	=	==	9 ==	=	2	=	=	=		=	1	3	**	=	===	1	==	5 ==		4	2
ALCOHOLISM	6	2	-	-		1			-	1	5		-	-					-			3	3
CROUP	1	2	-	_		_							_			_		1	-	_		1	
CARBUNCLE				-						-			-			-			-				
CHOLERA MORBUS	35	22	10	6	10	9				35			-				_					14	21
CHOLERA INFANTUM		1	10			1	1			2	-	1	1					-	_	-		4	
CEREBRO-SPINAL MENINGITIS	4						-									-		-		-			
Congestive Fever			_		2				_	5	_					1	_						
DIABRHŒA	7	11	1			2	_			5	-								1	-		5	2
DYSENTERY	4	4			_	_				40	-	_			_	1		2	-	1		1	3
DIPHTHERIA	27	18			1	6	3	4	2	16	10	1		_								16	
ERYSIPELAS		1					_																
INTERMITTENT FEVER					_																		
INFLUENZA		1				_																	
Measles		1	_				_							_									
PURPURA		1																-					
PUERPERAL FEVER	1	1												1									1
Ружміа																							
REMITTENT FEVER																							
RHEUMATISM	8	2															3	-					8
SCARLATINA	2						1		1	2												1	1
SMALL POX																							
STPHILIS (CONGENITAL)		3																					
STPHILIS	1												-		1					_			1
SEPTICÆMIA	1	8												1				-	-			1	
Tonsillitis,						_						-											
Typhoid Free	29	20				_			_			3	11	8	2	3	1	1				15	14
Typhus Fever				_	_	_				-				-			-	-	_				
WHOOPING COUGH		1		-	-	_					-	_		-	_		_						
YELLOW FEVER		-			-		-		_	-	-	_			-				_				
OTHER ZYMOTIC DISEASES	4	-		-	_				-		-		2	1	1	-	-					3	1
					-	_		-			-		-	-			_						
II. CONSTITUTIONAL.																							
CANCER	13	26		-	-		-		-		-			3	4	2	3	1	-			4	9
Hydrocephalus and Tuberc. Meningitis	19	18	2	3	9	- 6	2	1	1	18	-	1	-	-	-			-				9	10
Marasmus, Scropula and Tabes Mesenterica		27	19	9	12	2	-	-	-	42	-			-		-	-		-	-	-	31	12
PHTHISIS PULMONALIS	109	110	10	1	2	1	-				-	-	-	25		70		3	2			58	51
		-i		-	Z				1	5	1	6	82	25	22	10	3	3	2				
OTHER CONSTITUTIONAL DISEASES .	13	15		2		1				3			1	3	1	1	4					8	5

of October, Classified by Cause, Age and Sex.

	for 1.	for 0.	11		-						A	G	E.									81	EX,
CAUSES OF DEATH.	Total Mortality October, 1891	Total Mortality October, 1890	Under 3 mos.	3 mos. and under 6 mos.	mos. and under I year.	1 year and under 2 yrs.	years and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	Total under	5 years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	years and over.	Males.	Females.
III. LOCAL.	15	T _o	ŭ	1 8 n	9 m	13	2 3	20	4 7	To	n n	10	20 n	30 m	40 n	09	09 m	02 m	08 n	96 m	100	M.a	- F
APOPLEXT	35	21						1		1	1		1	1	5	8	9	5	4		1	19	16
Bright's Disease	14	10											1		2	3	5	3				7	7
Bronchitis	37	28	3	5	7	3		1		19		1	2		1	6	6	1	1			17	20
HEART DISEASE	77	75		1	1	1				3	5	1	5	. 10	7	15	17	9	5			35	42
Meningitis	19	16	3		2	2	3	1	1	12	2		1	2		1	1					8	11
NEPHRITIS	17	10	Ii			1				1		1	4	2	2		4	3				8	9
PLEURISY																							
PNEUMONIA	45	53	3	3	4	3	1			14	2		3	4	2	4	7	7	2			19	26
Other Local Diseases	144	124	16	11	12	10	1		2	52	5	3	9	16	12	18	14	8	5	2		72	72
IV. DEVELOPMENTAL.																							
CYANOSIS	1	1	1		-					1							_			-		1	
Inanition	7	10	5		1		1			7										-		4	3
OLD AGE	19	22															2	3	10	4		7	12
PREMATURE BIRTH	15	16	15							15									_			8	7
PUERP'L DISEASES (not including Puerp'l Fever)	3	2											2	1				-		_			3
OTHER DEVELOPMENTAL DISEASES	19	26	9	1	3					13	1						2	2	1			11	8
								П															
v. violent.																							
ACCIDENTAL	42	33	2	1		-	2	1		6	3	6	3	5	6	5	-6		2		-	30	12
Homicidal		1																	_		-		
SUICIDAL	1	3	-			-		-	-					1	-				-	-		1	
OTHER VIOLENT CAUSES	1		-				-	-	-		-		1	-	-	-				-	-		1
			-	_			_	-			_	_			-	-			_				
Unknown Causes	2	4		1						1					-	1		-				2	
TOTAL FROM ALL CAUSES	826	754	89	44	60	49	15	9	8	274	35	24	80	87	68	80	87	51	33	7		427	399
TOTAL FROM ZYMOTIC DISEASES	131 286	103	11	6	13	19	5	4	3	61	15	5	15	14	4	6	4	5	1	1		68	63
Total From Constitutional Diseases	197	196	21	15	17	10	2	1	2	68	1	7	33	31	27	13	10	5	2		-	110	87
46 48 LOCAL do	388	337	25	20	26	20	5	3	3	102	15	6	26	35	31	55	63	36	17	2		185	203
66 64 DEVELOPMENTAL do	64	77	30	1	4		1		-	36	1	-	2	1			4	5	11	4		31	33
" " VIOLENT CAUSES	44	37	2	1	-	_	2	1		6	3	6	4	6	6	5	6	-	2			31	13
															3					_			_

Comparative Statement of Cases of Contagious Disease reported to the Board of Health for the month of October, 1891, and for the corresponding month in 1890.

CASES REPORTED DURI	NG OCTOB	ER, 1891.	CASES REPORTED DURIN	G OCTOBE	R, 1890.
	City.	Quarantine.		City.	Quarantine.
Diphtheria	78		Diphtheria	90	
Measles	6		Measles	62	
Small Pox			Small Pox		
Scarlatina	67	1	Scarlatina	30	
Typhoid Fever	246	1	Typhoid Fever	159	
Typhus Fever			Typhus Fever		****
Yellow Fever	****	i	Yellow Fever		1

METEOROLOGICAL OBSERVATIONS TAKEN AT THE WEATHER BUREAU OFFICE, BOSTON.

For the month of October, 1891, as reported by J. W. SMITH, Observer and Local Forecast Official.

DATE.	DAILY MEAN BAROMETER.	DAILY MEAN TEMPERATURE.	DAILY MEAN HUMIDITY.	PREVAILING DIRECTION OF WIND.	DAILT RAIN FALL.	GENERA	AL ITEMS.
1	80.51	55	68	E.	.00	Mean Barometer, 30.05.	
2	30.33	61	84	s.w.	.00	Highest Barometer, 30.65, on the 12th	
8	30.05	70	84	s.w.	.00	Lowest Barometer, 29.61, on the 8th. Monthly Range of Barometer, 1.04.	
	29.82	67	92	Ε.	.00	Mean Temperature, 52.0.	
4						Highest Temperature, 83.0, on the 3rd	
5	29.69	62	87	N.	.12	Lowest Temperature, 28.0, on the 2nd Monthly Range of Temperature, 55.0.	
6	30.13	56	54	N.W.	.00	Greatest Daily Range of Temperatur	
7	30.19	54	79	E.	08	Least Daily Range of Temperature, 7	
8	11 29.75	58	87	N.W.	2.00	Mean Daily Range of Temperature, Mean Daily Dew-point, 42.2.	4.2.
9	30.06	50	71	N.W.	.00	Mean Daily Relative Humidity, 74.8.	
10	30.10	51	72	*Calm. W.	.00	Prevailing Direction of Wind, N.W.	
11	1 30.26	51	72	N.E.	.01	Total Movement of Wind, 9,257 Miles Highest Velocity of Wind and Directi	
12	11 30.62	41	70	N.E.	.00	Number of Foggy Days,	
13	11 30.26	48	85	N.E.	.21	Number of Clear Days, 10.	
						Number of Fair Days, 8. Number of Cloudy Days, 13.	
14	11 29.89	50	91	N.W.	1.61	Total Number of Days on which Rain	
15	29.91	58	91	s.w.	.02	Depth of unmelted Snow on ground	at end of month, 0.
16	30.08	51	74	W.	.00	Dates of Auroras, 0. Dates of Solar Halos, 0.	
17	30.36	48	74	W.	.00	Dates of Lunar Halos, 0.	
18	30.32	48	79	E.	.00	Mean Max. Temp., 58.6.	Mean Min. Temp., 44.5.
19	11 30.07	52	78	N.E.	.00	Thunder storm, 17th. Dates of Frosts, light frost 10th and 1	6th; killing 25th.
20	29.86	54	92	N.E.	.84	Comparative Temperature.	Comparative Precipitations.
21	29.79	51	72	w.	.00	1871 54	Inches.
22	29.86	50	67	w.	т	1872	1871 5.88
23	29.64	40	82	N.W.	.42	1873 53	1873 5,33
24	29.83	41	59	W.	.00	1875 49	1874 1.39
						1876 48	1875 4.99 1876 1.66
25	29.96	41	50	W.	.00	1878	1877 8.84
26	29.78	51	82	s.w.	.03	1879 56	1878 6.79
27	11 29.74	46	80	N.W.	.22	1880 51	1879 0.91
28	11 30.44	39	62	N.W.	.00	1881	1881 2.84
29	11 30.20	38	69	N.W.	.00	1883 47	1882 2.29
30	11 80.22	54	60	s.w.	.00	1884	1884
31	11 29.95	64	48	s.w.	.00	1886 52	1885 5.71
						1887 51	1886 3.27 1887 2,58
TALS	.11 -				5.56	1888 49	1888 3.58
						1890 51	1889 8.31
SANS	.11 30,05	52	74.8	N.W.	.179	1891 52	1890 5.56

Average monthly temperature for 21 years, 51.6. Average monthly precipitation for 21 years, 4.19. Tindicates trace of precipitation.

^{*}Calm is reckoned as less than three miles per hour. The next direction prevailing is given also.

Statement of Mortality for the month of November, 1891.

With an enumeration of the more prominent causes; accompanied by an abstract of Meteorological Observations.

Published by order of the Board of Health.

SAMUEL H. DURGIN, M.D.,

Deaths during the month of November, 1891, Population estimated at 459,062.	Rate per 1,000 inhabitants, 20.78
Total number	NATIVITY.
SEX.	United States 513
Males 404	Ireland
Females	England ,
CONDITION.	Scotland
Married	Germany
Mattled	British America
Single 415	Italy
Widows	Other Countries
Widowers 29	Unknown
Unknown 8	PARENTAGE.
COLOR.	United States
White	Irish
Colored	English
	Scotch
(German
Under 1 year 168	British American 48
Total deaths of children Under 2 years 210	Italian
Under 5 years 247	Other Countries
(IV. Jun 1 man	Mixed
Under 1 year 6 Under 2 years 9	Unknown
Diarrhœal diseases Under 5 years 9	
All ages	Still-births during the month 57

	for 91.	for 890.							-			G	E.									SI	EX.
CAUSES OF DEATH.	Total Mortality for November, 1891.	Total Mortality for November, 1890.	Under 3 mos.	3 mos. and under 6 mos.	6 months and under 1 year.	1 year and under 2 yrs.	2 years and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	Total under 5 years.	5 years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 80 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	Males,	Females.
I. ZYMOTICS.			U	3 r	0 n	100	22	3.5	4	Tot	ş c	10 n				n 20		70 u	80 n	06 nu	100		
ALCOHOLISM	9	10											1	3	8		2					7	2
CROUP	7	5			1	1	2	2		6	1											3	4
CARBUNCLE		-																					-
CHOLERA MORBUS																							
CHOLERA INFANTUM	4	8			2	2				4							-					4	
CEREBRO-SPINAL MENINGITIS																							
Congestive Fever																							
DIARRHŒA	5	3	2		1	1				4					1							2	8
Dysentery	2	1			1					1							1						2
DIPHTHERIA	41	18	1		1	4	5	7	6	24	14		2			1						17	24
ERYSIPELAS	1	2															1					1	
INTERMITTENT FEVER																							
Inpluenza																							
MEASLES		2																					
Purpura	1	1					1			1													1
PUERPERAL FEVER	1	3				-							1										1
Ружміа		2		-																			
REMITTENT FEVER																							
RHEUMATISM	4	1			-									1	1	1	1					1	8
SCARLATINA	5	1		1		1			-	2	2	1	_							-		3	2
SMALL Pox								-						-		-							
SYPHILIS (CONGENITAL)		6	-											-		=	-			-			
Syphilis	1	1											1			_							1
Septicæmia	2	3										-	1	1									2
Tonsillitis																							-
Typhoid Feyer	15	19	-								1	3	4	3	2	-						10	5
Typhus Fever											_		-										
WHOOPING COUGH	5		2		1	-	2			5		_				-		-			-	3	2
YELLOW FEVER		-																	=				
OTHER ZYMOTIC DISEASES	3	2		_					-		-		1		2		-						
OTHER ZIROIIC DISEASES					-				_	-		_	1	-								3	
A CONCENTRATION AND A																							
II. CONSTITUTIONAL.	28													_					_				-
CANCER		26		_			_						1	2	5	14	4	1	1			6	22
HYDROCEPHALUS AND TUBERC. MENINGITIS	16	8	2	3	3	4		1		13	1	1	1									7	9
MARASMUS, SCROFULA AND TABES MESENTERICA		19	12	3	3	1				19					1		1	1				12	10
PHTHISIS PULMONALIS	88	113		1		1				2	1	8	24	23	14	8	7	1				40	48
OTHER CONSTITUTIONAL DISEASES .	18	10	1	2.		2				5		3	2	5	2	1						11	7

of November, Classified by Cause, Age and Sex.

	for 91.	for 90.									A	G	E.									S	EX.
CAUSES OF DEATH.	Total Mortality for November, 1891.	Total Mortality for November, 1890.	Under 3 mos.	3 mos. and under 6 mos.	6 mos. and under 1 year.	1 year and under 2 yrs.	2 years and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	Total under	5 years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	Males.	Feniales.
APOPLEXT	20	35										1			2	2		5	1	2		10	1
Bright's Disease	14	13										-	1	4	3	2	3	1				7	-
BRONCHITIS	59	33	9	14	8	3				34	1		2	2	1	5	6	5	2	1		30	2
HEART DISEASE	63	69	2			1				8	3	1	8	3	12	14	15	2	2			30	3
Meningitis	17	17	2		4	3	2	1		12	1		1	2		1						4	1
NEPHRITIS	15	6						-			1	1	2	4	2	1	1	3				8	
PLEURISY	1												1					_				1	
PNEUMONIA	89	79	5	3	11	14	1	1	1	36	1		7	3	10	6	10	12	4			51	3
Other Local Diseases	121	105	7	2	10	2	5			26	1	5	12	13	16	10	21	11	5	1		64	5
IV. DEVELOPMENTAL.																							
CYANOSIS	1	2	1							1												1	
NANITION	14	4	10	2	2					14												10	
OLD AGE	26	18															2	11	9	4		8	1
PREMATURE BIRTH	12	13	12							12												9	
PUERP'L DISEASES (not including Puerp'l Fever)	3	5				1							3										
Other Developmental Diseases	27	13	20		1	1				22					1		2	1	1			16	1
v. violent.					1																		
ACCIDENTAL	29	37			-	1				1	1	3	3	9	8		3		1		- 11	22	
HOMICIDAL	1	2													1							1	
SUICIDAL	8	4											2	1								1	
OTHER VIOLENT CAUSES		1																					
Unknown Causes	2	3				-										2						2	
COTAL FROM ALL CAUSES	795	723	88	31	49	42	18	12	7	247	29	27	82	79	87	69	88	54	26	S	q'	404	391
TOTAL FROM ZYMOTIC DISEASES	$=\frac{106}{134}$	88	- 5	1	7	9	10	9	6	47	18	4	11	8	9	2	ī					58	5
COTAL FROM CONSTITUTIONAL DISEASES	172	176	15	9	6	8		1		39	2	12	28	30	22	23	12	3	1			76	9
" " Local do	399	357	25	19	33	23	8	2	1	111	8	8	35	31	46	41	62	39	14	4		205	19
" DEVELOPMENTAL do	83	55	43	2	3	1				49			3		1		4	12	10	4		44	3
" " VIOLENT CAUSES	33	44				1				1	1	3	5	10	9		3		1			24	

Comparative Statement of Cases of Contagious Disease reported to the Board of Health for the month of November, 1891, and for the corresponding month in 1890.

CASES REPORTED DURIN	IG NOVEM	BER, 1891.	CASES REPORTED DURING	NOVEMBI	ER, 1890.
	City.	Quarantine.		City.	Quarantine
Diphtheria	108		Diphtheria	75	
Measles	30		Measles	106	
Small Pox			Small Pox		
Scarlatina	136		Scarlatina	40	1
Typhoid Fever	95	`	Typhoid Fever	89	
Typhus Fever			Typhus Fever		
Yellow Fever		1	Yellow Fever		

METEOROLOGICAL OBSERVATIONS TAKEN AT THE U.S. WEATHER BUREAU OFFICE, BOSTON.

For the month of November, 1891, as reported by J. W. SMITH, Observer and Local Forecast Official.

DATE.	DAILY MEAN BAROMETER.	DAILY MEAN TEMPERATURE.	DAILY MEAN HUMIDITY.	PREVAILING DIRECTION OF WIND.	DAILY RAIN FALL.	' GENERAL ITEMS.
	29.86	50	50	W.	.00	Mean Barometer, 30.17.
2	30.22	38	48	N.W.	.00	Highest Barometer, 30.81, on the 19th.
				N.W.	.00	Lowest Barometer, 29.48, on the 23rd. Monthly Range of Barometer, 1.33.
-5	30.32	35	52			Mean Temperature, 41.0.
4	30.28	33	62	N.W.	.00	Highest Temperature, 66.0, on the 17th.
5	30.14	37	69	N.	.00	Lowest Temperature, 9.0, on the 30th.
6	30.14	40	56	N.	.01	Monthly Range of Temperature, 57.0. Greatest Daily Range of Temperature, 26.0 on the 17th.
7	30.06	40	57	N.	00	Least Daily Range of Temperature, 5.0 on the 8th.
g 1	30.12	42	84	N.	.00	Mean Daily Range of Temperature, 14.0.
9	30.29	40	92	S.	,00	Mean Daily Dew-point, 31.0. Mean Daily Relative Humidity, 70.0.
-						Prevailing Direction of Wind, W.
10	30.26	46	98	s.	*T	Total Movement of Wind, 8,733 Miles.
11	29.96	56	98	s.	.35	Highest Velocity of Wind and Direction, 48 miles S. on the 17th.
12	29.99	54	71	w.	,00	Number of Foggy Days, Number of Clear Days, 13.
18	30.25	45	65	w.	.00	Number of Fair Days, 6.
14	30.44	44	63	w.	.00	Number of Cloudy Days, 11.
						Total Number of Days on which .01 inch or more Rain or Snow fell, 9.
15	30.68	34	64	N.W.	.00	Depth of unmeited Snow on ground at end of month, 0. Dates of Auroras, 0.
16	30.41	46	82	S.	*T	Dates of Solar Halos, 0.
17	29.86	53	88	s.	.60	Dates of Lunar Halos, 0.
18	30.32	34	57	w.	.02	Mean Max. Temp., 48.0. Mean Min. Temp., 35.0.
19	30.76	32	61	w.	.00	Thunder storm, Dates of Frosts,
20	30.61	42	68	s.w.	.00	COMPARATIVE TEMPERATURE. COMPARATIVE PRECIPITATIONS
21	30.51	44	88	S.E.	.00	1871
						1872 40 1871 6.42
22	30.25	48	84	S.E.	.00	1878
28	29.70	54	86	S.	.05	1874 41 1873 8,34 1875 2,85
24	29.60	50	59	s.w.	.05	1876 40 1875 5.47
25	29.97	42	60	s.w.	-00	1877
26	30.04	38	70	E.	.01	1878
27	29.64	42	80	w.	1.24	1880
						1881
28	29.84	44	73	s.w.	.02	1882
29	30.26	19	52	N.W.	.00	1885
30	30.26	18	65	N.W.	.00	1885
						1886 43
						1887
OTALS	905.04	12.42	2102	-	2.35	1888
V12117 : 100 1 1 1 1	000,04	14.24	2102		2.00	1890 42 1889 4.91
fu. mo	20.166	41.4	70.7		070	1891 41 1890 0.97
RVM8	30.168	41.4	70.1		.078	1091

Statement of Mortality for the month of December, 1891.

With an enumeration of the more prominent causes; accompanied by an abstract of Meteorological Observations.

Published by order of the Board of Health.

SAMUEL H. DURGIN, M.D.,

Population estimated at 459,062.	Rate per 1,000 inhabitants, 29.61
Total number	NATIVITY.
SEX.	United States 686
Males	Ireland
Females	England
CONDITION.	Scotland
Married	Germany
	British America
Single	Italy 6
Widows 177	Other Countries
Widowers 62	Unknown
Unknown	PARENTAGE.
COLOR,	United States
White	Irish
Colored	English
	Scotch
	German
Under 1 year 179	British American
Total deaths of children Under 2 years 230	Italian
Under 5 years 290	Other Countries 92
	Mixed
Under 1 year	Unknown
Diarrhœal diseases Under 5 years	
(All ages 2	Still-births during the month 57

^{*} Deduct one death (Phthisis Pulmonalis) from the month of July Mortality Statement.

	for 31.	for 30.									A	G :	E.									SE	X.
CAUSES OF DEATH.	Total Mortality for December, 1891.	Fotal Mortality for December, 1890.	Under 3 mos.	3 mos. and under 6 mos.	6 months and under I year.	year and under 2 yrs.	years and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 vrs.	Potal under 5 years.	years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	To years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	Males.	Females.
I. ZYMOTICS.	Tota	Tots	Und	3 m	g mu	n a	2 yc	3 ye	4 ye	Teta	un .	10 y	20 y	30 3	40 3	90 3	60 y	70,	80 3	90 1	100	Ma	Fer
LCOHOLISM	8	6											4		1	2		1				5	-
10UP	13	5			2	2	3		2	9	3	1										7	
ARBUNCLE																							
HOLERA MORBUS																							
HOLERA INFANTUM	1	1		1						, 1												1	
EREBRO-SPINAL MENINGITIS	1	4														1							
ONGESTIVE FEVER																							
IARRHŒA	1	6														1						1	
YSENTERY		2																					
PHTHERIA	35	33			2	6	8	2	3	21	10	2		1				1				18	1
RYSIPELAS	1	4											1									1	
TERMITTENT FEVER																							
PLUENZA	13	2	1							1		1				2	3		2	1		5	
EASLES		2																					
URPURA	2		. 1							1					- 1							2	
JERPHAL FEVER	2	3											2										
(ÆMIA	1											1										1	
EMITTENT FEVER																							
HEUMATISM		1 2																					-
CARLATINA	17	7				2	6	1	3	12	2	2	1									10	
											-												
WALL POX		1																					
*		1																					
YPHILAS	3	1				1				1			1				1					1	-
EPTICÆMIA	3	1				1				-							-						
ONSILLITIS								1		1		2	5	2	4	1	1					7	
'YPHOID FEVER	16	19						1				2	1 0	1 4	*	1	1					-	
'yphus Fever																						2	
WHOOPING COUGH	ő			1		4				-0					-								-
KLLOW FEVER														·									
OTHER ZYMOTIC DISEASES		1																					
II. CONSTITUTIONAL.																							
ANCER	29	26												2	6	10	- 5 	6				- 11	-
IVDROCEPHALUS AND TUBERC. MENINGITIS	9	16	1	2		2	1	1		1 7	2											6	
JARASMUS, SCROFULA AND TABES MESENTERIC.	A, 28	25	14	2	1	2				19				1		1	1		1			11	
'nthisis Pulmonalis	*4	125	1	1	1	2		1	1	7	1	19	43	44	11	14	2	2				68	
OTHER CONSTITUTIONAL DISEASES .	19	12			1		1	2	1	5	2		4	4	8				1			10	

of December, Classified by Cause, Age and Sex.

	for Ti	for 30.									A	G	E.									S	EX,
CAUSES OF DEATH.	Total Moutality for December, 1891.	Total Mortality 6 December, 1890,	Under 5 mos.	3 mos. and under 6 mos.	6 mos. and under 1 year.	I year and under 2 yrs.	2 years and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	Total water	5 years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 31 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and	70 years and under 20 yrs.	Myens and under 90 yrs.	Bu year and	100 years and over.	Mules.	Formules.
APOPLEXT	37	24			1		1		1	3			1	1	2	8	6	11	5				20
Bright's Disease	12	12												2	3	4	2	1				6	- e
Bronchitis	90	49	15	9	6	6		2	2	40	2	1	2	1	5	9	12	15	3			47	45
HEART DISEASE	80	90	2							2		4	5	8	13	19	12	14	3			35	4
MENINGITIS	25	14	2	2	4	6	1			15	2	3	3	1		1						13	1:
Nephritis	20	10					1			1	1	1	2	3	2		2	5	3			8	15
PLEURISY	2	3														1		1				1	1
PNBUMONIA	223	100	11	12	13	14	6	1	1	58	2	2	13	23	22	21	32	28	21	1		104	119
OTHER LOCAL DISEASES	142	114	7	2	5	3	4			21		4	10	20	15	21	15	20	15	1		74	68
IV. DEVELOPMENTAL.																							
CTANOSIS	1	3	1							1													1
Inanition	15	10	12	1						13		1						1				8	-
OLD AGE	45	33															1		19	8	3	19	26
PREMATURE BIRTH	24	9	24							24								-				10	14
PUERP'L DISEASES (not including Puerp'l Fever)	4	7											4										- 4
OTHER DEVELOPMENTAL DISEASES	22	18	13	1	1					15					3	1	1		1			8	14
V. VIOLENT.																							
ACCIDENTAL	37	47	2			1		2	1	6	1	4	4	10	7	2	2	1				30	7
HOMICIDAL	2													2								1	1
SUICIDAL	7	2										1	2	2		2						7	
OTHER VIOLENT CAUSES		1																					
UNENOWN CAUSES	3		1							1			1		1							1	2
TOTAL FROM ALL CAUSES	1133	850	108	34	37	51	32	13	15	290	29	49	108	127	99	121	98	126	74	11	1	556	577
Total from Zymotic Diseases	119 308	100	2	2	4	15	17	4	8	52	15	. 9	14	3	6	7	5	5	2	I		61	58
TOTAL FROM CONSTITUTIONAL DISEASES	223	204	16	5	3	6	2	4	2	38	5	19	47	51	20	25	8	8	2			106	137
" " LOCAL do	631	416	37	25	29	29	13	3	4	140	7	15	36	59	62	84	81	95	50	2		305	326
" " DEVELOPMENTAL do	111	80	50	2	1					53	1	1	4		3	1	2	17	20	8	1	45	66
" " VIOLENT CAUSES	46	50	2			1		2	1	6	1	5	6	14	7	4	2	1				38	8

Comparative Statement of Cases of Contagious Disease reported to the Board of Health for the month of December, 1891, and for the corresponding month in 1890.

CASES REPORTED DURIN	G DECEM	BER, 1891.	CASES REPORTED DURING	DECEMBI	ER, 1890.
	City.	Quarantine.		City.	Quarantine.
Diphtheria	127		Diphtheria	117	
Measles	54	15	Measles	237	
Small Pox			Small Pox	****	
Scarlatina	261	3	Scarlatina	112	****
Typhoid Fever	74		Typhoid Fever	54	
Typhus Fever			Typhus Fever		
Yellow Fever			Yellow Fever		

METEOROLOGICAL OBSERVATIONS TAKEN AT THE U.S. WEATHER BUREAU OFFICE, BOSTON.

For the month of December, 1891, as reported by J. W. SMITH, Observer and Local Forecast Official.

DATE.	DAILY MEAN BAROMETER.	DAILY MEAN TEMPERATURE.	DAILY MEAN HUMIDITY.	PREVAILING DIRECTION OF WIND.	DAILY RAIN FALL.	GENERAL ITEMS.
1	30.27	32	63	w.	.00	Mean Barometer, 30.112.
2	30.12	44	46	s.w.	.00	Highest Barometer, 30.471, on the 18th, 31st.
8	30.28	50	72	w.	.00	Lowest Barometer, 29.291, on the 16th. Monthly Range of Barometer, 1.180.
,	30,48	48	94	S.E.	.02	Mean Temperature, 40.3.
4				S.W.	.29	Highest Temperature, 64.0, on the 23rd. Lowest Temperature, 11.0, on the 17th.
- 5	30.00	48	59			Monthly Range of Temperature, 53.0.
6	29.97	50	44	s.w.	.00	Greatest Daily Range of Temperature, 23.0 on the 1st.
7	29.70	. 50	78	s.w.	.39	Least Daily Range of Temperature, 30.0 on the 25th.
8	30.24	37	54	s.w.	.00	Mean Daily Range of Temperature, 14.2. Mean Daily Dew-point, 28.2.
9	30.15	42	46	s.w.	.00	Mean Daily Relative Humidity, 67.5.
10	80,00	51	42	S.W.	.00	Prevailing Direction of Wind, S.W. Total Movement of Wind, 10,360 Miles.
11	30.16	46	63	W.	.00	Highest Velocity of Wind and Direction, 52 miles S. on the 30th.
12	30.09	40	61	s.w.	,00	Number of Foggy Days, 0.
13	30.01	46	50	W.	.00	Number of Clear Days, 14. Number of Fair Days, 7.
		46		w.	.00	Number of Cloudy Days, 10.
14	30.12		55			Total Number of Days on which .01 inch or more Rain or Snow fell, 12.
15	29.59	34	92	E.	.15	Depth of unmelted Snow on ground at end of month, 0. Dates of Auroras, 0.
16	29.42	39	76	W.	.26	Dates of Solar Halos, 0.
17	30.00	16	57	N.W.	.00	Dates of Lunar Halos, 9th, 12th, 20th.
, 18	30,45	23	58	W	.00	Mean Max. Temp., 47.50. Mean Min. Temp., 33.40. Thunder storm, 0.
19	30.32	34	60	N.W.	.00	Dates of Frosts,
20	30.45	34	76	Calm.	.00	Comparative Temperature. Comparative Precipitations.
21	30.43	40	90	Calm.	.00	1871
22	, 30.29	44	22	s.w.	.00	1872
23	30.01	58	88	s.w.	.42	1874
24	30.12	44	88	N.E.	.42	1875
25	1 30,17	40	94	N.	.16	1877
26	29.76	48	92 .	s.	.22	1875
27	29.94	36	56	W.	.03	1879
				w.	.00	1881
28	30.32	32	56			1882 30 1881 3.80 1882 2.65
29	30.20	34	79	S.E.	.01	1883
30	29.73	38	71	N.W.	1.21	1885
31	30.44	24	40	N.W.	.00	1886
Totals	933.23	12.48	2092	Francis	3.58	1888 38 1887 2.71 1889 26 1888 4.38 1890 40 1889 1.83 1891 40 1890 3.72
MRYM8	30.10	40.3	67.5		.116	1891 3.58

SUMMARY OF DEATHS IN BOSTON.

With Principal Causes, for the year 1891. Compared with those of 1890.

Published by order of the Board of Health.

SAMUEL H. DURGIN, M.D.,

	1891.	1890.	1	891.	1890.
Total No. of deaths from all causes	10,571	10,181	Influenza	31	24
Population (estimated)	459,062	*448,477	Intermittent Fever	2	***************************************
Annual death rate per 1000 inhabitants	23.02	22.70	Measles	21	19
Total No. from Zymotic diseases	1,615	1,677	Purpura	6	6
Percentage of deaths from Zymotic dis-			Puerperal Fever	18	27
eases to total mortality	15.27	16.47	Pyæmia	15	15
Total No. of Still-births	614	627	Remittent Fever	1	_
Total deaths of children under 1 year .	2,552	2,271	Rheumatism	23	20
2 years .	3,135	2,823	Scarlatina	64	45
5 years .	3,608	3,349	Small Pox		
Percentage of deaths under 5 years to			Syphilis (congenital)	21	4
total mortality	34.13	32.89	Syphilis	5	
Total No. of deaths from diarrheal dis-			Septicæmia	29	1:
eases, under 5 years	667	590	Tonsillitis	3	
Total No. of deaths from diarrheal dis-			Typhoid Fever	154	15
eases, all ages	7.5.5	665	Typhus Fever	_	-
Percentage of deaths from diarrheal dis-			Whooping Cough	39	3:
eases to total mortality	7.14	6.53	Yellow Fever		
Alcoholism	65	76	Other Zymotic Diseases	16	
Croup	53	61	Cancer	317	32
Carbuncle	2	6	Phthisis Pulmonalis	1,352	. 1,49
Cholera Morbus	20	28	Bright's Disease	148	13-
Cholera Infantum	597	498	Bronchitis	551	45
Cerebro Spinal Meningitis	21	17	Heart Disease	764	78:
Diarrhœa	90	114	Pneumonia	1,149	1,09
Dysentery	48	30	Old Age	289	248
Diphtheria	232	401	Violent Deaths	472	450
Erysipelas	39	36			

^{*}Population by National Census.



Statement of Mortality for the month of January, 1892.

With an enumeration of the more prominent causes; accompanied by an abstract of Meteorological Observations.

Published by order of the Board of Health.

SAMUEL H. DURGIN, M.D.,

Population estimated at 459,062.	Rate per 1,000 inhabitants, 31.	.IO
Total number	NATIVITY.	
SEX.	United States	689
Males	Ireland	317
Females	England	33
CONDITION.	Scotland	18
Married	Germany	22
	British America	67
Single	Italy	7
Widows	Other Countries	27
Widowers	Unknown	10
Unknown 6	PARENTAGE.	
COLOR.	United States	298
White	Irish 4	168
Colored	English	30
	Scotch	23
	German	26
Under 1 year 166	British American	57
Total deaths of children Under 2 years 227	Italian	16
Under 5 years 285	Other Countries	93
1	Mixed	78
Under 1 year	Unknown	01
Diarrhœal diseases Under 5 years		
All ages	Still-births during the month	44

	for 2.	for									A	G	E.									SI	EX.
CAUSES OF DEATH.	Total Mortality for January, 1892.	Total Mortality f		mos. and	months	1 year and under 2 yrs.	2 years and under 3 yrs.	8 years and under 4 yrs.	4 years and under 5 yes.	Total under 5 vears.	5 years and under 10 vrs.	To years and under 29 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	46 years and under 50 yes.	50 years and under 60 yrs.	60 years and under 70 yrs.	To years and under so yes.	80 years and under 90 yrs.	90 years and under 100 yrs.	myears and over.	Mades.	Females.
ALCOHOLISM	7	6		00	9	1		00		1.	10	=	1	3	1	1	1	1-0	oc	6 2	-	6	1
CROUP	7	6					2	3		6	1											5	2
CARBUNCLE				-				-														-	_
CHOLERA MORBUS																							
Cholera Infantum	1					1				1												1	
Cerebro-spinal Meningitis	2	5									1		1									1	1
Congestive Fever																							
Diarrhœa	2	7								1									1				2
Dysentery		1			-														-				
DIPHTHERIA	28	16			2	3	6	5	3	19	6		1	1				 1	-			15	13
ERYSIPELAS	20	5				-	-	-	0	10				. 1	1							15	13
INTERMITTENT FEVER	- La														1			1				1	
INPLUENZA	63	1		1	4	1				7		1		3	5	7	13	4 19	7.0			28	35
MEASLES	1					-	1			1		1		-				17	10			1	99
Purpura		6					-																
Puerperal Fever	1													1									
PYEMIA	-																						1
REMITTENT FEVER		1																					
		1				-				4													2
RHEUMATISM	3	6			-	1	3	7	-	20		-			1			1				1	16
SCARLATINA	29	6			1	1 7	-	-	2		1 8	1										13	
SMALL POX		2																					
SYPHILIS (CONGENITAL)		2																					_
SYPHILIS															-								
SEPTICÆMIA	1	1													1							1	
Tonsillitis	1		-1-	-	-					1												1	
TYPHOID FEVER	2	8											2									1	1
Typhus Fever																							
WHOOPING COUGH	9	4			1	5			1	9												3	6
YELLOW FEVER																							
OTHER ZYMOTIC DISEASES																							
II. CONSTITUTIONAL.																							
CANCER	19	29												3	3	5	3	4	1			7	12
HYDROCEPHALUR AND TUBERC. MENINGITIS	16	16		3	3	2	1			11	4				1		-					7	9
Marasmus, Scropula and Tabes Mesenterica	24	25	1	4	2			1		17		1			1	1	1	1	2			9	15
PHTHISIS PULMONALIS	150	123		1		4			-	6			39	38								69	81
Other Constitutional Diseases .	1 17	18						1	1	3	-	3		3	4				1			5	12
OTHER CONSTITUTIONAL DISEASES .	I At	10			!			1	Α.	0		0	2	0	9	1			1	-		0 1	14

of January, Classified by Cause, Age and Sex.

	for the	for 1.									A	G	E.									8	EX,
CAUSES OF DEATH.	Total Montality for January, 1892,	Total Mortality January, 1891	Under 8 mos.	3 mos. and under 6 mos.	6 mos. and under I year.	1 year and under 2 yrs.	2 years and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	Total under	5 years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	Males.	Females.
Apoplexy	34	23											2		2	9	7	6	7	1	1	16	1
Bright's Disease	13	12										2	-	1	3		4	2	1	-		7	-
Bronchitis	109	48	8	7	10	16	1			42			3	6	4	9	13	17	14	1		44	6
HEART DISEASE	84	76	4						2	6	1	4	9	6	13	15	13	15	2	77100		33	5
MENINGITIS	38	18	4	3	6	6		4	2	25	1	1		6	2	1	2			-		26	1
Nephritis	24	14		1	1		-			2	2		4	2	7	5	1	1				15	-
PLEURISY	6	3									1			1	1	3					- i	5	-
PNEUMONIA	240	139	2	6	13	14	1	2		38	6		22	29	32	26	41	31	14	1		120	12
OTHER LOCAL DISEASES	135	141	11	3	7		2	4		27	3	4	10	11	18	12	16	24	10			64	7
	-																						
IV. DEVELOPMENTAL.																							
YANOSIS	1	1	1							1	-												-
NANITION	7	21	7							7												6	-
PLD AGE	42	24																19	14	9		12	3
PREMATURE BIRTH	13	12	138							13												8	
PUERP'L DISEASES (not including Puerp'l Fever)	3	2											1	2									
OTHER DEVELOPMENTAL DISEASES	21	31	1 12	1						13					2		2	2	2			12	-
V. VIOLENT.					1																		
ACCIDENTAL	26	28	1	1	1	1	1	1	1	7	1		1	8	1	4	1	2	1			18	-
IOMICIDAL	2	1	1							1			1									2	
UICIDAL	4	3													1	3						3	
Other Violent Causes	2	2			1								1			1					- 11		1 :
	-																						,
JNKNOWN CAUSES	1	2				-									1							1	
OTAL FROM ALL CAUSES	1190	894	82	83	51	61	18	28	12	285	35	29	100	124	135	113	130	147	80	12		567	628
OTAL FROM ZYMOTIC DISEASES	159 376	84	4	3	8	18	12	15	6	66	16	2	5	8	9	8	14	20	11		[1	78	81
OTAL FROM CONSTITUTIONAL DISEASES	226	209	14	8	5	6	1	2	1	37	4	16	41	44	39	17	16	8	4			97	129
" LOCAL do	683	474	29	20	37	36	4	10	4	140	14	11	50	62	82	80	97	96	48	3		330	35
66 66 DEVELOPMENTAL do	87	.91	33	1						34			1	2	2		2	21	16	9		38	49
" " VIOLENT CAUSES	34		2	1	1	1		1	1	8	1		3	8	2	8	1	2	1			23	1

Comparative Statement of Cases of Contagious Disease reported to the Board of Health for the month of January, 1892, and for the corresponding month in 1891.

CASES REPORTED DUR	ING JANUA	.RY, 1892.	CASES REPORTED DURING	3 JANUAR	Y, 1891.
	City.	Quarantine.		City.	Quarantine
Diphtheria	102		Diphtheria	80	
Measles	48		Measles	-141	
Small Pox			Small Pox		
Bearlatina	290		Scarlatina	300	
Typhoid Fever	25		Typhoid Fever	29	
Typhus Fever	****	1	Typhus Fever		
Yellow Fever			Yellow Fever		

METEOROLOGICAL OBSERVATIONS TAKEN AT THE U.S. WEATHER BUREAU OFFICE, BOSTON.

For the month of January, 1892, as reported by J. W. SMITH, Observer and Local Forecast Official.

DATE.	DAILY MEAN BAROMETER.	DAILY MEAN TEMPERATURE.	DAILY MEAN HUMIDITY.	PREVAILING DIRECTION OF WIND.	DAILY RAIN FALL.	GENER	AI, ITEMS.
1	11 30.34	33	41	N.W.	.00	Mean Barometer, 30.02.	
2	[] 29.72	44	88	S.E.	.73	Highest Barometer, 30.70, on the 17th	
3	29.65	40	69	S.W.	.53	Lowest Barometer, 29.29, on the 6th Monthly Range of Barometer, 1.41.	
		26	65	W,	.00	Mean Temperature, 28.3.	
4	29.54					Highest Temperature, 63.0, on the 1	
5	29.73	26	66	w.	.00	Lowest Temperature, 1.0, on the 27t Monthly Range of Temperature, 62.	
6	29.53	28	87	S.E.	.50	Greatest Daily Range of Temperature.	
7	29.65	30	69	W.	.01	Least Daily Range of Temperature,	6.0 on the 29th.
8	30,11	28	64	s.w.	.00	Mean Daily Range of Temperature,	15.1.
9	11 30.32	30	70	s.w.	.05	Mean Daily Dew-point, 20.4. Mean Daily Relative Humidity, 73.0	
				N.	,00	Prevailing Direction of Wind, N.W.	
10	30.61	22	58			Total Movement of Wind, 9,928 Mile	
11	30.59	23	90	N.	,05	Highest Velocity of Wind and Direc	tion, 40 miles N.E. on the 6th.
12	30.41	30	100	N.	.07	Number of Foggy Days, 0. Number of Clear Days, 10.	
13	30.14	36	98	Calm.	1.07	Number of Fair Days, 9.	
14	29,99	50	96	s.w.	.06	Number of Cloudy Days, 12.	
15	30.15	30	93	N.W.	.48	Total Number of Days on which Rail Depth of unmelted Snow on ground	
		20		N.W.	T	Dates of Auroras, 5th, 8 p.m. to mid	
16	30.47		72			Dates of Solar Halos, 0.	
17	30.64	20	74	N.W.	.00	Dates of Lunar Halos, 0.	36 36 70 000
18	30.29	38	83	s.	.04	Mean Max. Temp., 35.8. Thunder storm, 0.	Mean Min. Temp., 20.8. Dates of Frosts, 0.
19	29.83	38	90	N.W.	.91	Comparative Temperature.	COMPARATIVE PRECIPITATIO
20	1] 30.23	12	72	N.W.	.09	1871 26	Inc.
21	30.20	18	68	w.	.00	1872	1871 0.
						1873 26	1872 2.
22	30.21	25	72	8.		1874	1873 5,
28	29.74	38	70	W.	.00	1875 20 1876 30	1875
24	29.76	22	71	N.W.	.00	1877 23	1876 1.
25	29.45	36	74	s.w.	.01	1878	1877
26	29.50	16	63	W.	.00	1879	1878 7.
27	29.95	10	58	N.W.	.01	1881	1880
		21	59	W.	.00	1882 26	1881 7.
28	29.93					1883 25	1882
29	29.86	32	75	E.	.00	1884	1884 6.
20	29.98	82	78	N.	.01	1886 26	1885 5.
31	29.93	26	51	N.	.00	1887 26	1886 7.
						1888 20 1889	1888 2.
LS	930.45	876	2279	_	4.62	1890	1889 4.1
						1891 31	1890 2.0

0/01.7

HEALTH DEPARTMENT OF THE CITY OF BOSTON.

Statement of Mortality for the month of February, 1892.

With an enumeration of the more prominent causes; accompanied by an abstract of Meteorological Observations.

Published by order of the Board of Health.

SAMUEL H. DURGIN, M.D.,

Deaths during the month of February, 1892, . Population estimated at 459,062.	Rate per 1,000 inhabitants, 21.25
Total number 813	NATIVITY.
SEX.	United States 508
Males	Ireland
Females	England
CONDITION.	Scotland
Married 286	Germany
Married	British America
Single 409	Italy
Widows	Other Countries
Widowers	Unknown 5
Unknown	PARENTAGE.
COLOR.	United States
White 794	Irish
Colored	English
	Scotch
,	German
Under 1 year 124	British American
Total deaths of children Under 2 years 165	Italian
Under 5 years 230	Other Countries
,	Mixed 61
Under 1 year	Unknown
Diarrheal diseases Under 5 years 2	
All ages 2	Still-births during the month 48

	for:	for .									A	.G	E.									SE	ex.
CAUSES OF DEATH.	February, 1892.	Total Mortality February, 1891	Under 3 mos.	3 mos. and under 6 mos.	6 months and under 1 year.	1 year and under 2 yrs.	2 years and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	Fotal under 5 years.	5 years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and	100 years and over.	.00	яlея,
I. ZYMOTICS.	Tota	Total	Und	3 mc	6 mc	1 ye	2 year	3 yes	4 year	Total	o year	10 ye	20 ye	30 ye	of of	50 ye	60 ye	70 5	80 year	90 y	100 3	Males.	Females
ALCOHOLISM	4	3						I THE PARTY OF					1	2		1						3	1
CROUP	6	3				2	2	2		6												2	4
CARBUNCLE																							
CHOLERA MORBUS																							
CHOLERA INFANTUM	1	2		1						1													1
CEREBRO-SPINAL MENINGITIS	3	2		1						1	1		1									2	1
Congestive Fèver																							
DIARRHŒA		3																					
DYSENTERY	1	1				1				1												1	
DIPHTHERIA	31	18			1	6	7	5	4	23	7		1									15	16
ERYSIPELAS	3	6				1				1					1	1						2	1
INTERMITTENT FEVER																							
INPLUENZA	16	1				1				1			3		1	2	3	1	4	1		6	10
MEASLES		2																					
PURPURA	1		1							1												1	-
PUERPERAL FEVER	3	2											1	2									3
Ружміа		1																					
REMITTENT FEVER	[_																			
RHEUMATISM	4	1				1				1				1			1		1			- 2	2
SCARLATINA	20	8			2	-3	1	7	2	15	4]										11	9
SMALL l'ox																							
SYPHILIS (CONGENITAL)		1																					_
Sypuilis	1														1								1
Septicæmia	3	1											1		1		1					1	2
TONSILLITIS:		1																					
TYPHOID FEVER	5	4											4	1								2	
Typhus Fever	. ———																						
WHOOPING COUGH	8	1	1	3	3		1			8												2	6
YELLOW FEVER			-	-	_																		
OTHER ZYMOTIC DISEASES		2																					
																						-	
II. CONSTITUTIONAL																							
II. CONSTITUTIONAL.	17													-	-			9				7	10
CANCER	17	22		-		_	_			10			1	2	- 3	5	3	3				7	7
MARASMUS, SCROFULA AND TABES MESENTERICA	13	13	1	1		2	4	2		12			1									6	
		24	4	3	3	1		1		12	1											0	7
PHTHISIS PULMONALIS	93	88										6	29	24	19	12	2	1				41	52
OTHER CONSTITUTIONAL DISEASES .	14	13			1	2			1	4			5	1	8	1						7	7

of February, Classified by Cause, Age and Sex.

	for .	for .									A	. G	E.									81	EX,
CAUSES OF DEATH.	Total Mortality for February, 1892,	Total Mortality f. February, 1891.	Under 5 mos.	3 mos. and under 6 mos.	6 mos. and under 1 year.	1 year and under 2 yrs.	2 years and under 3 vrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	Total under	5 years and under 10 yrs.	und 20 s	150	20	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	Males.	Females.
APOPLEXY	30	18			1					1			2		5	4	6	11				21	9
Bright's Disease	7	10												1	3	1	2					5	2
Bronchitis	66	46	11	6	5	8	3			33		1	4	3	3	6	7		1			35	31
HEART DISEASE	75	51	1					1	1	3	4	6	7	3	9	13	15	14	1			42	33
MENINGITIS	23	23	3	3	5			7		18	1	1	2					1				17	6
NEPHRITIS	37	10			1				1	2			1	2	4	3	1	4				9	8
PLEURISY	3	1											1	1			1					1	2
PNEUMONIA	120	121	3	4	7	8	1	5	1	29	2	2	8	21	8	15	12	14	9			74	46
OTHER LOCAL DISEASES	118	130	8	8	3	3	2		3	27	5	3	13	9	13	1ă	19	9	4	1		54	64
IV. DEVELOPMENTAL.																							
CYANOSIS	1	3	1							1													1
INANITION	5	15	3	1		1				ā												2	3
OLD AGE	-18	14															1	6	9	2		6	12
PREMATURE BIRTH	17	20	17							17												12	5
PUERP'L DISEASES (not including Puerp'i Fever)	1	2												1									1
OTHER DEVELOPMENTAL DISEASES	13	17	4			1				5		1			6		1					9	4
V. VIOLENT.																							
ACCIDENTAL	28	22		1			1			2	1	2	6	5	5	3	2	1	1			23	. 5
Homicidae	1															1						1	
SUICIDAL	8	5											4	71	1	1	1					5	3
OTHER VIOLENT CAUSES	1	1											1										1
Unknown Causes	1	8											1										1
TOTAL FROM ALL CAUSES	813	735	58	32	34	41	22	30	13	230	26	23	98	80	86	84	78	73	31	4		433	380
TOTAL FROM ZYMOTIC DISEASES	110 	63	2	ō	6	15	11	14	6	59	12	1	12	6	4	4	5	1	5	1		50	60
TOTAL FROM CONSTITUTIONAL DISEASES	150	160	ő	4	6	5	4	3	1	28	1	6	36	27	25	18	5	4				67	83
" " Local do	459	410	26	21	22	19	6	13	6	113	12	13	38	40	45	57	63	61	16	1		258	201
" " DEVELOPMENTAL do	5	71	25	1		2				28		1		1	6		2	6	9	2		29	26
" " VIOLENT CAUSES	38	28		1			1			2	1	2	11	6	6	5	3	1	1			29	9
		-	-					-	-		-												

Comparative Statement of Cases of Contagious Disease reported to the Board of Health for the month of February, 1892, and for the corresponding month in 1891.

CASES REPORTED DURIN	NG FEBRU	ARY, 1892.	CASES REPORTED DURING	FEBRUA	RY, 1891.
	City.	Quarantine.		City.	Quarantine
Diphtheria	108		Diphtheria	71	
Measles	92	1	Measles	478	****
Small Pox			Small Pox	****	
Scarlatina	291		Scarlatina	95	****
Typhoid Fever	23	3	Typhoid Fever	2:3	
Typhus Fever	****		Typhus Fever		****
Yellow Fever	****		Yellow Fever		

METEOROLOGICAL OBSERVATIONS TAKEN AT THE U. S. WEATHER BUREAU OFFICE, BOSTOL

For the month of February, 1892, as reported by J. W. SMITH, Observer and Loca Forecast Official.

1 29.98 2 30.00 3 29.80 4 29.96 5 30.00 6 30.23 7 30.10 8 29.71 9 29.87 10 30.01 11 29.31 12 29.22 13 29.60 14 30.00 15 29.90 16 30.50 17 30.47 18 30.16 19 30.32 20 30.42 21 30.50 22 30.54 23 30.54 24 30.48 25 30.28 26 30.28 27 30.70 28 30.64 29 30.32	Dailt Mean Temperature.	DAILY MEAN HUMIDITY.	PREVAILING DIRECTION OF WIND.	DAILY RAIN FALL.	GENERAL ITEMS.
3 29.80 4 29.96 5 30.00 6 30.28 7 30.10 8 29.71 9 29.87 10 30.01 11 29.31 12 29.22 13 29.60 14 30.00 15 29.00 16 30.50 17 30.47 18 30.16 30.32 20 30.42 21 30.50 22 30.54 23 30.54 24 30.48 25 30.28 26 30.28 27 30.70 28 30.64 29 30.32	33	62	w.	.00	Mean Barometer, 30.14.
4 29.95 6 30.00 6 30.28 7 30.10 8 29.71 9 29.87 10 30.01 11 29.31 12 29.22 13 29.60 14 30.00 15 29.00 16 30.50 17 30.47 18 30.16 30.16 30.32 20 30.42 21 30.50 22 30.54 23 30.54 24 30.48 25 30.28 26 30.28 27 30.70 28 30.64 29 30.32	36	82	E.	.20	Highest Barometer, 30.75, on the 27th. Lowest Barometer, 29.03, on the 11th.
6 30.00 6 30.28 7 30.10 8 29.71 9 29.87 10 30.01 11 29.81 12 29.22 18 29.60 14 30.00 15 29.99 16 30.50 17 30.47 18 30.16 19 30.32 20 30.42 21 30.50 22 30.64 23 30.54 24 30.48 25 30.28 26 30.28 27 30.70 28 30.64 29 30.32	33	. 95	Ν.	,93	Monthly Range of Barometer, 1.72.
5 30.00 6 30.23 7 30.10 8 29.71 9 29.87 10 30.01 11 29.31 12 29.22 18 29.60 14 30.00 15 29.99 16 30.50 17 30.47 18 30.16 19 30.32 20 30.42 21 30.50 22 30.54 23 30.54 24 30.48 25 30.28 26 30.28 27 30.70 28 30.64 29 30.32	.31	72	N.W.	.00	Mean Temperature, 28.3.
6	22	79	N.W.	.00	Highest Temperature, 46.0, on the 15th. Lowest Temperature, 5.0, on the 19th.
6 30.28 29 30.32 30.10 30.10 30.10 30.10 30.10 30.01 30.01 30.01 30.01 30.01 30.00 3					Monthly Range of Temperature, 41.0.
\$ 29.71 9 29.87 10 30.01 11 29.31 12 29.22 13 29.60 14 30.00 15 29.99 16 30.50 17 30.47 18 30.16 19 30.32 20 30.42 21 30.50 22 30.54 23 30.54 24 30.48 25 30.28 26 30.28 27 30.70 28 30.64 29 30.32	18	64	N.W.	.00	Greatest Daily Range of Temperature, 31.0 on the 18th.
9 29.87 10 30.01 11 29.31 12 29.22 13 29.60 14 30.00 15 29.99 16 30.50 17 30.47 18 30.16 19 30.32 20 30.42 21 30.50 22 30.54 23 30.54 24 30.48 25 30.28 26 30.28 27 30.70 28 30.64 29 30.32	25	79	W.	.0:2	Least Daily Range of Temperature, 2.0 on the 21st.
10 30.01 11 29.31 12 29.22 13 29.60 14 30.00 15 29.99 16 30.50 17 30.47 18 30.16 19 30.32 20 30.42 21 30.50 22 30.54 23 30.54 24 30.48 25 30.28 26 30.28 27 30.70 28 30.64 29 30.32	31	100	N.E.	<u>.'2.4</u>	Mean Daily Range of Temperature, 10.8. Mean Daily Dew-point, 21.4.
11 29.31 12 29.22 13 29.60 14 30.00 15 29.99 16 30.50 17 30.47 18 30.16 19 30.32 20 30.42 21 30.50 22 30.54 23 30.54 24 30.48 25 30.28 26 30.28 27 30.70 28 30.64 29 30.32	30	80	Calm.	T	Mean Daily Relative Humidity, 78.5.
12 29.22 13 29.60 14 30.00 15 29.99 16 30.50 17 30.47 18 30.16 19 30.32 20 30.42 21 30.50 22 30.54 23 30.54 24 30.48 25 30.28 26 30.28 27 30.70 28 30.64 29 30.32	28 .	62	w.	.00	Prevailing Direction of Wind, N.W., 24th.
12 29.22 13 29.60 14 30.00 15 29.99 16 30.50 17 30.47 18 30.16 19 30.32 20 30.42 21 30.50 22 30.54 23 30.54 24 30.48 25 30.28 26 30.28 27 30.70 28 30.64 29 30.32	30	100	E.	.59	Total Movement of Wind, 8,090 Miles. Highest Velocity of Wind and Direction, 32 miles W. on the 13th.
18 29.60 14 30.00 15 29.99 16 30.50 17 30.47 18 30.16 19 30.32 20 30.42 21 30.50 22 30.54 23 30.54 24 30.48 25 30.28 26 30.28 27 30.70 28 30.64 29 30.32	26	75	w.	.01	Number of Foggy Days, 0.
14 30.00 15 29.99 16 30.50 17 30.47 18 30.16 19 30.32 20 30.42 21 30.50 22 30.54 23 30.54 24 30.48 25 30.28 26 30.28 27 30.70 28 30.64 29 30.32					Number of Clear Days, 10.
15 29.99 16 30.50 17 30.47 18 30.16 19 30.32 20 30.42 21 30.50 22 30.54 23 30.54 24 30.48 25 30.28 26 30.28 27 30.70 28 30.64 29 30.32	14	66	W.	.00	Number of Fair Days, 5. Number of Cloudy Days, 14.
16	20	76	w.	Т	Total Number of Days on which Rain or Snow fell, 10.
17 30.47 18 30.16 19 30.32 20 30.42 21 30.50 22 30.54 23 30.54 24 30.48 25 30.28 26 30.28 27 30.70 28 30.64 29 30.32	38	71	W.	.08	Depth of unmelted Snow on ground at end of month, trace.
18	20	56	N.W.	.00	Dates of Auroras, 13th.
19 30.32 20 30.42 21 30.50 22 30.54 23 30.54 24 30.48 25 30.28 26 30.28 27 30.70 28 30.64 29 30.32	12	60	N.W.	.00	Dates of Solar Halos, 19th. Dates of Lunar Halos, 10th.
19 30.32 20 30.42 21 30.50 22 30.54 23 30.54 24 30.48 25 30.28 26 30.28 27 30.70 28 30.64 29 30.32	26	43	W.	.00	Mean Max. Temp., 33.8. Mean Min. Temp., 23.0.
20 30.42 21 30.50 22 30.54 23 30.54 24 30.48 25 30.28 26 30.28 27 30.70 28 30.64 29 30.32	33	57	N.W.	.00	Thunder storm, 0. Dates of Frosts, 0.
21 30.50 22 30.54 23 30.54 24 30.48 25 30.28 26 30.28 27 30.70 28 30.64 29 30.32			N.E.		Comparative Temperature. Comparative Precipitations
22 30.54 23 30.54 24 30.48 25 30.28 26 30.28 27 30.70 28 30.64 29 30.32	36	94		T	1871
28 30.54 24 30.48 25 30.28 26 30.28 27 30.70 28 30.64 29 30.32	34	95	N.	.01	1872 28 1871 2.63 1875
24 30.48 25 30.28 26 30.28 27 30.70 28 30.64 29 30.32	37	91	N.	Т	1874 28 1873 3,21
25 30.28 26 30.28 27 30.70 28 30.64 29 30.32	34	50	N.E.	.06	1875
26 30.28 27 30.70 28 30.64 29 30.32	36	83	N.E.	.01	1876
27 30.70 28 30.64 29 30.32	36	98	E	т .	1878
27 30.70 28 30.64 29 30.32	38	96	Calm.	.00	1879
28 30.64 29 30.32	21		N.E.	Т	1880
29 . 30.32		73			1882
	17	84	N,	Т	1883
	27	89	N.E.	T	1884
					1886
					1887
					1888
TALS 873.98	822	2277	-	2.15	1890
					1891
ANS 30.14	28.3	78.5		.074	1892

Average monthly temperature for 22 years, 28.0.

Average monthly precipitation for 22 years, 3.50 . *T indicates trace of precipitation.

Deaths from Influenza, Complicated and Uncomplicated, from December 12, 1891 to February 29, 1892, arranged by Ages, Nativity, Parentage, &c.

	1	,	-			, 0	р.						·	,						, 10)	,				2123.	,	0		-			3-7							
	Under 3 Mos.	8 Mos. under 6 Mos	& 6 Morand	s. & 1 Y er u	ear & 2 ider 2 rs.	Yrs. & under	3 Yrs. & under	4 Yrs. & under S	Total Under 5	5 Yrs.; under 10 Yrs.	& 10 Yr und 20 Wr	s. & 20 Y ler un b :1 s. Y	rs. & 30 der u	Yrs. & ander	O Yrs. & under 50 Yrs.	50 Yrs. under 60 Yrs.	60 Yrs. unde	& 70 Yr	s. & 80 Y	rs. & 90 der	Yrs. & under	Totals.				NA	ŢIV	TY	-								PAF	SEN.	TAC	GE.			
	M. F.	M. F	F. M.	F. M.	F. A	f. F.	M. F.	M. F.	M. F.	M. F	ъ. м.	F. M.	F. M	f. F.	M. F.	M. F	М.	F. M.	F. M.	F. M	d. F.	M. F.	U. S.	Irel'nd.	Eng.	Scot.	Germ'	y. Briti	sh Ita	ly. Co	ther bunt. 1	Un-	U. 8.	Irish.	Eng.	Scot.	Ger	. Britis	sh Ita	ıl. Cou	ner M	x. kno	wn. To
Influenza, non-complicated,	2	1	1 1	4	1				3 6		2	1	1	1	1 2	3 5	7	7 7	10 7	7	2	31 41	36	25	2		1	8					19	25	4		1	7		6	6	, 4	7
		1	1																										i e														
Influenza complicated with Croup,	1		1			1	1		1					- '						1	- 1	1	1		,	1			1										1				
" Marasmus,	ĺ								1													1	1											1									
Phthisis Pulmonalis,						+						. 1	1 1	3	2						2	2 6	4	2		1		2	1	1		-	1	6	1			4					
" Apoplexy,															1							1	1									ĺ	.1										
Bronchitis,												1		1	1 3	1	2 8	5 3	7	3	8	8 19	12	14				1					10	15								2	2
" "Heart Disease,												1	1	1	2	1 2	1 2	2 1	2		4	4_10	4	8.			1	1	, 1				2	8				1	1		1	1	1
" Meningitis,							1.		1					1	1							1 2	2	1										1						1	1		
" Nephrins,													1									1	1										1										
" Pleurisy,																4						1	1																			1	
" Pneumonia,		1	11	2		1	1		4	I		2	4 2	5	3 4	3 4	6 4	3 (6 2	5	1 2	5 33	27	22	3	1	2	1 2	P.			2	21.	27	2	1 1	1 2	1	1	1 1	1	1 4	5.5
" " Old Age,																		2	7	1 1	2	3 10	5	.3	3		1					1	.3	3	2		1				1	3	1
" Diahetes,														1								1						1										i					
" Cellalitis,																					1	1	1										1										
" Congestion of Lungs,																	1	1				1		1										1									
" " Gastritis,															1		ľ	1				1		1										3									٠,
" Anæmia,																1					1	1	1										- Ca	1									2
Anæmia,																1																	1										
Total from All Causes,	8		1 0	4 9	1	1	1 1		9 7		9	1 5	·7 A	18	6 15	9 19	16.1	9 16 5	39 9	16	1 6 7	7 128	97	77	8	-	4	18		+	-	9	60	. 00	0	-		,			0	11	90
Total from All Causes,	0		1 2	* 4	1	.1	1 1		0 1	1	-	1 0	1 2	10	0 10	0 11	10 1	100	02 0	10		1 120				-		1 0			_	9	00	00	9	1	4	9	2	0	J	10	20,
							DEATI	is fi	ROM I	NFLUI	ENZA	ARR	ANGE	D By	WA	RDS.	l					1										T	OTAL	DEAT	THS E.	ACH	MONT	H.					
		-								10.11		0.45	10.40	2000		20. 2	1107	ıi.	T .	-															F.								
	WA	RDS,	_	_		_	7 8			_	_		-					H	_	TITUTI	IONS.											er, 189	,	17									
			10	8 5	6	o	1 2	0 -	12 5	13 €	0	8 10	8 9	14.	19 6	0 16	10	1		16	1	-					1		1			189	2,	51		F							
					1												1			1								1	H.,	Fel	bruar	79 58	-	9	14	1.	1						
	H											,																1	¥ .			To	tal,	77	128								



Statement of Mortality for the month of March, 1892.

With an enumeration of the more prominent causes; accompanied by an abstract of Meteorological Observations.

Published by order of the Board of Health.

SAMUEL H. DURGIN, M.D.,

Deaths during the month of March, 1892, . Population estimated at 459,062.	Rate per 1,000 inhabitants, 26.00
Total number	NATIVITY.
SEX.	United States 655
Males	Ireland
Females 500	England
Married	Germany
Single	British America 58 Italy 8
Widows	Other Countries
Widowers	Unknown
Unknown 3	PARENTAGE.
COLOR.	United States
White	Irish
Colored	English
	Scotch
	German
Under 1 year 165	British American
Total deaths of children Under 2 years 235	Italian
Under 5 years 308	Other Countries
Under 1 year	Mixed
All ages	Still-births during the month

	for	for		-							A	G	E.								1	SEX.		
CAUSES OF DEATH.	Total Mortality March, 1892.	Total Mortality f	Under 3 mos.	3 mos. and under 6 mos.	6 months and under 1 year.	1 year and under 2 yrs.	2 years and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	Total under 5 years.	5 years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	years and nder 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	Males.	Females.	
I. ZYMOTICS.	To	To	Ď	3 r	0 n	T n	22	33	4 5	Tot	r o	10 I	20 u		40		09 :	02 n	08 n	06 I	100			
ALCOHOLISM	9	3												4	4	1						7	2	
CROUP ,	5	5	<u> </u>			1	1	1		3	2											3	2	
CARBUNCLE	1			1						1													1	
Cholera Morbus																								
CHOLERA INFANTUM		I																						
CEREBRO-SPINAL MENINGITIS		3		. ——											_									
Congestive Fever		-																						
DIARRHŒA	6	3		1	1		1			3							3					3	3	
DYSENTERY	1	4															1						1	
DIPHTHERIA	35	13		1		9	10	5	2	27	3	2	2					1				18	17	
ERYSIPELAS	7	4	1	1	1					3			1		1		2					5	2	
INTERMITTENT FEVER																								
INFLUENZA	7	1					1			1		1	1				1	2	1			3	4	
MEASLES	2	4		1		1				2												2		
PURPURA																								
PUERPERAL FEVER	4												3	1									4	
Ружміа	1	5													1								1	
REMITTENT FEVER																								
RHEUMATISM	5	3					-		1	1	1	1					2					1	4	
SCARLATINA	28	7	1			5	1	5	4	16	10	1	1							_		14	14	
SMALL Pox																								
SYPHILIS (CONGENITAL)	2	4	2				_			2	-								-	_		2		
SYPHILIS		-							-							_								
SEPTICÆMIA	4	2					_					1	1	1	1							1	3	
Tonsillitis,	1	1											1									1		
TYPHOID FEVER	7	11									-		4	1		2						3	4	
Typhus Fever				<u></u>																-				
WHOOPING COUGH	6	2	1		1	1	1	1		5	1											4	2	
YELLOW FEVER		<u> </u>			-	-					-	-			-									
OTHER ZYMOTIC DISEASES	2	1				1				1					1	_		-				1	1	
	. 4	1				1				-					1				-			1		
II. CONSTITUTIONAL.																								
CANCER	20	25									-			2	4	3	8	2				6	14	
Hydrocephalus and Tuberc. Meningitis	26	10	1	2	7	7	9	1		22		1			*	1			-			13	13	
MARASHUS, SCROFULA AND TABES MESENTERICA		21	10		5	2			т		0		1									12	12	
PHTHISIS PULMONALIS	114		10	Z				1		20	2	11	40	0.5	7,7	1	1						59	
		98			1	1				2				25				3		-		55		
OTHER CONSTITUTIONAL DISEASES .	22	21		1	1	1				3	1	8	6	1	2	1	3	3				8	14	

of March, Classified by Cause, Age and Sex.

CAUSES OF DEATH.		for	for	1								A	G:	E.								1	S	EX.
APPELIXX. 37 50		Total Mostadity March, 1892.	Total Mortality March, 1891.	3 mc	mos.	6 mos. and under I year.	1 year and under 2 yrs.	years and nuder 3 yrs.	3 years and under 4 yrs.		Total under 5 years	5 years and under 10 yrs.	50	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	50 years and under 70 yrs.	To years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.		Females.
BRIOSTITE DIREARE. 16 9																					==			
BRONCHITIS										-			-	-							_			
HEART DISEASE 112 70 1				11	1 70					1	-									_				
MENNINITIS					10				4												-			-
NEFRIRITIS	HEART DISEASE															17			21	6				!
PRECENSY	MENINGITIS			2		6	8	2	3	4			2		_								16	18
PREMINIA 119 104 6 7 4 17 5 2 2 42 2 1 12 10 12 15 12 7 6 6 63 56 OTHER LOCAL DIREABES 125 140 10 4 5 0 4 1 1 53 2 6 13 15 14 14 16 9 3 2 6 63 62 1V. DEVELOPMENTAL. CYANOSIS 3 1 3 1 3 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1	NEPHRITIS	26				1					1	2			3	2	6	5	2	2			13	13
OTHER LOCAL DISEASES 125 149 10 4 5 9 4 1 33 2 6 13 13 14 14 16 9 3 2 6 63 62 IV. DEVELOPMENTAL. CYANOSIS 3 1 3 3 4 1 4 5 7 6 8 1 2 1 1 1 1 1 1 1 1	PLEURISY	5	2							1	1					1	1						3	2
IV. DEVELOPMENTAL. CTANOSIS	PNEUMONIA	119	104	5	7	4	17	5	-'2	2	42	2	1	12	10	12	15	12	7	6			63	56
CYANOSIS . 3 1 3 . 3 . 3 . 3 . 3 . 3 . 3 . 3 . 3	OTHER LOCAL DISEASES	125	149	10	4	5	9	4		1	33	2	6	13	18	14	14	16	9	3	2		63	62
INANIFION	IV. DEVELOPMENTAL.																							
OLD AGE	CYANOSIS	3	1	3							3												2	1
PREMATURE BIRTH	Inanition	12	14	8	1	2		1			12												9	3
PUERP'L DISEASES (not including Puerp'l Fever) 2 3 1 1 1 1 1 1 1 1 1 1	OLD AGE	27	26															2	10	12	3		11	16
OTHER DEVELOPMENTAL DISEASES . 29 29 21 2 2 2 25 25 1 1 1 1 17 12 V. VIOLENT. ACCIDENTAL	PREMATURE BIRTH	17	13	16	1						17												11	6
V. VIOLENT. ACCIDENTAL	PUERP'L DISEASES (not including Puerp'l Fever)	2	3											1	1									2
ACCIDENTAL	OTHER DEVELOPMENTAL DISEASES	29	29	21	2	2					25					2		1		1			17	12
ACCIDENTAL																								
Bomicidal	v. violent,																							
Bomicidal	A	97	*10					i		-	-	-				-		- 1						-
SUICIDAL			20									-												
OTHER VIOLENT CAUSES		-	-																					
Unknown Causes			4	-							-			1			1	-					D	
TOTAL FROM ALL CAUSES	OTHER VIOLENT CAUSES	- 1							-	_	_					1	-					!		1
TOTAL PROM ZYMOTIC DINEANES	Unknown Causes	2	5			1					1			1	-		-			!		- 11	1	1
INCLUDING TUBERCULAR DISEASES 323 77 5 5 3 18 15 12 7 65 17 6 14 7 8 3 9 3 1 68 65 TOTAL FROM CONSTITUTIONAL DISEASES 206 175 11 5 14 11 3 2 1 47 2 15 50 29 23 16 15 9 94 112 " LOCAL do 629 440 22 21 22 41 13 9 9 137 13 17 42 44 55 67 71 54 26 3 253 276 " DEVELOPMENTAL do 90 86 48 4 4 1 57 1 1 2 3 10 13 3 60 40		1	813	86	35	44	70	32	23	18 3	308	33	43 1	113	87	96	89 1	100	78	41	7	- 11	495	500
" LOCAL do 529 440 22 21 22 41 13 9 9 137 13 17 42 44 55 67 71 54 26 3 253 276 278 279 27			77	5	5	3	18	15	12	7	65	17	6	14	7	8	3	9	3	1			68	65
" " DEVELOPMENTAL do 90 86 48 4 4 1 57 1 1 2 3 10 13 3 50 40	TOTAL FROM CONSTITUTIONAL DISEASES	206	175	. 11	5	14	11	3	2	1	47	2	15	50	29	23	16	15	9			-11	94	112
	" " LOCAL do	529	440	22	21	22	41	13	9	9	137	13	17	42	44	55	67	71	54	26	3		253	276
" " VIOLENT CAUSES	" " DEVELOPMENTAL do	90	86	48	4	4		1			57			1	1	2		3	10	13	3	-	50	40
	" " VIOLENT CAUSES	35	30							1	1	1	5	5	6	8	3	2	2	1	1		29	6

Comparative Statement of Cases of Contagious Disease reported to the Board of Health for the month of March, 1892, and for the corresponding month in 1891.

CASES REPORTED DUR	RING MAR	CH, 1892.	CASES REPORTED DURI	NG MARCI	H, 1891.			
	City.	Quarantine.		City.	Quarantine			
Diphtheria	114		Diphtheria	59				
Measles	86	1	Measles	447				
Small Pox			Small Pox					
Scarlatina	447		Scarlatina	108	****			
Typhoid Fever	24		Typhoid Fever	32				
Typhus Fever			Typhus Fever					
Yellow Fever	1111	1	Yellow Fever					

METEOROLOGICAL OBSERVATIONS TAKEN AT THE U. S. WEATHER BUREAU OFFICE, BOSTON.

For the month of March, 1892, as reported by J. W. SMITH, Observer and Local Forecast Official.

DATE.	DAILY MEAN BAROMETER.	DAILY MEAN TEMPERATURE.	DAILY MEAN HUMIDITY.	PREVAILING DIRECTION OF WIND.	DAILY RAIN FALL.	GENERAL ITEMS.
1	30.14	32	90	N.E.	.07	Mean Barometer, 29.93.
2 .	30.25	17	89	N.	.40	Highest Barometer, 30.479, on the 31st.
8	1 29 9)	21	84	N.	.48	Lowest Barometer, 29.237, on the 19th. Monthly Range of Barometer, 1.242 inches.
Ť						Mean Temperature, 32.9.
4	29.72	33	67	N.W.	.01	Highest Temperature, 56.0, on the 10th.
5 '	29.63	34	54	N.W.	.0.1,	Lowest Temperature, 14.0, on the 14th. Monthly Range of Temperature, 42.0.
6	29.65	36	54	W.	.00	Greatest Daily Range of Temperature, 24.0 on the 22d.
. 7	29.81	41	58	W.	.00	Least Daily Range of Temperature, 4.0 on the 2d.
4	29.59	37	88	N.E.	.55	Mean Daily Range of Temperature, 13.6. Mean Daily Dew-point, 19.4.
9	29.38	4:	83	W.	.06	Mean Daily Relative Humidity, 62.2.
10	29.99	46	73	W.	.06	Prevailing Direction of Wind, W.
		30	59	8 W.	.29	Total Movement of Wind, 11,803 Miles. Highest Velocity of Wind and Direction, 48 miles W. on the 19th.
11	29.44				т	Number of Foggy Days, 0.
12	29.70	28	58	W		Number of Clear Days, 17.
18	29.89	26	46	W.	.00	Number of Fair Days, 7.
14	29.98	20	45	W.	.00	Number of Cloudy Days, 7. Total Number of Days on which Rain or Snow fell, 11.
15	30.21	24	56	W.	.00	Depth of unmelted Snow on ground at end of month, 000.
16	30.33	24	56	N.W.	.00	Dates of Auroras, 6th, 7.50 PM. to 8.15 P.M.
17	30.28	26	50	N.W.	.00	Dates of Solar Halos, 16th, 17th, 22d. Dates of Lunar Halos, 0.
18	29.77	29	100	N.E.	1.35	Mean Max. Temp., 39.7. Mean Min. Temp., 26.1.
19	29.44	31	68	W,	.02	Thunder storm, 0. Dates of Frosts, 0.
6					.00	Comparative Temperature. Comparative Precipitations.
20	29 89	30	56	₩.		1871
21	30,31	26	40	W.	.00	1872
2.2	30.42	31	49	W.	.00	1874
28	29.98	40	₹2	S.	.62	1875 31 1874 1.60
14	30 06	40	50	W.	.00	1876
25	30.03	42	58	w.	.00	1878
26	[] 29 90	40	60	Calm.	.00	1879
27	29.63	36	68	N.E.	.00	1881
2.	29.78	41	38	N.W.	.00	1882
					.00	1883
29	30.06	42	34	N.W.		1885
30	30,26	38	48	N.W.	.00	1886
31	30.44	37	56	E.	.00	1887
						1889
TOTALS	927.86	1020	1927	-	3.91	1890
						1091
MEANS	29.93	32.9	62.2		.126	1892

Statement of Mortality for the month of April, 1892.

With an enumeration of the more prominent causes; accompanied by an abstract of Meteorological Observations.

Published by order of the Board of Health.

SAMUEL II. DURGIN, M.D.,

Deaths during the month of April, 1892, Population estimated at 459,062.	Rate per 1,000 inhabitants, 24.51
Total number	NATIVITY.
SEX.	United States
Males	Ireland
Females 476	England
CONDITION.	Scotland
Married	Germany
	British America 62
Single	Italy
Widows	Other Countries 30
Widowers	Unknown
Unknown	PARENTAGE.
COLOR.	United States
White	Irish
Colored	English
	Scotch
	German
Under 1 year 169	British American
Total deaths of children Under 2 years 220	Italian
Under 5 years 275	Other Countries
(**)	Mixed
Under 1 year	Unknown
Diarrhœal diseases Under 5 years	
(All ages	Still-births during the month 57

	for	for	AGE.														SE	X.					
CAUSES OF DEATH.	Potal Mortality April, 1892.	Potal Mortality April, 1891.	Under 8 mos.	3 mos. and under 6 mos.	6 months and under 1 year.	1 year and under 2 yrs.	2 years and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	Potal under 5 years.	a years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	Mades.	emules.
I. ZYMOTICS.		-	D	00 -	9	- 2	64	200	7	J.	Ď	10			07		9	202	08	06	01		52
ALCOHOLISM	7	3											4	1		2						4	3
CROUP	5	2				4	1			5												2	3
CARBUNCLE	1															-	1					1	
CHOLERA MORBUS	1															1						1	
CHOLERA INFANTUM	2	4			2					2					_							1	1,
CEREBRO-SPINAL MENINGITIS	1								1	1													1
Congestive Fever										-											-		
DIARRHŒA	1	1												1									1
DYSENTERY	1	1														1							1
DIPHTHERIA	52	17		1	4	8	4	12	3	32	16	3			1							23	29
ERYSIPELAS	3	8		ŧ						1					1	1							3
INTERMITTENT FEVER																							
[NPLUENZA	3	8														1	1	1				2	1
MEASLES	1	2				1				1													1
PURPURA	1		1							1													1
Puerperal Fever	6	4										1	2	3									6
Ружміа																							
REMITTENT FEVER																							
RHEUMATISM	4	1									1				1	1	1					2	2.
SCARLATINA	25	7	3	2	2	5	1	2	2	17	6	1	1									14	11
SMALL POX																							
STPHILIS (CONGENITAL)	5	- 2	2	2	1					5		-										3	2
SYPHILIS		2																					
SEPTICÆMIA		2	1 -										-										
Tonsillitis												-								-			
Typhoid Fever	7	9										3	2	1	1							2	5
Typhus Fever																							
WHOOPING COUGH	3	8	1	1.				1		3					-		-				-		3
VELLOW FEVER		-		-			-					_				-			-				
OTHER ZYMOTIC DISBASES	1						-		-			-	-	1								1	
OTHER ZIROID DISBASES	1				-								-					-	-			-	
II. CONSTITUTIONAL.																							
CANCER	33	- 31									-	-		5	8	4	9	5	2			8	25
Hydrocephalus and Tuberc. Meningitis	15	18	2	3		3	2	1	-	11	3	-	-	1					-			6	9
Marasmus, Scropula and Tabes Mesenterica		27	19	2	1				-	25		_	-	1	-				1	-		16	11
PHTHISIS PULMONALIS	185	125	-	1		2				3.	1	14	53	29	20	10	5					7-4	61
		-	-	-		-				-	-				-			-		-			
OTHER CONSTITUTIONAL DISEASES .	25	18			5	1		1	1	8		3	5	3	1	4	1					11	14

of April, Classified by Cause, Age and Sex.

	for	for	II								A	. G	E.							_		S	EX,
CAUSES OF DEATH.	Potal Mortality April, 1892.	Total Mortality April, 1891.	Under 3 mos.	S mos, and	nd	1 year and under 2 yrs.	2 years and under 3 vrs.	Syears and	4 years and under 5 yrs.	Total under 5 years	5 years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	Males.	Females.
	-																						===
APOPLEXY	16	31		-				1		1	-	-	1	-	1	3		2	2			8	8
Bright's Disease	20	17	-					-	1	1	1	1	2	3	1	4	7	-	-			10	10
BRONCHITIS	51	42	4		6	6	3	1		26	2		1	-	2	6	_	5		_	_	20	31
HEART DISEASE	90	64	2	1	1					4	3	7	6	8	10	18	16	13	5			45	45
MENINGITIS	27	26	1 1	3	3	4	2	1		14	2	3	1	4	2		1					17	10
Nephritis	12	18											2	1	1	2	4	2				7	5
PLEURIST	1	1			-								1									1	
PNEUMONIA	103	151	5	6	10	8	8	3,		35	2	5	13	6	13	6	10	9	3			53	49
Other Local Diseases	132	134	12	5	4	4	6			31	3	4	17	13	18	14	16	9	7			60	72
IV. DEVELOPMENTAL.										1													
CYANOSIS	1	3	1							1												1	
INANITION	15	19	12	2		1				15						_			-			10	5
OLD AGE	24	31															4	6	11	2	1	9	15
PREMATURE BIRTH	13	12	13							13												7	6
PUERP'L DISEASES (not including Puerp'i Fever)	3	2							-				2	1							-		3,
OTHER DEVELOPMENTAL DISEASES	21	29	11	1	1	1		1	-	15]	100000			2		2		1			12	9
V. VIOLENT.																		Ì					
ACCIDENTAL	29	83	1		1	-		1	- i	3	1	2	4	10	5	3			1			21	8
Homicidal , , , ,	2						_						1					1				1	1
SUICIDAL	10	8			-				-		i			2	2	4	1	1	-	-		8	2
OTHER VIOLENT CAUSES	1				_					-				1					-				1
																	_						
UNENOWN CAUSES	3	6	1							1	1	_		1					-			1	2
TOTAL FROM ALL CAUSES	938	913	91	37	41	51	22	25	8 2	75	43	47 1	118	96	90	85	90	54	37	2	1	462	476
TOTAL FROM ZYMOTIC DISEASES	130 321	76	7	7	9	18	6	15	6	68	23	8	9	7	4	7	3	1				56	74
TOTAL FROM CONSTITUTIONAL DISEASES	235	219	21	6	6	9	2	2	1	47	4	17	58	39	29	18	15	5	3			115	120
46 46 LOCAL do	451	484	24	21	24	22	14	6	1 1	12	13	20	44	35	48	53	65	40	21		-11	221	230
44 DEVELOPMENTAL do	77	87	37	3	1	2		1	-	44	1		2	1	2		6	6	12	2	1 []	39	38
" " VIOLENT CAUSES	42	41	1		1			1		3	1	2	5	13	7	7	1	2	1		-ii	30	12
						_																	

Comparative Statement of Cases of Contagious Disease reported to the Board of Health for the month of April, 1892, and for the corresponding month in 1891.

CASES REPORTED DU	RING APRI	IL, 1892.	CASES REPORTED DURI	ING APRIL	, 1891.
	City.	Quarantine.		City.	Quarantine
Diphtheria	135		Diphtheria	71	
Measles	124	1	Measles	501	****
Small Pox			Small Pox		
Scarlatina	339	1	Scarlatina	151	
Typhoid Fever	31	``	Typhoid Fever	24	
Typhus Fever			Typhus Fever		
Yellow Fever	****		Yellow Fever		

For the month of April, 1892, as reported by J. W. SMITH, Observer and Local Forecast Official.

DATE.	DAILY MEAN BAROMETER.	DAILY MEAN TEMPERATURE.	DAILY MEAN HUMIDITY.	PREVAILING DIRECTION OF WIND.	DAILY RAIN FALL.	GENERAL ITEMS.
1	30.51	46	48	s.w.	.00	Mean Barometer, 30.02.
2	30.20	52	72	s w.	.00	Highest Barometer, 30.54, on the 1st.
3	29.96	65	53	W.	,00	Lowest Barometer, 29.45, on the 10th. Monthly Range of Barometer, 1.06.
		59	. 68	S.E.	.04	Mean Temperature, 48.
4	30.00					Highest Temperature, 77.0, on the 3d.
6	29.92	50	91	E.	,10	Lowest Temperature, 27.0, on the 25th. Monthly Range of Temperature, 50.0.
6	29.78	58	- 8	W.	.00	Greatest Daily Range of Temperature, 32.0 on the 6th.
7	29.88	52	48	W.	.00	Least Daily Range of Temperature, 6.0 on the 15th.
8	29.66	56	52	W.	.00	Mean Daily Range of Temperature, 18.1.
9	29.64	47	56	w.	.04	Mean Daily Dew-point, 30.3. Mean Daily Relative Humidity, 53.8.
10	29.58	40	54	w.	.00	Prevailing Direction of Wind, W.
						Total Movement of Wind, 8,970 Miles.
11	29.86	40	47	W.	.00	Highest Velocity of Wind and Direction, 36 miles S.W. on the 2d. Number of Foggy Days, 0.
12	30.00	38	38	w.	.00	Number of Clear Days, 14.
13	30.02	43	50	N.W.	.00	Number of Fair Days, 10.
14	29.96	44	38	W.	.00	Number of Cloudy Days, 6.
15	29.67	41	53	N.E.	.00	Total Number of Days on which Rain or Snow fell, 7. Depth of unmelted Snow on ground at end of month, 0.
16	29,79	44	40	N.W.	,00	Dates of Auroras, 23d 24th, 25th.
		43	38	W.	,00	Dates of Solar Halos, 8th, 14th, 16th, 21st, 22d.
17	29.88					Dates of Lunar Halos, 3d, 4th, 7th, 12th. Mean Max. Temp., 57.0. Mean Min. Temp., 39.0.
18	29.93	42	54	E.	.00	Thunder storm, 0. Dates of Frosts, 0.
. 19	30.24	46	50	N.	.00	Comparative Temperature. Comparative Precipitations.
20	30 41	52	41	W.	.00	1871 47 Inches.
21	30.29	50	65	W.	.13	1872
2:2	29.88	54	86	s.w.	.38	1873
23	29.84	57	67	w.	.15	1875 42
24	30.16	56	35	W.	*00	1876
						1877
25	30.45	40	49	s.w.	.00	1878
26	30 38	45.0	38	E.	.00	1880
27	30.43	45.0	46	E.	.00	1881
28	30.11	46	69	s.	.01	1882
29	29.94	52.0	64	s.w.	.18	1884
30	30.26	48	42	w.	.00	1885
-	00120					1886 48 1886
						1888
		1				1889 48 1888 2.04
POTALS	900.63	145	1610	_	.93	1090 40
			The second second			1892 1.71
MEANS	30.02	48	50		.031	1892 0,93

Statement of Mortality for the month of May, 1892.

With an enumeration of the more prominent causes; accompanied by an abstract of Meteorological Observations.

Published by order of the Board of Health.

SAMUEL H. DURGIN, M.D.,

Population estimated at 459,062.	Rate per 1,000 inhabitants, 23.39
Total number 895	NATIVITY.
SEX.	United States
Males	Ireland
Females	England
CONDITION.	Scotland
Married	Germany
Married	British America
Single 488	Italy
Widows	Other Countries
Widowers	Unknown
Unknown	PARENTAGE.
COLOR.	United States
White	Irish
Colored	English
	Scotch
	German
Under 1 year 141	British American 60
Cotal deaths of children Under 2 years 185	Italian
Under 5 years 243	Other Countries
	Mixed
Under 1 year 0 Under 2 years 1	Unknown
Diarrhoad diseases Under 5 years	
All ages 2	Still-births during the month 60

	for	for									A	G:	E.									SI	X.
CAUSES OF DEATH.	Total Mortality May, 1892.	Total Mortality May, 1891.	Under 3 mos.	3 mos. and under 6 mos.	6 months and under 1 year.	l year and under 2 yrs.	2 years and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	Total under 5 years.	o years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	Мадев.	Fennike.
		5	-		9	-	67	==	=-	-	-0	-	1	1	4	2		1-	20	6 =	-		1
CROUP						8			1	4	1					-						2	3
CARBUNCLE			-			,		-			Ė												
CROLERA MORBUS		-					_	-										-					
CHOLERA INFANTUM	1	2		Н		1		-		1													
CEREBRO-SPINAL MENINGITIS		-				Ė		1		1		.)									-	2	1
CONGESTIVE FEVER								-		F													_
		2										-	-										
Diarrhœa	1					_			-					-				-					1
Dysentery	39	21	-	1	3		5	4	2	27	10	2						1				18	21
DIPHTHERIA	39	21	1	-		11	-0				10					-	-						21
Erysipelas				-			_			2				1								3	
INTERMITTENT FEVER										_	-				_	-							
INFLUENZA	2	8					_							_		1	1	-				1	1
MEASLES		4					_	-													-		
Purpura		1		-				_															
PUERPERAL FEVER		2	_				_																
PYÆMIA		1									_				_								
REMITTENT FEVER																				_			
RHEUMATISM	4	2									1	1	1			1							4
SCARLATINA	34	S			3	5	4	7	2	21	8	5										17	17
SMALL POX																							
Syphilis (Congenital)		1																					
Syphilis	1											1											1
SEPTICÆMIA	4	4														2	1	1				2	2
Tonsillitis	1	1												1								1	
Typhoid Fever	9	8										2	5	2								6	3
Typhus Fever																							
WHOOPING COUGH	3	3			2	1				3												2	1
YELLOW FEVER																							
OTHER ZYMOTIC DISBASES	2	1										1						1				2	
									-														
II. CONSTITUTIONAL.																							
CANCER	25	28											1	5	4	5	6	4				7	18
HYDROCEPHALUS AND TUBERC. MENINGITIS	16	18	3		4	3	2		1	13	3											10	6
Marasmus, Scrofula and Tabes Mesenterica	26	23	11	3	7		1	1		23	-	1					1			1		17	9
PHTBIS PULMONALIS	129	129	-		5	2	2			6	4		43	23	22	1	å	-	2			ò4	7.5
OTHER CONSTITUTIONAL DISEASES .	18	16					1			1	1	9	3	4	8	2		1				11	-
													_										=_

of May, Classified by Cause, Age and Sex.

	lor /	for 1									A	. G	E.									8	EX,
CAUSES OF DEATH.	Total Mortality May, 1892.	Total Mortality May, 1891.	Under 3 mos.	3 mos. and	= 1	1 year and under 2 yrs.	2 years and under 3 vrs.	3 years and	4 years and	Total under	5 years and under 10 vrs.	10 years and under 20 vrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 vrs.	80 years and under 90 yrs.	90 years and under 100 vrs.	100 years and over.		Demoles
APOPLEXT	26	28												2	1	5	8	9	1			13	
Bright's Disease	8	14											1	-	2	2	2	1	-			6	-
Bronchitis	87	62	4	3	6	2	2	1		18	1		1		1	5	7	3	1			24	
HEART DISEASE	86	68						1		1	3	11	5	13	8	13	16	12	4			40	
feningitis	29	26	1	2	4	4				11	5	2	2	5	1		2		1			13	
Tephritis	11	13	1			-	_	-		1	2	-		3		1	1	2	1	1		6	1
PLEURIST	2				-												1	1					1
NEUMONIA	105	131		3	10	3	8		1	25	2	2	11	15	10	12	14	11	3			58	
Other Local Diseases	129	117	12	4	5	6	4	3	1	35	2	5	8	10	14	19	19	13	3	1		67	1
IV. DEVELOPMENTAL.																							
YANOSIS	4	1	3		1	-				4		-		_								3	
ANITION	8	19	1 5	1	2		_			8					_				_		-	7	
LD AGE	21	20									_						1	9	8	3		5	
REMATURE BIRTH	15	17	[] 34	1						15												7	
TERP'L DISEASES (not including Puerp'l Fever)	2	3				_						2											-
OTHER DEVELOPMENTAL DISEASES	26	22	15			2				17					3	2	1	3		$\overline{}$		16	
																			П				
V. VIOLENT.]																						
CCIDENTAL	48	31	2	-		1		2	1	6		11	6	9	1	10	3	1	1			41	1
OMICIDAL		3									_												
MCIDAL	6	4					_							2	2	2						5	
OTHER VIOLENT CAUSES	1	3	11]			1	i							
																		Π.					
NENOWN CAUSES	1	6											11		1	1	-		- 1				
OTAL FROM ALL CAUSES	895	S91	73	19	49 1	44	29	20	9 0	243	43	68	89	96	73	91	89	73	25	5		460	4:
OTAL FROM ZYMOTIC DISEASES	116 301	89 276	2	2	8	21	9	12	5	59	20	14	7	5	1	6	2	3				59	
TAL FROM CONSTITUTIONAL DISEASES	214	214	14	3	13	5	6	1	1	43	8	21	47	32	29	14	12	5	2	1		99	1
" " LOCAL do	433	459	18	12	25	15	14	5	2	91	15	20	28	48	37	57	70	52	14	1		227	2
" " DEVELOPMENTAL do	76	82	37	2	3	2				44		2			, 3	2	2	12	8 j	3		38	
VIOLENT CAUSES	55	41	2			1		2	1	6		11	6	11	4	12	3	1	1			46	

Comparative Statement of Cases of Contagious Disease reported to the Board of Health for the month of May, 1892, and for the corresponding month in 1891.

CASES REPORTED DU	JRING MA	Y, 1892.	CASES REPORTED DUR	ING MAY	1891.
1	City.	Quarantine.		City.	Quarantine
Diphtheria	107		Diphtheria	141	
Measles	178		Measles	92	
Small Pox			Small Pox	1	
Scarlatina	373		Scarlatina	118	1
Typhoid Fever	39		Typhoid Fever	34	****
Typhus Fever			Typhus Fever		
Yellow Fever	****		Yellow Fever		

For the month of May, 1892, as reported by J. W. SMITH, Observer and Local Forecast Official.

DATE.	DAILY MEAN BAROMETER.	DAILY MEAN TEMPERATURE.	DAILY MEAN HUMIDITY.	PREVAILING DIRECTION OF WIND.	DAILY RAIN FALL.	GENERA	AL ITEMS.
1	30.26	48	62	s., s.w., v.w.	.08	Mean Barometer, 29.99.	
2	29.92	57	86	N.E.	.12	Highest Barometer, 30.44, on the 1st	
		44	96	N.E., E.	.00	Lowest Barometer, 29.49, on the 27th Monthly Range of Barometer, .945.	ı.
						Mean Temperature, 56.	
4	30.00	58	66	S.W.	.40	Highest Temperature, 78.0, on the 26	5th.
5	11 30.18	58	84	N.W.	.00	Lowest Temperature, 39.0, on the 1s	
6	29.91	57	52	W.	Т	Monthly Range of Temperature, 39.0	
*	29,83	53	42	N.W.	.00	Greatest Daily Range of Temperatu Least Daily Range of Temperature,	
				N.W.	Т	Mean Daily Range of Temperature,	
8	11 30.04	50	51	1	T	Mean Daily Dew-point, 43.0.	
9	30.20	54	61	E.	.00	Mean Daily Relative Humidity, 68.2	
10	11 30.14	52	50	E.	.00	Prevailing Direction of Wind, W. Total Movement of Wind, 9,242 Mile	
11	29.66	52	87	8.	.49	Highest Velocity of Wind and Direc	
	[] 29.88	50	78	s.	.01	Number of Foggy Days, 0.	,
						Number of Clear Days, 6.	
18	11 30.19	50	78	E.	.05	Number of Fair Days, 11.	
14	11 30.26	58	68	S.W.	.00	Number of Cloudy Days, 14. Total Number of Days on which Rai	m ou Chom fall 14
15	11 30.14	51	98	E.	.99	Depth of unmelted Snow on ground	
		64		W.	т	Dates of Auroras, 18th, began 8 P.M.	
	11 . 29.41					Dates of Solar Halos, 1st and 5th.	
17	11 30.06	63	36	W.	.00	Dates of Lunar Halos, 0.	25 25 50
18	11 30.03	64	46	N.W.	.00	Mean Max. Temp., 63.0. Thunder storm, 4th.	Mean Min. Temp., 49.0. Dates of Frosts, 0.
19	[] 30.06	48	81	E.	T		
20	[] 30 00	42	92	N.E.	.77	Comparative Temperature.	COMPARATIVE PRECIPITATIONS.
	30.08	44	92	E.	.66	1871	1871 4.54
						1873	1872 3.29
22	29.82	48	91	N.	.45	1874 57	1873 5.16
23	11 29.54	50	80	W.	.48	1875 58	1874 3.70 1875 3.76
24	11 29.76	58	51	s.W., W.	.00	1876	1876 2.70
25	11 29.84	1 66 1	52	s.w.	.00	1878	1877 3.38
		67		s., s.w.	.82	1879 60	1878 1.03
			84			1880 63	1879 0.97
27	11 29,54	62 /	72	W.	.11	1881	1881 4.16
28	11 29.84	62	54	W.	.00	1882	1882 6.05
29	30.05	64	50	S.	.00	1884 54	1883 5.11
30	30.12	64	80	3.	· T	1885	1884 3.31 1885 4.26
						1886	1886 3.08
31	30.41	69	83	S.W.	.00	1887	1887 1.67
		===				1889 60	1888 5.20
TALS	929.09	1727	2117	-	5.15	1890 57	1889 4.15
						1891 56	1890 4.48
SANS	29.96	53	68	W.	.160	1892 56	1892 5.15

^{*}T indicates trace of precipitation.

Statement of Mortality for the month of June, 1892.

With an enumeration of the more prominent causes; accompanied by an abstract of Meteorological Observations.

Published by order of the Board of Health.

SAMUEL H. DURGIN, M.D.,

Population estimated at 469,647.	Rate per 1,000 inhabitants, 19.13
Total number	NATIVITY.
SEX.	United States
Males	Ireland
Females	England
Married 211	Germany
Single	British America
Widows 70	Other Countries
Widowers	Unknown
Unknown	PARENTAGE.
COLOR.	United States
White 707	Irish
Colored 42	English
	Scotch
	German
Under 1 year 137	British American
Total deaths of children Under 2 years 184	Italian
Under 5 years 227	Other Countries
Under 1 year	Mixed
All ages 20	Still-births during the month

	for	for									A	G:	E.									SI	EX.
CAUSES OF DEATH.	lotal Mortality June, 1892.	fotal Mortality June, 1891.	Under 3 mos.	3 mos. and under 6 mos.	6 months and under 1 year.	I year and under 2 yrs.	2 years and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	l'otal under 5 years.	5 years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	To years and under S0 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	Males.	Females.
I. ZYMOTICS.			5	3.1	9	_ n	1.0	22,2	=	T.	e n	01 n	02		97			70 n	- 8 - 2	90	10		
ALCOHOLISM	4	7	-	-										2		1	1			_	-	3	1
CROUP	3	1	,			2		1	_	3										_		1	2
CARBUNCLE		· · · · · · · · · · · · · · · · · · ·									_	_							_	_			
CHOLERA MORBUS	1			_					_		-				1						_		1
CHOLERA INFANTUM	16	23	1	6	5	3			1	16		_										8	8
CEREBRO-SPINAL MENINGITIS	1	1		_			1		·	1	-											1	
Congestive Fever			-					-				_					_						
DIABRHEA	2	2	_													1			1				2
DYSENTERY	1	2						_						1									1
DIPHTHERIA	23	16				4	2	2	2	10	10	2	1									13	10
ERYSIPELAS	6	4	1							1				3		1	1					3	3
INTERMITTENT FEVER																							
Influenza	2	3															1	1					2
MEASLES	4	2	-		1	1				2	1		1									2	2
PURPURA																							
PUERPERAL FEVER	4	1											2	2									4
Ружміа	1	2	!														1					1	
REMITTENT FEVER																							
RHEUMATISM	6	2													1	3	2					6	
SCARLATINA	18	2				1	3	3	1	8	6	2	2									9	9
SMALL POX																							
Syphilis (Congenital)		1																					
SYPHILIS							T-Mid-makes															1	
SEPTICÆMIA	1	11															1					1	
Tonsillitis,	2					-					1				1							2	
Typhoid Fever	6	4										3	3		_							3	3
Typhus Fever																							
WHOOPING COUGH	3	1	2	1						3	_												8
YELLOW FEVER												_		-		-							
OTHER ZYMOTIC DISBASES																	-						
									-														
II. CONSTITUTIONAL.																							
CANCER	33	27	-											7	4	11	6	2	3			10	23
HYDROCEPHALUS AND TUBERC. MENINGITIS	20	25	1	4	5	4	2	1		17	1		1	1								10	10
MARASMUS, SCROFULA AND TABES MESENTERICA	13	21	3	3	3			-		9		1			1		1		1			7	6
PHTHISIS PULMONALIS	90	119	1			2			1	4	1	17	25	22	8	7	3	2	1			43	47
OTHER CONSTITUTIONAL DISEASES .	17	18	1		3		1			5		2		3			1	'	-			7]	10
OTHER CONSTITUTIONAL DISEASES .	21	10	1				-					-	9	9			4	4					

of June, Classified by Cause, Age and Sex.

	for-	l g									A	G	E.									Si	EX,
CAUSES OF DEATH.	Total Mortality June, 1892.	Total Mortality June, 1891.	Under 3 mos.	S mos, and	6 mos, and under I year.	year ar	2 years and	S years and	4 years and under 5 vrs.	Total under	5 years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 80 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	S0 years and under 90 yrs.	90 years and	100 years and over.	Males.	Remains
Appropries	30	33			-		1	-		1		1	3	2	4	6	5	4	4			10	-
APOPLEXT	10	10	-		-			-	-	-	-	-	1		2	3	1	2	1		_	7	-
BRIGHT'S DISEASE	36	41	2	4	9	8	2	2		27	-	-	1	1	2		-	3	2			19	-
BRONCHITIS	62	45	2		-	_	2			4	2	3	8	3	14	8	13	6	1	-		31	1
	29	15	-	2	6	5	1	-	3	17	4	3	2	2		1	10		1	-		13	-
feningitis				-	0		1	-	-		11 *	-	2				7	-	-	-			-
SEPHRITIS	13	10		-	-	1				1	-	1		2		4	1	1	1		-	5	-
PLEURISY	1	-		-	-					-	-					1		_					-
PNEUMONIA	58	60	3	3	8	6	1	-	2	23	1	2	7	4	8	3	4	6	_		-	38	-
OTHER LOCAL DISEASES	125	121	12	6	10	6	1	1	1	37	8	1	11	9	14	12	17	17	3	1		69	_
IV. DEVELOPMENTAL.		1																					
YANOSIS	3	1	3		-	_		-	-	3			-	_				-	_		1	2	-
VANITION	5	7	2	1	1	1	_	-	-	5	-		-	-				-	_	_	-	3	-
LD AGE	18	23	1						-	-	_	-	-					7	6	4	1	4	-
PREMATURE BIRTH	11	21	11					-	_	11	-			-								6	-
CUERP'L DISEASES (not including Puerp'l Fever)	5			-							_		3	2				_			-		_
OTHER DEVELOPMENTAL DISEASES	15	14	9			_	1	_		10					1		3		1	_		14	-
V. VIOLENT.																 							
CCIDENTAL	38	35	1			3	1		3	8	6	1	4	9	4	2	2	1	1			30	
OMICIDAL	1				1					1												-	
UICIDAL	9	1										1	3	3			2					7	
OTHER VIOLENT CAUSES	2	2										j				2							
																-							-
INKNOWN CAUSES	1	2											-	-	1	1	-		1		ii	1	
OTAL FROM ALL CAUSES	749	736	55	30	52	47	19	10	14	227	36	40	85	78	65	67	66	53	26	5	1	289	36
TAL FROM ZYMOTIC DISEASES	- 104 - 256		4	7	6	11	6	6	4	44	18	7	9	8	3	6	7	1	1		11	53	
OTAL FROM CONSTITUTIONAL DISEASES	173	210	6	7	11	6	3	1	1	35	2	20	31	33	13	18	11	5	5	_	— H	77	
" " LOCAL do	364	335	19	15	33	26	8	13	6	110	10	11	35	23	44	38	41	39	12	1		192	17
44 G DEVELOPMENTAL do	57	66	25	1	1	1	1		-	29		-	3	2	. 1		3	7	7	4	1	29	
44 VIOLENT CAUSES	50	38	1		1	3	1	-	3	9	6	2	7	12	4	4	4	1	1	-	-11	37	

Comparative Statement of Cases of Contagious Disease reported to the Board of Health for the month of June, 1892, and for the corresponding month in 1891.

CASES REPORTED DU	RING JUN	TE, 1892.	CASES REPORTED DUF	RING JUNE	C, 1891.
	City.	Quarantine.		City.	Quarantine
Diphtheria	77		Diphtheria	49	
Measles	177	1	Measles	250	5
Small Pox			Small Pox		
Scarlatina	217		Scarlatina	97	
Typhoid Fever	60	1	Typhoid Fever	42	
Typhus Fever		1	Typhus Fever		
Yellow Fever			Yellow Fever		

For the month of June, 1892, as reported by J. W. SMITH, Observer and Local Forecast Official.

DATE.	DAILY MEAN BAROMETER.	DAILY MEAN TEMPERATURE.	DAILY MEAN HUMIDITY.	PREVAILING DIRECTION OF WIND.	DAILY RAIN FALL.	GENERA	L ITEMS.
1	30.157	74	79	s.w.	1 .00	Mean Barometer, 29.97.	
2	29.960	80	62	s.w.	00	Highest Barometer, 30.43, on the 4th	
2	30.115	66	69	W.	,33	Lowest Barometer, 29.59, on the 22d Monthly Range of Barometer, 0.838.	
4	30,428	58	62	E.	.00	Mean Temperature, 70.	
4						Highest Temperature, 96.0, on the 14	
5	30.232	65	72	S.	T	Lowest Temperature, 49.0, on the 11 Monthly Range of Temperature, 46.0	
6	29.884	74	70	W.	T	Greatest Daily Range of Temperatu	
7	30.150	65	54	E.	.00	Least Daily Range of Temperature,	
8	30.181	66	51	S.	.00	Mean Daily Range of Temperature, Mean Daily Dew-point, 57.7.	17.1.
9	29.900	60	94	s.w.	.31	Mean Daily Relative Humidity, 70.	
10	30,003	55	57	N.E.	.00	Prevailing Direction of Wind, S.W.	
11	29.998	65	63	W.	.00	Total Movement of Wind, 8,608 Mile Highest Velocity of Wind and Direc	
				w.		Number of Foggy Days, 0.	non, so miles N.E. on the 10th.
12	29.870	74	57		.00	Number of Clear Days, 7.	
18	29.895	83	67	W.	.00	Number of Fair Days, 10.	
14	29.803	85	, 66	W.	.01	Number of Cloudy Days, 13. Total Number of Days on which Rai	n or Snow fell. 10.
15	30.052	69	54	N.W.	.11	Depth of unmelted Snow on ground	
16	80.089	69	68	s.w.	.00	Dates of Auroras, 0.	
17	30.089	76	78	s.w.	.73	Dates of Solar Halos, 4th and 8th. Dates of Lunar Halos, 0.	
18	30.297	61	81	E.	,00	Mean Max. Temp., 78.1.	Mean Min. Temp., 61.1.
1 19	29.923	68	90	s.w.	.00	Thunder storm, 6th, 14th and 17th.	Dates of Frosts, 0.
	29.611	79	62	W.	.00	COMPARATIVE TEMPERATURE.	Comparative Precipitations.
20						1871 66	Inches. 1871 5.55
21	29.650	75	64	W.	.00	1872 68	1872 4.84
22	29.678	79	51	W.	.00	1874 66	1873 0.54
23	29.782	71	65	W.	.02	1875 67	1874 3.94
24	29.968	61	84	E.	T	1876 68 1877 67	1876 1.72
25	29.939	65	92	s.	.99	1878 64	1877 3.21
26	30.018	61	87	E.	.08	1879 64	1878 2.28
27	29,953	. 65	91	E.	.17	1880 67	1880 0.75
28	29,652	65	70	s.w.	,30	1882 66	1881 7.79
				s.w.	.00	1883 69	1882 1.03
29	29.997	70	67			1884 66 1885 68	1884 4.01
80	29,931	73	84	s.w.	т	1886 63	1885 3.70
						1887 64	1886 1.34
-	1					1888 67	1888 2.69
TOTALS	899.005	2077	2111	-	3.05	1890 64	1889 2.77
						1891 65	1890 2.21
MEANS	29,966	69	70	s.w.	.102	1892 70	1892 3.05

Statement of Mortality for the month of July, 1892.

With an enumeration of the more prominent causes; accompanied by an abstract of Meteorological Observations.

Published by order of the Board of Health.

SAMUEL H. DURGIN, M.D.,

Deaths during the month of July, 1892, Population estimated at 469,647.	Rate per 1,000 inhabitants, 28.38
Total number	NATIVITY.
SEX.	United States 828
Males	Ireland
Females	England ,
	Scotland
CONDITION.	Germany
Married	British America 48
Single	Italy
Widows	Other Countries
Widowers 24	Unknown
Unknown	PARENTAGE.
COLOR.	United States
White	Irish
Colored	English
	Scotch
	German
Under 1 year 441	British American
Total deaths of children Under 2 years 514	Italian
Under 5 years 560	Other Countries
(Didder o Johns F. F. S.	Mixed
Under 1 year	Unknown
Diarrheal diseases 280	Children
Under 5 years	Still-births during the month 51

	for	for									A	G I	E.								- 11	SE	X.
CAUSES OF DEATH.	Total Mortality July, 1892.	Total Mortality July, 1891.	Under 3 mos.	3 mos. and under 6 mos.	6 months and under I year.	1 year and under 2 yrs.	2 years and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	fotal under 5 years.	o years and under 10 yrs.	0 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	bu years and over.	Males.	Femules.
	F 8	5		00	9		61		4	ř	.0		1	4	2	10	9	1	00	6 =		6	2
ALCOHOLISM	2	1					1			1	1											1	1
CARBUNCLE							-			-					_				-				
Cholera Morbus	10	10							1	1	2	 1		1	2	1	1	1		-		3	7
CHOLERA INFANTUM	269	236	35	79	191	33		1		269			_			_				-		128	141
CEREBRO-SPINAL MENINGITIS	200	3	30					_	-	200			_										
Congestive Fever																							
Diarrhea	18	18	2	4	6				-	12			_				1	3	1			12	6
DYSENTERY	6	7			-					1	í		_				3		1			3	3
Diphtheria	19	6			1		-3	3	-6	14	5		_									7	12
ERYSIPELAS	4	2	1	_		1		1		2	-					1	1			-		3	12
INTERMITTENT FEVER		1					_					-						-		-		0	
INPLUENZA		1						_				-		-									
MEASLES	1	- 1				1				1	_					-	-		-	-	-		1
		·						_								-	-	-	-		-		
PUERPERAL FEVER	1	-	-										1				-		_	-	-		1
	2	- 1													-			-			-		
Premia		- 3	1		-				_	1		1			-	_	-	-		-		1	1
	-		-	-	-										-	-			·	-			-
RHEUMATISM	9	-	ļ					-		7	1		-		2	1	2	2	1	-	-	2	5
SCARLATINA	10	-	-			3	1	1	2		2	1	-		-						_	5	
SMALL POX		-	-		-		_			-				-	-	-	-	_	_	-	-		
SYPHILIS (CONGENITAL)	1	7	1		-					1					-	-	-	-	_	-	-		1
STPHILIS		-	-	-	-						-			-	-	-	-	-	-	-			
SEPTICÆMIA	1	1	-		-			_			-	-		1	-	-	-	_	-	-		11	
Tonsillitis,	-	_	-		_	-		_	_	_	-	-	-	-	-	-	-	_	_	_	-		
TYPHOID FEVER	6	7	-	_	-		1	1		2	-	1	1	-	1	-	1	_	-	-		5	1
Typhus Fever		_	-	-	-	-			-	-	-	-	-	-		-	-	-	-	-	-		
WHOOPING COUGH	1	1	-	-	1			_		1	-			_	-	-	-	-	-	_			1
YELLOW FEVER		_	-	-							-	-	_	-		-	-	_	-	_			
OTHER ZYMOTIC DISEASES	4	_ 1	-	-	1	-				1	-	1	1	-	1	-	-	-		_		2	2
															1								
II. CONSTITUTIONAL.	-		-		-		-	-		-	-	-			_	-	-	-	-	- -			
CANCER	22	_	-		-	-		-	_			-	-	1	6	4	- 6	- 3	2			4	18
Hydrocephalus and Tuberc. Meningitis	19		2	-		- '	2		-	17	-		1					-		-	-	12	7
MARASMUS, SCROFULA AND TABES MESENTERIC			15			-			1	32				-		1	_	-	1		_	16	19
PHTHISIS PULMONALIS	137	114	1	2	3	1	1		-	8	3	14	41	32	19	6	8		1			58	79

of July, Classified by Cause, Age and Sex.

	for	for	1								A	G:	E.									SE	ex,
CAUSES OF DEATH.	Total Mortality July, 1892.	Total Mortality July, 1891.	Under 3 mos.	3 mos. and under 6 mos.	6 mos. and under 1 year.	1 year and under 2 yrs.	2 years and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	Total under	5 years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 50 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	Males.	Females.
	27	22			-			-		=			1	3	4	4	7	5	3				15
APOPLEXY	12	12			-			-		_	-		2	1	4	2	1	2				12	3
Bright's Disease	19	31	1	2	3	2	-			8	-	_	1	1	1		_		2	1		6	13
Bronchitis	52	47		-						0	2	4	3			1	4	_		_	-		
HEART DISEASE	-				_	-						4		1	12	8	14	6	2		-	29	23
Meningitis	31	32	-	6	6	6	2	2		22	1		1	5	1	_	1				-	11	20
Nephritis	12	17		1						1	1			_	2	8	3	1	1			8	4
PLEURISY		1		Ī _													_						
PNEUMONIA	36	35		1	1	3	2	, 2	2	11	4	4	3	3	4	1	1	4	1			18	18
OTHER LOCAL DISEASES	214	164	24	25	30	12	2	4		97		11	10	23	17	20	17	11	7	1		129	85
IV. DEVELOPMENTAL.																							
CYANOSIS	2		2						_	2		-									-	1	1
INANITION	13	13	11	1	1					13							-		-			7	6
OLD AGE	16	21					-						_				1	6	8	1		6	10
PREMATURE BIRTH	15	18	15							15							-		-			9	6
PUERP'L DISEASES (not including Puerp'l Fever)		-	11					_								_	-	_					
OTHER DEVELOPMENTAL DISEASES	15	19	5	1	1	2	1			10		1	1	_	1	1	1					6	9
	-		-''-		-				_				_		_	-			-				
V. VIOLENT.			-																				
ACCIDENTAL	31	33	2	1	-					3	5	2	4	6	3	2	3	1	2	_		27	4
Homicidal	2			_									_	1	1				_			2	
SUICIDAL	4	3		_									1	2			1			1		1 4	
OTHER VIOLENT CAUSES	1	1		_		1				1			-									1	
Unknown Causes	2	3	1							1		1										2	
TOTAL FROM ALL CAUSES	1111	1005	119	138	187	70	16	18	12	560	32	44	77	89	86	58	78	51	33	3		566	545
TOTAL FROM ZYMOTIC DISEASES	372 537	311 486	- 40	83	130	38	6	8	9	314	12	6	4	6	8	8	9	7	3			179	193
TOTAL FROM CONSTITUTIONAL DISEASES	235	222	18	17	15	6	3	2	1	62	7	15	46	37	28	13	15	8	4	_		100	135
" " LOCAL do	403	361	25	35	40	23	6	8	2	139	8	19	21	37	45	39	48	29	16	2		222	181
		-		-	-				-	_		-			-	-	-	-	-		-		
" " DEVELOPMENTAL do	61	71	33	2	2	2	1			40		1	1		1	1	2	6	8	1		29	32

Comparative Statement of Cases of Contagious Disease reported to the Board of Health for the month of July, 1892, and for the corresponding month in 1891.

CASES REPORTED DU	RING JUL	Y, 1892.	CASES REPORTED DURING JULY, 1891.									
	City.	Quarantine.		City.	Quarantine.							
Diphtheria	76		Diphtheria	31								
Measles	81	19	Measies	41	****							
Small Pox		4	Small Pox	****	****							
Scarlatina	124		Scarlatina	49								
Typhoid Fever	60		Typhoid Fever	62								
Typhus Fever	****		Typhus Fever									
Yellow Fever			Yellow Fever									

For the month of July, 1892, as reported by J.W. SMITH, Observer and Local Forecast Official.

DATE.		Daily Mean	DAILY MEAN HUMIDITY.	PREVAILING DIRECTION OF WIND.	DAILY RAIN FALL.	GENERA	L ITEMS.
1	30.091	63	78	w.	.13	Mean Barometer, 80.03.	
2	30.102	67	70	s.w.	.00	Highest Barometer, 30.51, on the 7th.	
						Lowest Barometer, 29.65, on the 3d.	
8	29.753	71	GS	s.w.	.53	Monthly Range of Barometer, 0.861. Mean Temperature, 73.	
4 1	29.941	68	49	N.W.	.00	Highest Temperature, 96.0, on the 26t	h.
B	30.311	64	52	E., N.W.	.00	Lowest Temperature, 54.0, on the 17th	
6 [30.453	65	64	E.	.00	Monthly Range of Temperature, 42.0. Greatest Daily Range of Temperature	
2	30.451	65	50	E.	.00	Least Daily Range of Temperature, 6.	
8	30,195	68	70	E.	T	Mean Daily Range of Temperature, 1	5.0.
9 1	30,121	66	79	s.w.	.01	Mean Daily Dew-point, 59.4. Mean Daily Relative Humidity, 64.4.	
		74	69	W.	.00	Prevailing Direction of Wind, S.W.	
10						Total Movement of Wind, 7,117 Miles	
	30.032	80	58	s.w.	.00	Highest Velocity of Wind and Directi Number of Foggy Days, 0,	on, 34 miles S.W. on the 3d.
12	29.923	72	65	W.	.00	Number of Clear Days, 15.	
18	29.881	80	73	w.	.00	Number of Fair Days, 13.	
14	29.881	79	70	w.	.00	Number of Cloudy Days, 4.	C
15	29.807	79	71	s.	.10	Total Number of Days on which Rain Depth of unmelted Snow on ground	
16	29.847	72	66	w.	.15	Dates of Auroras, 15th, 16th, 20th, and	
17	30.096	65	50	W.	.00	Dates of Solar Halos, 0.	•
						Dates of Lunar Halos, 0. Mean Max. Temp., 81.3.	Mean Min. Temp., 64.6.
		70	48	W.	.00	Thunder storm, 14th and 25th.	Dates of Frosts, 0.
•		73	62	s.w.	.00	Comparative Temperature.	COMPARATIVE PRECIPITATIONS.
20	29.946	76	56	N.W.	.00	1871 71	Inches.
21	30.097	66	50	N.W.	.00	1872	1871 3.24
22	29.978	78	58	s.w.	.00	1873	1873 3.84
23	29.905	78	61	s.w., w.	.00	1875 71	1874 3.47
24	29.961	80	60	s.w.	.00	1876	1875 3.93 1876 5.86
25	29.934	84	69	s.w.	.32	1878	1877 2.27
	29.881	85	62	W.	•00	1879 70	1878 4.58
				N.W.	.00	1880	1879 3.09
			47			1882	1881 2.96
	29.890	1 76	58	N.W.	Т	1883 71	1882 3.91
29	29.939	72	79	N.W.	.01	1884 68 1885 71	1884 4.25
30	11 30.044	73	74	E.	.05	1886	1885 1.44
31	30.089	64	80	N.E.	.95	1887 73	1886 1.81
						1888 68	1888 1.79
TOTALS	930.624	2246	1971		.225	1899	1889 5.80 1890 1.93
MEANS	30.020	72	68	s.w.	.072	1892	1891

Statement of Mortality for the month of August, 1892.

With an enumeration of the more prominent causes; accompanied by an abstract of Meteorological Observations.

Published by order of the Board of Health.

SAMUEL H. DURGIN, M.D.,

Deaths during the month of August, 1892,	, 1014
Population estimated at 469,647.	Rate per 1,000 inhabitants, 25.90
	-
Total number	NATIVITY.
SEX.	United States
Males	Ireland
Females	England
	Scotland 6
CONDITION.	Germany
Married	British America 47
Single	Italy
Widows	Other Countries
Widowers	Unknown
Unknown 9	PARENTAGE.
COLOR.	United States
White	Irish
Colored	English
Oldica P.	Scotch
	German
(Under 1 year 410	British American
Total deaths of children Under 2 years 456	Italian
(Under 5 years 496	Other Countries
(Under 1 year	Mixed
Diarrheal diseases Under 2 years 206	Unknown
Under 5 years	
(All ages	Still-births during the month

	for	30									A	Œ	E.						-		7	SE	X.
CAUSES OF DEATH.	Total Mortality for August, 1892.	Total Mortality August, 1891.	Under 3 mos.	8 mos. and under 6 mos.	6 months and under 1 year.	1 year and under 2 yrs.	2 years and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	l'otal under 5 years.	o years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	Майев.	Females.
	11	-		00	9			0	-	-T	0	-	101	8	3	2	1		55	5 = =			3
	1	2									1		4	1	*>	2	Ė					1	.,
CARBUNCLE	,	1	-																			-	
Cholera Morbus		6					-				1		1			1	2	2	1			3	5
CHOLERA INFANTUM	1905	206	0.1	51	Sti	17	2			196			1			1	-	-	1			103	93
CEREBRO-SPINAL MENINGITIS	- 1	1	0.1	.,,			-	1		1												100	1
Congestive Fever								1		1													
	19	24	.,	6	3				,	12		1			1		1	2	2				12
Diarrhea			- 2	1	-				1			1			1							7	-
DYSENTERY	7 20	15		ı	1			5	5	19	4		2				1	2	1			2	
Dipartheria	1		11,		1	a	3	.1	-1	19	4											10	13
ERYSIPELAS	1		-							1											-		1
INTERMITTENT FEVER									~														-
INFLUENZA				-	,	,																-	
MEASLES	2				1	1				2											-1	1	1 .
Purpura		2																	-				
PUERPERAL FEVER	8	1											3										3
PYÆMIA		1																			-11		
REMITTENT FEVER																							
RHEUMATISM	23												1		-	1	1		1				3
SCARLATINA	14	1			3	2		2	2	9	ă			_							_	8	6
SMALL POX																							-
SYPHILIS (CONGENITAL)																					4		
Syphilis																							
SEPTICÆMIA	4	1												1	1	1			1			1	3
Tonsillitis																							
TYPHOID FEVER	15	14									1	::	8	:3								9	6
Typhus Fever																							
WHOOPING COUGH	2	6	1	1						2													2
YELLOW FEVER																							
OTHER ZYMOTIC DISEASES	2	1											1	1								1	1
																					1		
II. CONSTITUTIONAL.																							
CANCER	26	36												2	5	6	ų	2	2			6	20
HYDROCEPHALUS AND TUBERC. MENINGITIS	17	12	1		5	1	3	1	1	12	1	2		1		1						6	11
Marashus, Scrofula and Tabes Mesenterica	- 51	49	20	18	10	1				49				1				1				22	20
l'HTHISIS l'ULMONALIS	106	105		1	2	1				4		11	40	26	18	4	3					51	55
OTHER CONSTITUTIONAL DISEASES .	11	11	1	1	1			1		4	1	2	3		3	1		П				- 6	8

of August, Classified by Cause, Age and Sex.

	ig .	l g									A	G	E.									S	EX,
CAUSES OF DEATH.	Total Mortality August, 1892.	Total Mortality August, 1891.	Under 3 mos.	3 mos. and under 6 mos.	6 mos. and under I year.	1 year and under 2 yrs.	2 years and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	Total under	5 years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 vrs.	80 years and under 90 yrs.	90 years and	100 years and over.	Males.	Femules.
APOPLEXT	25	18			1					1				1	4	6		6				12	13
BRIGHT'S DISEASE	12	14										1	1	1	3	2	2	2					4
BRONCHITIS	15	20	3	1	3					7		1	1			2	2	2				4	11
HEART DISEASE	57	53		1			1	1		3		6	5	4	9	6	11	7	6			20	37
Meningitis	81	27	2	4	9	7	2			24	1		3	1	1			1				19	12
Nephritis	16	11											1	7	4	2	2					ô	11
PLEURISY																							
PNEUMONIA	24	27	2	2	2	2		, 1	1	10	2			4	2	1	5					15	9
OTHER LOCAL DISEASES	176	152	27	23	23	7	2	2		84	2	3	13	19	12	15	13	9	6	2		**	88
IV. DEVELOPMENTAL.																							
Gr. was a																							
CYANOSIS	1		1						Miller	1								!				1	
Inanition	7	12	6							7												2	5
OLD AGE	25	27															1	9	13	2		3	20
PREMATURE BIRTH	21		19	2		-				21												15	6
PUERP'L DISEASES (not including Puerp'l Fever)	-	2	ll so l	-								-											
OTHER DEVELOPMENTAL DISEASES	- 34	25	19	1		1				21		1		1	1		4	4	2			18	21
V. VIOLENT.																							
ACCIDENTAL	39	50	1 1			1	1	1	1	5	5	4	9	6	4	2	1	2		1		82	7
Homicidal	1	4														1						1	
SUICIDAL	3	2										1					2					1	2
OTHER VIOLENT CAUSES		3																					
	-																			-			E
Unknown Causes	1	2										-	- 1			1						1	
TOTAL FROM ALL CAUSES	1014	977	143	116	151	46	14	15	11 4	96	24	36	93	80	71	55	64	51	39	5		487	527
Total From Zymotic Diseases	- 312 - 476	299 450	41	62	94	25	5	8	8 !	243	12	4	19	6	5	5	6	6	6			154	158
TOTAL FROM CONSTITUTIONAL DISEASES	214	213	22	2) [18	3	3	2	1	69	2	15	43	30	26	12	12	3	2			91	123
" Local do	356	322	34	31	38	16	5	4	1 :	129	5	11	22	37	35	34	38	27	16	2		171	185
" DEVELOPMENTAL do	88	82	45	3	1	1				50		1		1	1		5	13	15	2		36	52
" " VIOLENT CAUSES	43		1			1	1	1	1	5	5	5	9	6	4	3	3	2	-	1		34	9
							-									!							

Comparative Statement of Cases of Contagious Disease reported to the Board of Health for the month of August, 1892, and for the corresponding month in 1891.

CASES REPORTED DUR	ING AUGU	JST, 1892.	CASES REPORTED DURING AUGUST, 1891.										
	City.	Quarantine.		City.	Quarantine								
Diphtheria	78		Diphtheria	36									
Measles	61		Measles	20	5								
Small Por	1		Small Pox		****								
Scariatina	86		Scarlatina	40									
Typhoid Fever	89	1	Typhoid Fever	111									
Typhus Fever	****		Typhus Fever										
Yellow Fever			Yellow Fever ,										

For the month of August, 1892, as reported by J. W. SMITH, Observer and Local Forecast Official.

-							
	DAILY MEAN	DAILY MEAN	DAILY MEAN	PREVAILING	DAILT		
DATE.	BAROMETER.	TEMPERATURE.	HUMIDITY.	DIRECTION OF WIND.	RAIN FALL.	GENERA	AL ITEMS.
				or wind.			
1	30.06	64	93	N.	.06	Mean Barometer, 30.01.	
2	30.04	62	92	E.	.00	Highest Barometer, 30.26, on the 23d	
2	29.98	66	90	E., N.W.	.38	Lowest Barometer, 29.79, on the 12th Monthly Range of Barometer, 0.476.	
4	29,92	76	68	s.w.	.00	Mean Temperature, 70.	
5	20.87	73		w.	.00	Highest Temperature, 94.0, on the 10 Lowest Temperature, 55.0, on the 29	
,					т	Monthly Range of Temperature, 39.0	
ô	29.86	7.1		. W.		Greatest Daily Range of Temperatu	
7	30.10	71		N.W.	.00	Least Daily Range of Temperature, Mean Daily Range of Temperature,	
8	30.04	71	72	S.W.	.00	Mean Daily Dew-point, 61.4.	1 de eV e
õ	29.86	80	78	S.W.	T	Mean Daily Relative Humidity, 77.8.	
10	29.98	85	66	s.	т	Prevailing Direction of Wind, S.W. Total Movement of Wind, 7,427 Mile	e
11	29.92	84	81	s.w.	.00	Highest Velocity of Wind and Direct	
12	29.80	72	87	N.,S.	2.29	Number of Foggy Days, 0.	
18	29.89	65	88	E.	T	Number of Clear Days, 9. Number of Fair Days, 12.	
14	29.94	70	71	E.S.	,00	Number of Cloudy Days, 10.	
	30.01	71	66	N.W.	.00	Total Number of Days on which Rai	
15				W.	.00	Depth of unmelted Snow on ground Dates of Auroras, 0.	at end of month, 0.
16	30.11	. 72	60			Dates of Solar Halos, 24th.	
17	30.10	76		W.	.00	Dates of Lunar Halos, 0. Thunder storm, 5th, 9th, 12th.	Dates of Frosts, 0.
18	30.12	75	7	W.	.00	Mean Max. Temp., 76.7.	Mean Min. Temp., 63.6.
19	30.09	78	76	S.W.	.00	Comparative Temperature.	COMPARATIVE PRECIPITATIONS.
20	29.98	78	78	N.E.	.00	1871	Inches.
21	29.91	71	70	N.W.	.00	1872	1871
9.0	30.08	72	52	N.W.	.00	1879-: 69 1874 68	1872 10.68 1873 6.21
23	30.25	65	72	N.E., E.	.00	1875	1874
24	30,20	67	76	E., S.E., S.	.00	1876	1875 3,50 1876 1,23
25	29.91	68	86	S.E.	.02	1877	1877 4.49
26	29.91	60	94	N.E.	.71	1979 68	1878 7.06
				N.	1.10	1880 69	1879 6.71
27	30.04	56	92			1881	1881 1,28
28	30.07	60	82	N.	T	1883 68	1882 1.46
29	30.12	64	81	E.	.00	1884 68	1884 5.01
20	30.10	61	84	E.	.00	1886 68	1885 7.64
: 1	29.91	68	88	s.	.17	1887 67	1886
-						1888	1888 6.53
TOTALS	930.25	2181	2398	_	4.33	1890 69	1889 3.95
						1891	1890 2.70 1891 3.87
MEANS	30.008	70	77	s.w.	.139	1892	1892 4.87
_						·	

Statement of Mortality for the month of September, 1892.

With an enumeration of the more prominent causes; accompanied by an abstract of Meteorological Observations.

Published by order of the Board of Health.

SAMUEL H. DURGIN, M.D.,

Deaths during the month of Septe Population estimated at 469,647.	emb	er, 1892,	Rate per 1,000 inhabitants, 21.28
Total number		833	NATIVITY.
SEX.			United States
Males		412	Ireland
Females		1.71	England
		-1 - 1	Scotland
CONDITION.		-> . > =	Germany
Married		227	British America
Single		504	Italy
Widows		66	Other Countries
Widowers		31	Unknown
Unknown		ň	PARENTAGE.
COLOR.			United States
White		811	Irish
Colored		22	English
			Scotch
,			German
Under 1 year		236	British American
Total deaths of children Under 2 years		280	Italian
Under 5 years		322	Other Countries
,			Mixed
Under 1 year		60 74	Unknown
Diarrhœal diseases Under 5 years		74 76	
All ages	• .	84	Still-births during the month 41

	for 2.	for 1.									A	G :	E.									SI	EX.
CAUSES OF DEATH.	Total Mortality for September, 1892.	Total Mortality fo September, 1891.	Under 3 mos.	3 mos. and under 6 mos.	6 months and under 1 year.	1 year and under 2 yrs.	2 years and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	Total under 5 years.	o years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	Males.	Femules.
1. ZYMOTICS.	oT so	T S	ū	3 2	0 n	1,1	2 2	3 3	4 3	Tot	o y	10 n	20 u	30	40 n	09	09 n	02	08 n	06	100		E
ALCOHOLISM	1	6													1							1	
CROUP ,	3	1	1		1		1			2	1											1	2
CARBUNCLE	1																1						1
CHOLERA MORBUS	2	4				1				1								1					2
CHOLERA INFANTUM	57	83	10	13	22	10	2			57												26	31
CEREBRO-SPINAL MENINGITIS		1																					
Congestive Fever																							
DIARRHŒA	20	17	6	2	5	2				15	1					1		3				9	11
DYSENTERY	5	s			2	1					1			!				1	1				5
DIPHTHERIA	81	11			1	8	5	4		18	13											15	16
ERYSIPELAS																							
INTERMITTENT FEVER		. 1																					
INFLUENZA																							-
MEASLES		1																					
Purpura		-																					
PUERPERAL FEVER	1	1						-					1										1
Ружміа	3		1		-					1				1		1						2	1
REMITTENT FEVER	. 1														1								1
RHEUMATISM	2	1					No. at Parts			-		1			-		1		-			1	1
SCARLATINA	9	1			1		2	3	2	8	1								-i			6 ,	3
SMALL POX							-																
STPHILIS (CONGENITAL)		3																					-
SYPHLIS		1					-		!														
Septicæmia	1					-	-		1	1		-			-					-		1	
T'ONSILLITIS				-						-	-												
Typhoid Fever	18	20											7	4	2		1		-	-		11	7
Typhus Fever	10	-												-	- :					-		11	-
WHOOPING COUGH	6	-				_	,			-6		-											3
		3		2	2	1	1			-		_								!			
Vellow Fever										2		_				_							1
OTHER ZYMOTIC DISEASES	3	3			1				1	2			1									2	1
II. CONSTITUTIONAL.		-																					
CANCER	33	22											2	3	7	8	8	4	1			9	24
HYDROCEPHALUS AND TUBERC. MENINGITIS	9	18	3	2	2	1			1	9												3	6
Marasmus, Scropula and Tabes Mesenterica	50	47	19	7	19	2	1			48									2			24	26
l'inthisis Pulmonalis	109	111		1	1	1	1		1	5		14	43	26	10	6	5					54	55
Other Constitutional Diseases .	25	18	1		1	2	1		1	6	1	2	6	4	1	2	2	1				13	12

of September, Classified by Cause, Age and Sex.

CAUSES OF DEATH.	Total Mortality for September, 1892.	ility , 189		1 .															_	-	-		
	Total M Septen	Total Mortality for September, 1891.	Under 3 mos.	3 mos. and under 6 mos.	nd	I year and under 2 yrs.	2 years and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	Total under	5 years and under 10 yrs.	10 years and under 20 yrs.	120	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	Males.	Females,
APOPLEXT	27	32									1	=	2	1	6	5	6	6		F		16	11
BRIGHT'S DISEASE	11	10				1				1					5	2	2	1		-		5	6
Bronchitis	16	29	3	2	4	2		1		12	-					1	2	1				7	
HEART DISEASE	49	70	1				1			2	1	3	5	7	7	3	12	7	2			15	-— 31
MENINGITIS	18	28	3	3		4				10	1	1	3		2	1						12	
NEPHRITIS	10	8											1	3	1	1	2	1	1			ā	5
PLEURISY																							
PNEUMONIA	46	24	4	1	5	4	2		1	17			6	7	5	2	ō	4				24	22
Other Local Diseases	167	157	20	5	19	2	3	1		50	5	9	16	15	13	20	17	15	ß]		S7	80
IV. DEVELOPMENTAL.																							
CYANOSIS	1	1	1					-		1			***			-				1.00		1	
INANITION	17	11	13	4						17	-											9	8
OLD AGE	9	13																8		1		1	8
PREMATURE BIRTH	7	14	7							7												4	- 3
PUERP'L DISEASES (not including Puerp'l Fever)	2	1											2										2
OTHER DEVELOPMENTAL DISEASES	18	19	14			1				15				1		1	1	1				8	10
V. VIOLENT.																						,	
ACCIDENTAL	39	33	2	-		1	2	2	1	8	1	3	7	7	4	4	3	1	1			29	10
HOMICIDAL	1	1												1	_							1	
SUICIDAL	2	4														1	1					2	
Other Violent Causes	1	3														1						1	-
Unknown Causes	2	4											1	1				-				1	1
TOTAL FROM ALL CAUSES	833	853	108	42	86	44	22	11	9 8	322	26	37	103	80	65	60	69	55	14	2		412	421
TOTAL FROM ZYMOTIC DISEASES	164	175	. 17	17	35	23	11	7	4	114	16	5	9	5	4	2	3	5	1			78	86
TOTAL FROM CONSTITUTIONAL DISEASES	226	350 216	23	10	23	6	3		3	68	1	16	51	33	18	16	15	5	3			103	123
" " LOCAL do	344	358	31	11	28	13	6	2	1	92	8	13	33	33	39	35	46	35	9	1		174	170
" " DEVELOPMENTAL do	54	59	35	4		1				40			2		-	1	1	9		1		23	31
" " VIOLENT CAUSES	4:	41	2			1	2	2	1	8	1	3	7	8	4	6	4	1	1			33	10

Comparative Statement of Cases of Contagious Disease reported to the Board of Health for the month of September, 1892, and for the corresponding month in 1891.

CASES REPORTED DURING		BER, 1892.	CASES REPORTED DURING		
	City.	Quarantine.		City.	Quarantine.
Diphtheria	79		Diphtheria	44	
Measles	31	9	Measles	15	***
Small Pox	****		Small Pox		1011
Scarlatina	100		Scarlatina	56	
Typhoid Fever	143		Typhoid Fever	205	1
Typhus Fever .	****		Typhus Fever		
Yellow Fever			Yellow Fever		

For the month of September, 1892, as reported by J. W. SMITH, Observer and Local Forecast Official.

DATE.	DAILY MEAN BAROMETER.		DAILY MEAN HUMIDITY.	PREVAILING DIRECTION OF WIND.	DAILY RAIN FALL.	GENERAL ITEMS.
1	30.01	64	68	W.	.03	Mean Barometer, 30.15.
2	00.29	.53	129	E.	.00	Highest Barometer, 30.44, on the 8th.
	30.33	-94	68	S.W	,(if)	Lowest Barometer, 29.53, on the 26th. Monthly Range of Barometer, 0.012.
						Mean Temperature, 62.
4	20.18	61	50	E.	.00	Highest Temperature, 80.0, on the 19th.
5	29.94	68	82	S.W.	.06	Lowest Temperature, 46.0, on the 11th.
6	00.00	66	68	W.	.02	Monthly Range of Temperature, 34.0. Greatest Daily Range of Temperature, 27.0 on the 30th.
-7	30.25	60	66	W.	.00	Least Daily Range of Temperature, 9.0 on the 24th.
R	30.43	58	76	E., N.W.	.(1)	Mean Daily Range of Temperature, 18.0.
9	30.39	59	74	E., S.E., W.	.00	Mean Daily Dew-point, 52.0. Mean Daily Relative Humidity, S.W.
						Prevailing Direction of Wind, S.W.
10	30.40	5.8	58	E.	,00	Total Movement of Wind, 7,723 Miles.
11	30,40	55	92	E.	.00	Highest Velocity of Wind and Direction, 36 miles W. on the 26th.
12	30.28	60	\$3	S.	.00	Number of Foggy Days, 0. Number of Clear Days, 21.
13	30.14	63	97	s.w.	.00	Number of Fair Days, 3.
14	29.82	67	92	s.	.54	Number of Cloudy Days, 6.
		67				Total Number of Days on which Rain or Snow fell, 8.
15	29.88		68	W.	.75	Depth of unmelted Snow on ground at end of month, 0. Dates of Auroras, 0.
16	30,08	05	68	77.	.00	Dates of Solar Halos, 10th, 22d.
17	30.30	61	64	W.	.00	Dates of Lunar Halos, 3d.
18	30.17	67	80	8.W.	.00	Thunder storm, 0. Dates of Frosts, 0.
19	29.96	72	85	8.W.	т	Mean Max. Temp., 70.8. Mean Min. Temp., 54.2.
20	30 32	56	59	N.	.00	COMPARATIVE TEMPERATURE. COMPARATIVE PRECIPITATION
21	30,34	61	66	S.W.	,00	1871
						1870 62 1872 6.04
20	30.34	61	74	S.W.	.00	1874
2:	30.33	70	83	S.W.	Т	1875
24	30-20	71	56	8.W.	Т	1877
25	29.96	66	95	SW.	.01	1878
25	29 57	62	73	W.	.48	1879 61 1878
27	29.79	55	52	W.	.00	1880
				W.		1882
28	29 98	9.1	61		.00	1883
29	30.34	56	48	N.W.	.00	1884
30	30.21	62	58	S.W.	.00	1886 63 1885 1.70 1887 60 1886 2.73
				1	=	1888
TOTALS	90463	1874	2213	S.W.	182	1889 63 1889 0.1899 3.19 1890 63 1899 3.19 1891 67 1890 5.04
MEANS	30.154	62	73	s.w.	.060	1892

^{*}T indicates trace of precipitation.

Statement of Mortality for the month of October, 1892.

With an enumeration of the more prominent causes; accompanied by an abstract of Meteorological Observations.

Published by order of the Board of Health.

SAMUEL H. DURGIN, M.D.,

Deaths during the month of October, 1892, . Population estimated at 469,647.	Rate per 1,000 inhabitants, 20.51
Total number 803	NATIVITY.
SEX.	United States
Males	Ireland
Females	England
CONDITION.	Scotland
	Germany
Married	British America
Single	Italy
Widows 82	Other Countries
Widowers 28	Unknown
Unknown 6	PARENTAGE.
COLOR.	United States
White	Irish
Colored	English
Colored	Scotch
	German
Under 1 year 158	British American
Total deaths of children Under 2 years 192	Italian
Under 5 years 237	Other Countries
Onder o years 207	Mixed
Under 1 year	Unknown
Under 2 years	Olialowii
Under 5 years	Still-births during the month

	for	for									A	G:	E.									SI	ex.
CAUSES OF DEATH.	Total Mortality October, 1892.	Votal Mortality October, 1891.	Under 3 mos.	3 mos. and under 6 mos.	6 months and under 1 year.	I year and under 2 yrs.	2 years and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	Fotal under 5 years.	5 years and under 10 yrs.	10 years and under 20 yrs.	ars and er 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	ears id over.	ż	tles.
I. ZYMOTICS.	Total	Total	Unde	3 mol	6 mo	1 yes	2 yea	3 yea	4 yea	Total	e year	10 ye und	20 years under 30	30 ye	40 ye	50 ye	60 ye	70 ye und	80 ye	90 ye	100 years	Males.	Females
ALCOHOLISM	5	6]	1		2	1					5	
CROUP	6	6			1	1	1			3	3											3	3
CARBENCLE		1																					
CHOLERA MORBUS													_										
CHOLERA INFANTUM	17	35	3	6	5	3				17												10	7
CEREBRO-SPINAL MENINGITIS		4																					
Congestive Fever											_												
DIARRHŒA	2	7		1						1	1							1				2	
Dysentery	1	4												1									1
Dipetheria	35	27			1	. 3	6	4	2	16	15	-2	1	1								15	20
ERYSIPELAS	2				1					1					1							1	1
INTERMITTENT FEVER																							
INFLUENZA	1													1									1
Measles	1				1					1												1	
PURPURA																							
Puerperal Fever		1																					
Ружміа	,	-		1			i							1				_				***************************************	
REMITTENT FEVER												-											
RHEUMATISM	1 1	3	-	1		-			1	1					-	-							1
SCARLATINA	24	2	-	-	-	1	5	4	2	15	9	-		-				_				13	11
SMALL POX	-			-			_		-						-			-					
SYPHILIS (CONGENITAL)	1				1		-			1						_						1	-
SYPHILIS	-	1				-	-		-	-				-	=			-		_		-	
SEPTICEMIA	3	1				-	-					-	1			1	1	-				1	2
Tonsillitis	2			-							1	Н						-	-				2
Typhoid Fever	29	201									1	5	15	3	2	1		-	1			17	12
Typhus Fever				1			-																
WHOOPING COUGH				-												-	-						
YELLOW FEVER			-		-							_				Н				-			-
OTHER ZYMOTIC DISEASES	3	4					-					W	1	1		=	1	-		-			-2
Cilibit di action di cilibiti			-	-	Н		-		-							-			-				-
II. CONSTITUTIONAL.																							
	42	13		-		-			-			-	-		10	10	75	B	1	-	-	17	25
CANCER		19		-	-	2	-	1	1	18	1	1			1		I	-	1		-	9	11
MARASMUS, SCROFULA AND TABES MESENTERIC.	-	48	15	:	-			-	1	20		1		-	-			-	-			12	19
			. 19	-	, 5			. 1	13		-		110	18	15		c	-		-		51	50
PHTHISIS PULMONALIS		109			2	2		-		- 3		10	38			-	8	4				-	-
OTHER CONSTITUTIONAL DISEASES .	1 17	13				3				5	1	3	5	1	4							ō.	8

of October, Classified by Cause, Age and Sex.

	for	lor						~			A	G	E.			-						S	EX.
CAUSES OF DEATH.	Total Mortality, October, 1892.	Total Mortality October, 1891.	Under 3 mos.	3 mos. and under 6 mos.	6 mos. and under 1 year.	1 year and under 2 yrs.	2 years and under 3 vrs.	3 years and under 4 yrs.	4 years and under 5 vrs.	Total under	5 years and under 10 yrs.	10 years and under 20 yrs.	= 0	30 years und	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs	90 years and under 100 vrs.	100 years and over.	Males.	Fermales
	29	35				_									5	8	6					7.1	15
APOPLEXT	11	14		1	-			1		1			2	1 2	2	2	1	7	1			14	9
Bright's Disease	48	37	11 7	5	ő	2	2	1	1	23	2		1 1	1	2	5	6		- 5			21	27
Bronchitis	55	1 77	1 1		1 7	4	2	1		2	2	-	1 7	3	7	4	11	3				25	30
HEART DISEASE	13	19	1 1		1	3	1 7			6	3	*	1	2	-			12	-			-,	5
MENINGITIS	11	17	1 1			0	1			1	1	-	1	2	_	2	3	1		-		7	1
NEPHRITIS	3	1 11	11					-		1	1	-	-		1	2		1 1		-			1
PLEURISY	45	45	ll 1	4	-	3	1			7.7	1	1	7	2	5	10	3	1	4		-		
PNEUMONIA				6	10				1	11							9		5			=1	24
OTHER LOCAL DISEASES ,	130	144	13		16	5	1	2	1	44	3	4	13	. 13	7	21	-	11				65	65
IV. DEVELOPMENTAL.																							
CYANOBIS	1	1	1							1												1	
Inanition	8	7	4	1	3					8												5	3
OLD AGE	18	19				-												5	11	2		7	11
PREMATURE BIRTH	13	15	13							13												8	5
PUERP'L DISEASES (not including Puerp'l Fever)	2	3											1	1									2
OTHER DEVELOPMENTAL DISEASES	16	19	13			1		i i		14						1	1					.6	10
V. VIOLENT.																							
															_			_					
ACCIDENTAL	37	42			1	-	1		1	3	2	3	9	5	7	4	2	2				29	
Homicidal													,					5.00-					
SUICIDAL	8	1							_ !				1	3	2	2							1
OTHER VIOLENT CAUSES	1	1													1								1
															- 1								
UNENOWN CAUSES	1	2	1			_				1					-	1						1	
TOTAL FROM ALL CAUSES	803	826	74	34	50	34	18	14	13	237	47	34	106	69	75	83	61	56	Dig.	3		2004	107
TOTAL FROM ZYMOTIC DISEASES	292	286	3	7	10	11	12	8	5	56	29	7	19	9	3	4	4	1,	1				
TOTAL FROM CONSTITUTIONAL DISEASES	220	197	15	11	12	9		2	4	53	4	15	43	25	32	20	15	10	2	1		98	122
" " Local do	345	388	24	15	24	13	5	4	3	88	12	9	33	26	30	52	39	38	15			165	180
" " DEVELOPMENTAL do	58	64	31	1	3	1				36			1	1		1	1	5	11	2		26	33
" " VIOLENT CAUSES	46	44	1		1		1		1	3	2	3	70	8	10	6	21	2 ;				36	10

Comparative Statement of Cases of Contagious Disease reported to the Board of Health for the month of October, 1892, and for the corresponding month in 1891.

CASES REPORTED DURI	NG OCTOB	ER, 1892.	CASES REPORTED DURING	G OCTOBI	ER, 1891.
	City.	Quarantine.		City.	Quarantine.
Diplatheria	144		Diphtheria	78	
Measies	64	i	Measles	6	
S.nai. Pox ,		1	Small Pox	****	
Scarlatina	188	1	Scarlatina	67	
Typhoid Fever	148	1	Typhoid Fever	246	1
Typhus Fever		· · · · · ·	Typhus Fever		****
Yenow Fever			Yellow Fever		

For the month of October, 1892, as reported by J. W. SMITH, Observer and Local Forecast Official.

	DAILY MEAN	DAILY MEAN	DAILY MEAN	PREVAILING	DAILT	7
DATE.	BAROMETER.	TEMPERATURE.	HUMIDITY.	DIRECTION OF WIND.	RAIN FALL.	GENERAL ITEMS.
1	30.02	58	56	N.W.	.00	Mean Barometer, 29.94.
2	30.21	48	56	N.W.	.00	Highest Barometer, 30.46, on the 12th. Lowest Barometer, 29.50, on the 5th.
	29.94	49	58	8.W.	Т	Monthly Range of Barometer, 0.96.
	29.52	60	76	N.W.	0.12	Mean Temperature, 0.53. Highest Temperature, 78.0, on the 14th.
5	29.57	48	82	N.W.	, 1.72	Lowest Temperature, 36.0, on the 25th.
6	29.77	46	60	77	.00	Monthly Range of Temperature, 42.0.
	29.83	58	62	s.w.	.00	Greatest Daily Range of Temperature, 23.0 on the 14th. Least Daily Range of Temperature, 4.0 on the 15th.
:	29.77	64	SG	s.w.	.60	Mean Daily Range of Temperature, 15.0.
		56	72	N.W.	0.05	Mean Daily Dew-point, 40.4. Mean Daily Relative Humidity, 67.3.
•	29.70			W.		Prevailing Direction of Wind, W.
100	30.04	51	60		0.01	Total Movement of Wind, 8,273 Miles.
11	30.12	57	64	11.	.00	Highest Velocity of Wind and Direction, 31 miles N.W. on the 30th. Number of Foggy Days, 0.
12	30.44	45	68	N.	.00	Number of Clear Days, 15.
18	30 36	57	76	S.W.	.00	Number of Fair Days, 7.
14	30.08	66	62	W.	.00	Number of Cloudy Days, 9. Total Number of Days on which Rain or Snow fell, 7.
15	30.11	57°	73	E.	.00	Depth of unmeited Snow on ground at end of month, 0.
1 ri	29.93	59	92	S.W.	0.25	Dates of Auroras, 0.
17	30.19	51	78	N.E.	.00	Dates of Solar Halos, 28th. Dates of Lunar Halos, 2d, 4th, 7th.
18	30.12	54	80	s.w.	.00	Thunder storm, 0. Dates of Frosts, 27th, 31st.
19	29.82	60	68	S.W.	т	Mean Max. Temp., 60.0. Mean Min. Temp., 45.0.
20	30.00	54		N.W.	.00	Comparative Temperature. Comparative Precipitations.
	29.98	51	64	W.	.00	1871
21				. W.	.00	1873
24	29,96	ŏō	56	W.		1874
2	29.74	56	56		.00	1876
14	29.85	47	58	N.W.	.00	1877
25	29.85	46	68	П".	.00	1878
25"	29 74	4.5	SS	N.W.	0.07	1880
27	29.85	47	65	W.	.00	1881
28	29.86	47	66	N.W.	.00	1883
20	29.64	48	62	W.	0.09	1884
30	20,98	47	68	W.	.00	1885
51	30,20	46	58	W.	.00	1887
						1888
TOTALS			_	_	2.31	1889
						1891
MEANS	29.94	50	67.3	W.	.074	1892
					1	

Statement of Mortality for the month of November, 1892.

With an enumeration of the more prominent causes; accompanied by an abstract of Meteorological Observations.

Published by order of the Board of Health.

SAMUEL H. DURGIN, M.D.,

Chairman.

37. 1

Deaths during the month of November, 1892, .	
Population estimated at 469,647.	Rate per 1,000 inhabitants, 22.86
Total number	NATIVITY.
SEX.	United States
Males 470	Ireland
Females	England
CONDITION.	Scotland 8
Married	Germany
	British America 47
Single 491	Italy
Widows 82	Other Countries
Widowers 42	Unknown 8
Unknown	PARENTAGE.
COLOR.	United States 205
White	Irish
Colored	English
	Scotch
	German
Under 1 year 155	British American 40
Total deaths of children Under 2 years 210	Italian
Under 5 years 260	Other Countries 67
(II-Jan 1 man	Mixed
Under 1 year	Unknown 82
Diarrhocal diseases Under 5 years 5	
(All ages	Still-births during the month 57

	for 2.	for j.	II								A	. G	E.								1	SI	EX.
CAUSES OF DEATH.	Total Mortality for November, 1892.	otal Mortality for November, 1891.	Under 8 mos.	3 mos. and under 6 mos.	6 months and under 1 year.	1 year and under 2 yrs.	2 years and under 3 yrs.	S.years and under 4 yrs.	4 years and under 5 yrs.	Total under 5 years.	5 years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	Males.	Females.
I. ZYMOTICS.	Tot	Total	Un	3 17	6 m	1 y	2 u	8.8	4	Total	y e	10	20 ur	30 m	40	50 ur	80 ur	70 I	90 I	06	100	Ma	Kei
ALCOHOLISM	5	9											1	1		2	1					4	
CROUP	12	7			1	2	2	3		8	4											4	,
CARBUNCLE	1			1													1					1	
CHOLERA MORBUS	1																	1					
CHOLERA INFANTUM	3	4	1			2				3'												2	
CEREBRO-SPINAL MENINGITIS																							
Congestive Fever															_								
DIARRHŒA	4	5	1	1						2			1				1					2	
Dysentery	4	2													1	2			1			3	
DIPHTHERIA	46	41			2	8	5	7	3	25	16	3	2									19	2
ERYSIPELAS	1	1	1							1												1	
NTERMITTENT FEVER																							
NPLUENZA	2				_									1	1			1	-				
MEASLES	4				1	-	1	1		3	1											2	-
PURPURA		1				П																	
PUERPERAL FEVER	1	1											1									_	
YÆMIA	1				-						-	-		1								1	
LEMITTENT FEVER														-			-						
CHEUMATISM	1	4									-			1					-				
CARLATINA	26	5	1		1	3	3	3	2	13	11	2				-		-		-		14	1:
MALL Pox			-																				
Syphilis (Congenital)	3	1	1	2						3											-	1	-
STPHILIS	1	2	-			-		-	-			- 1	1					Н			-	1	_
EPTICEMIA										-										-			
Consillitis,	2								1	1				1					-		-	2	
Typhoid Fever	18	15						-	-	-		3	8	5	1	1						11	7
												0	-	-	1	-							-
				1 7		_				- 2			_										
WHOOPING COUGH	2	5		1		1																	
YELLOW FEVER						-								—	-		_	-				- 1	
()THER ZYMOTIC DISEASES	2	3							-			_	1	-	1			_	_			1	- 1
II. CONSTITUTIONAL.						-												_					
CANCER	27	28												2	6	8	8	2	1			9	18
LYDROCEPHALUS AND TUBERC. MENINGITIS	10	16		1	3	4			-	9	1										-	4	6
Marasmus, Scrofula and Tabes Mesenterica			6				1			20									1			8	18
PHTHISIS PULMONALIS	125	88		1	2	1				4	2	16	47	24	17	8	5	2			4	58	67
OTHER CONSTITUTIONAL DISEASES .	24	18	2		2	1		1		6	1	2	3	9	1		2					15	9

of November, Classified by Cause, Age and Sex.

	for 2.	for 1.									A	G :	E.									SI	EX,
CAUSES OF DEATH.	lotal Mortality for November, 1892.	Total Mortality for November, 1891.	Under 3 mos.	3 mos. and under 6 mos.	6 mos. and under 1 year.	1 year and under 2 yrs.	2 years and under 3 yrs.	3 years and	4 years and under 5 yrs.	Total under 5 years	5 years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	years and der 100 yrs.	100 years and over.	iles.	males.
III. LOCAL.	To Z	T Z	5	3 2	9	12	2 3	3.5	4 5	Te	ş ç	2	20 u	30	Of Of	09	09 I	70 u	08 n	90 un	100	Mal	7.0
APOPLEXY	. 37	20				1	1		1					1	6	7	ă	8	6	1		19	18
Bright's Disease	21	14			3					3	1		1	2	3	4	4	. 3			_	14	7
Bronchitis	54	59	9	2	7	8	1			27	1		5	1	6	3	7	2	2			28	26
HEART DISEASE	91	63	1			. 1				2	3	2	6	9	8	16	1313	17	F			52	39
MENINGITIS	8	17	2	1	1	2	1			7			1									1	7
Nephritis	16	15		. 1				1		2			8	3	2	3	2	1				11	5
PLEURIST	1	1		1									1										1
PNEUMONIA	83	89	1	5	4	7	2	2	1	22	3	1	ā	10	8	14	10	7	3			43	40
OTHER LOCAL DISEASES	115	121	16	! 1	S	7	2			34	1	4	s	11	10	18	9	14	5	1		68	47
IV. DEVELOPMENTAL.																							
CYANOSIS	4	1	4							4												2	2
Inanition	10	14	6	2		2				10												4	6
OLD AGE	16	26																4	11	1		6	10
PREMATURE BIRTH	24	13	24							24										Ħ		10	14
PUERP'L DISEASES (not including Puerp'l Fever)	1	2											1 .		-					-			1
OTHER DEVELOPMENTAL DISEASES	19	27	16							16					,		1	1	1			15	4
				1						-				-									
V. VIOLENT.																	1						
ACCIDENTAL	37	29)					2		5	1	3	 5	8	7	+	3	1				27	10
Homicidal	2	1			-		-	H			1	1										1	1
SUICIDAL	7	3				-		-		-			2	1	2	1	1	-				5	2
OTHER VIOLENT CAUSES				-		-													-				
							-				-							,	-	-	-1		
UNENOWN CAUSES	2	2						1		1				1								1	-1
TOTAL FROM ALL CAUSES	895	795	93	.).)	40	55	19		10	260	47 1	37 1	103		so I	91	82	64	37	3		470	425
TOTAL FROM ZYMOTIC DISEASES	140	106	5	4	5	16	11		6	61	32			9	4	5	3	2	1			69	_
Including Tubercular Diseases Total from Constitutional Diseases	300	184	. 8 :		12 1		1	11	1	39		-	50	35	24	-	15	4	2			-	71
	426	172		10	:						9 1			37		65		-	I	0		94	113
270022	74	399	29	10	28	26	7	3	2	100	-	7			43	00	1	52		2		236	190
DEFENDE MAINTENED GOT	46	83	50			1		2		54	2	4	1	0	9	5	1	5	13	1		37	37
" " VIOLENT CAUSES	40	333	I			1,		2	1	5	2	4	7	9	9	3)	+	1				33	13

Comparative Statement of Cases of Contagious Disease reported to the Board of Health for the month of November, 1892, and for the corresponding month in 1891.

CASES REPORTED DURIN	IG NOVEME	BER, 1892.	CASES REPORTED DURING NOVEMBER, 1891.									
	City.	Quarantine.		City.	Quarantine							
Diphtheria	185		Diphtheria	108								
Measles	241		Measies	30								
Small Pox		****	Small Pox									
Scarlatina	228	1	Scarlatina	136								
Typhoid Fever	89		Typhoid Fever	95								
Typhus Fever			Typhus Fever									
Yellow Fever			Yellow Fever		****							

For the month of November, 1892. as reported by J. W. SMITH, Observer and Local Forecast Official.

DATE.	DAILY MEAN BAROMETER.	DAILY MEAN TEMPERATURE.	DAILY MEAN HUMIDITY.	PREVAILING DIRECTION OF WIND.	DAILY RAIN FALL.	GENERA	AL ITEMS.
1	30.18	50	70	N.E.	.00	Mean Barometer, 30.05.	
2	30.20	.45	90	E.	0,20 -	Highest Barometer, 30.46, on the 27t	
2	29.88	46	82	w.	0.39	Lowest Barometer, 29.51, on the 5th Monthly Range of Barometer, 0.95.	
4	29.73	47	69	w.	т	Mean Temperature, 41.	
*						Highest Temperature, 66.0, on the 8	
5	29.68	34	84	N.W.	0.15	Lowest Temperature, 20.0, on the 24 Monthly Range of Temperature, 46.0	
6	30.19	36	. 52	N.W.	.00	Greatest Daily Range of Temperatu	
- 7	30.15	48	76	S.	T	Least Daily Range of Temperature,	
8	30.02	56	71	s.w.	0.10	Mean Daily Range of Temperature,	12.0.
9	30.38	42	58	w.	.00	Mean Daily Dew-point, 33.0. Mean Daily Relative Humidity, 74.0	
10	29.85	40	96	N.E.	1,66	Prevailing Direction of Wind, W.	
						Total Movement of Wind, 9,049 Mile	
11	30.06	35	58	N.W.	.00	Highest Velocity of Wind and Direc Number of Foggy Days, 0.	tion, 42 miles S.E. on the 18th.
12	30.12	35	68	W.	.00	Number of Clear Days, 8.	
18	30.36	39	76	W.	.00	Number of Fair Days, 9.	
14	30.34	47	80	s.	.00	Number of Cloudy Days, 13.	
15	30.19	49	96	E.	0.03	Total Number of Days on which Rai	
16	29.74	54	92	E.	1.08	Dates of Auroras, none.	Brilliant display of meteors on 23d
						Dates of Solar Halos, 21st.	
17	30.09	57	80	S.	.00	Dates of Lunar Halos, 9th.	Dates of Frosts, 0.
18	29.81	58	90	S.E.	0.20	Thunder storm, none. Mean Max. Temp., 47.0.	Mean Min. Temp., 35.0.
19	29.82	45	65	w.	0.04	Comparative Temperature.	COMPARATIVE PRECIPITATIONS.
20	30.11	40	62	N.W.	.00	1871	Inches.
21	30.08	40	68	w.	T	1872 40	1871 6.42
22	29.90	37	58	w.	.00	1873	1872 3.66
				w.	,00	1874 41	1873 8.34
23	29.79	29	58			1876 40	1875 5.47
24 .	. 29.80	26	58	w.	.00	1877 43	1876
25	30.01	32	61	N.W.	.00	1878 40	1877 9.62 8.94
26	30.26	34	72	N.W.	.00	1879	1879 2.97
2"	30.45	36	68	N.	т	1881 42	1880 2.30
28	30.28	36	86	N.E.	0.07	1882	1881 3.73 1882 1.20
		34	86	N.	0.31	1883	1883 2.08
29	30.09					1885 44	1884 3.03
30	29.84	30	95	N.	0.22	1886 43	1885 5.78 1886 3.59
						1887	1887 2.22
						1889 45	1888 4.97
TOTALS	-	_	-	-	4.45	1890 42	1889 4.91
						1891 41	1890 0.97
MEANS	80.05	41	74	w.	.148	1892 41	1892 4.45

Statement of Mortality for the month of December, 1892.

With an enumeration of the more prominent causes; accompanied by an abstract of Meteorological Observations.

Published by order of the Board of Health.

SAMUEL H. DURGIN, M.D.,

Deaths during the month of December, 1892, Population estimated at 469,647.	Rate per 1,000 inhabitants, 25.55
Total number	NATIVITY.
SEX.	United States 606
Males	Ireland
Females	England
CONDITION.	Scotland
Married	Germany
	British America
Single	Italy
Widows	Other Countries
Widowers	Unknown
Unknown	PARENTAGE.
COLOR.	United States
White	Irish
Colored	English
	Scotch
	German
Under 1 year 161	British American
otal deaths of children Under 2 years 218	Italian
Under 5 years 292	Other Countries 80
(Mixed
Under 1 year	Unknown
Diarrhœal diseases Under 5 years	
All ages 5	Still-births during the month

	for 2.	for I.						_	-		A	G+	E.				_	-			-	SE	Х.
CAUSES OF DEATH.	Total Mortality for December, 1892.	Total Mortality for December, 1891.	Under 3 mos.	3 mos. and under 6 mos.	6 months and under I year.	l year and under 2 yrs.	ars and der 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	Fotal under 5 years.	b years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	26.	яјев.
I. ZYMOTICS.	Tota	Tota	Und	3 mc	oun 9	1 ye	2 years a	3 year	4 ye	Total	o ye	10 y unc	20 y	30 y un	40 y	50 y	60 ye	70 y	80 y unc	90 y	100 y	Mules.	Females
ALCOHOLISM	7	8												4	3							3	4
CROUP ,	12	13			2	3	1	2	1	9	3											9	3
CARBUNCLE																							
Cholera Morbus																							
Cholera Infantum		1																					
CEREBRO-SPINAL MENINGITIS	1	1										1										1	
Congestive Fever								-															
DIABRHŒA	3	1						1		1				1	1							1	2
DYSENTERY	2			1	1					2												1	1
DIPHTHERIA	52	35			1	10	14	12	1	38	11	2	1									24	28
ERYSIPELAS	5	1	2							2				1	1	1						3	2
INTERMITTENT FEVER																							
Influenza	1	13													1								1
Measles	3					2	1			3												8	
Purpura	1	2	1			_				1												1	
PUERPERAL FEVER	4	2											1	3									4
Ружніа	1	1											1										1
REMITTENT FEVER																							
RHEUMATISM	1			1						1												1	
SCARLATINA	25	17			1	1	4	4	4	14	8	2	1									12	13
SMALL POX																							
Syphilis (Congenital)																							
Syphilis																						-	-
SEPTICÆMIA	6	3										1	1									1	5
Tonsillitis																							
Typhoid Fever	15	16										1	8	2	3		1					8	7
Typhus Fever															-		-					_	
WHOOPING COUGH	2	5			2					2												1 1	1
YELLOW FEVER																							
OTHER ZYMOTIC DISEASES																							
II. CONSTITUTIONAL.																							
CANCER	31	29										1	2	1	8	6.	9	4				9	22
Hydrocephalus and Tuberc. Meningitis	23	9	1	3	2	8	2	1	1	18	3		1	1								12	11
Marasmus, Scrofula and Tabes Mesenterica	12	23	4	1	1	1		1		8			1	2			1					9	8
PHTHISIS PULMONALIS	116	143		1				1	1	3		10	40	26	21	9	5	2				, 55	61
OTHER CONSTITUTIONAL DISEASES .	20	19		1		1	1			3		3	3	4	4	3	3					9	11

of December, Classified by Cause, Age and Sex.

	for 2.	for 1.		AGE.												SI	ex,						
CAUSES OF DEATH.	Total Mortality for December, 1892.	Total Mortality for December, 1891.	Under 3 mos.	3 mos, and under 6 mos.	6 mos. and under I vear.	l year and under 2 yrs.	2 years and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	Total under	5 years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	Males.	Fenules.
APOPLEXY	40	37												2	4	10	8	12	2	2		23	17
Bright's Disease,	17	12										1	1	 5	2	2	2	4				7	10
Bronchitis	51	90	6	4	8	6	1		1	26	1		2		2	1	9	10				21	30
HEART DISEASE	77	80	2						1	3	1	1	9	5	13	11	15	14	ő			43	34
Meningitis	25	25	2	3	5	6	1			17	2	1		3	1			1				13	12
Nephritis	21	20									1	1	3	4	4		5	2	1			9	12
PLEURISY	3	2		1						1		1			1					-		2	1
PNEUMONIA	144	223	8	4	17	11	4	, 3	5	52	5	2	13	16	15	12	15	9	4	1		73	71
OTHER LOCAL DISEASES	139	142	10	6	6	7	1	1		31	3	2	9	26	17	16	16	10	Š	1		69	70
IV. DEVELOPMENTAL.																							
CYANOSIS	2	1	2							2												1	1
INANITION	12	15	9	1						10			1			1						5	7
OLD AGE	24	45															2	7	11	4		5	19
PREMATURE BIRTH	22	24	21		1					22												12	10
PUERP'L DISEASES (not including Puerp'l Fever)	6	4											4	1	1								6
Other Developmental Diseases	25	22	16	1	1					18		1			1	. 2	1	2				12	13
V. VIOLENT.	35	37										2	- 3		71		0	2	7			24	11
ACCIDENTAL				,			2	1		5	1	4	-	4	11	2	3	3	1			- Z4	
Homicidal	1 10	2											1	3	3	3			1			7	3
SUICIDAL													1	1								-	3
Other Violent Causes	3																						
UNENOWN CAUSES		3																					
TOTAL FROM ALL CAUSES	1000	1133	84	29	48	57	32	27	15	292	39	33	107	115	122	79	92	80	33	8		489	511
TOTAL FROM ZYMOTIC DISEASES	141 319	308	3	2	7	16	20	19	6	73	22	7	13	11	13	1	1					69	72
Total from Constitutional Diseases	202	223	5	6	3	10	3	3	2	32	3	14	47	34		18	15	6				94	108
" " LOCAL do	517	631	28	18	36	30	7	4	7	130	13	9	37	61	59	52	70	62	20	4		260	257
" " DEVELOPMENTAL do	91	111	48	2	2					52		1	5	1	2	3	3	9	11	4		35	56
" " VIOLENT CAUSES	49	46		1		1	2	1		5	1	2	5	8	15	5	3	3	2			31	18

Comparative Statement of Cases of Contagious Disease reported to the Board of Health for the month of December, 1892, and for the corresponding month in 1891.

CASES REPORTED DURIN	G DECEME	BER, 1892.	CASES REPORTED DURING DECEMBER, 1891.									
	City.	Quarantine.	1	City.	Quarantine.							
Diphtheria	175		Diphtheria	127								
Measles	380	1	Measles	54	15							
Small Pox			Small Pox	****	****							
Scarlatina	260		Scarlatina	261	3							
Typhoid Fever	4.3		Typhoid Fever	74								
Typhus Fever			Typhus Fever									
Yellow Fever			Yellow Fever									

For the month of December, 1892, as reported by J. W. SMITH, Observer and Local Forecast Official.

DATE.	DAILY MEAN BAROMETER.	DAILY MEAN TEMPERATURE.	DAILY MEAN HUMIDITY.	PREVAILING DIRECTION OF WIND.	DAILY RAIN FALL.	GENERAL ITEMS.
1	29.74	34	78	N.W.	0.02	Mean Barometer, 29.98.
2	29.70	38	68	N.W.	.00	Highest Barometer, 30.52, on the 12th.
_						Lowest Barometer, 29.41, on the 25th.
3	29.64	34	69	W.	0.01	Monthly Range of Barometer, 1.11. Mean Temperature, 29.9.
4	29.68	38	67	w.	T	Highest Temperature, 48.0, on the 9th.
5	30.05	32	60	N.W.	.00	Lowest Temperature, 0.0, on the 24th. Monthly Range of Temperature, 48.0.
6	30.05	30	78	w.	0.04	Greatest Daily Range of Temperature, 20.0 on the 27th.
7	30.01	38	70	w.	0.08	Least Daily Range of Temperature, 7.0 on the 1st.
8	29.80	41	92	E.	0.30	Mean Daily Range of Temperature, 12.8. Mean Daily Dew-point, 20.1.
9	29.96	43	72	N.W.	0.31	Mean Daily Relative Humidity, 68.0.
10	30.12	36	82	N.W.	0.02	Prevailing Direction of Wind, W.
11	30.30	34	77	w.	.00	Total Movement of Wind, 8,958 Miles. Highest Velocity of Wind and Direction, 35 miles W. on the 22d.
12	30.47	34	56	w.	.00	Number of Foggy Days, 0.
18	30.38	34	66	w.	.00	Number of Clear Days, 14. Number of Fair Days, 10.
				N.	0 .26	Number of Fair Days, 10. Number of Cloudy Days, 7.
14	30.04	36	86			Total Number of Days on which Rain or Snow fell, 9.
16	30.05	36	85	W.	.00	Depth of unmelted Snow on ground at end of month, 0. Dates of Auroras, 5th.
16	30.10	36	72	W.	.00	Dates of Solar Halos.
17	29.93	36	70	W.	T	Dates of Lunar Halos, 2d, 4th, 5th, 7th, 8th, 10th, 12th, 26th, 29th, 30th, & 31st.
18	29.97	28	57	N.W.	Т	Thunder storm, Dates of Frosts, Mean Max. Temp., 36.3. Mean Min. Temp., 23.5.
19	29.85	38	72	s.w.	.00	COMPARATIVE TEMPERATURE. COMPARATIVE PRECIPITATIONS.
20	29.84	27	70	N.W.	0.08	1871 28 Inches.
21	30.18	23	62	w.	.00	1872
22	30,06	23	52	w.	.00	1873
23	29.79	21	64	w.	.00	1875
24	29.58	6	73	w.	T	1876
25	29.54	18	56	w.	т	1878
26	29.78	11	53	W.	.00	1879 32
27	29,98	18	60	w.	.00	1881
28	30.09	20	51	N.	,00	1882
29		27	58	N.	.00	1883
	30.27	29		N.W.	.00	1885
30	30,35		70			1886
31	30.20	30	60	s.w.	.00	1888
		-			1.10	1889
TOTALS	_		_	_	1.12	1890
	00.00	20.0	00.0	THE STATE OF THE S	007	1892
MEANS	29.98	29 9	68.0	W.	.037	1892 1.12


SUMMARY OF DEATHS IN BOSTON.

With Principal Causes, for the year 1892. Compared with those of 1891.

Published by order of the Board of Health.

SAMUEL H. DURGIN, M.D.,

	1892.	1891.		1892.	1891.
Total No. of deaths from all causes	11,236	10,571	Influenza	97	31
Population (estimated)	469,647	459,062	Intermittent Fever		2
Annual death rate per 1000 inhabitants	23.92	23.02	Measles	19	21
Total No. from Zymotic diseases	2,014	1,615	Purpura	3	6
Percentage of deaths from Zymotic dis-	2,011	1,010	Puerperal Fever	28	18
eases to total mortality	17.92	15.27	Pyæmia	9	15
Total No. of Still-births	633	614	Remittent Fever	1	1
Total deaths of children under 1 year .	2,466		Rheumatism	43	23
" " " 2 years .	3,086	3,135	Scarlatina	262	64
2 years.	3,735	3,608	Small Pox	202	0.4
o years.	0,100	3,000		10	21
Percentage of deaths under 5 years to	33.24	0.4.10	Syphilis (congenital)	12	
total mortality	55.24	34.13	Syphilis	3	5
Total No. of deaths from diarrheal dis-	001	0.05	Septicæmia	28	29
eases, under 5 years	621	667	Tonsillitis	9	3
Total No. of deaths from diarrheal dis-			Typhoid Fever	137	154
eases, all ages	693	755	Typhus Fever	-	*******
Percentage of deaths from diarrhoal dis-			Whooping Cough	45	39
eases to total mortality	6.16	7.14	Yellow Fever		
Alcoholism	72	65	Other Zymotic Diseases	19	16
Croup	67	53	Cancer	328	317
Carbuncle	4	2	Phthisis Pulmonalis	1,414	1,352
Cholera Morbus	23	20	Bright's Disease	158	148
Cholera Infantum	563	597	Bronchitis	557	551
Cerebro Spinal Meningitis	12	21	Heart Disease	890	764
Diarrhœa	77	90	Pneumonia	1,122	1,149
Dysentery	30	48	Old Age	258	289
Diphtheria	414	232	Violent Deaths	519	472
Erysipelas	37	39			



Statement of Deaths for the month of January, 1893.

With an enumeration of the more prominent causes; accompanied by an abstract of Meteorological Observations.

Published by order of the Board of Health.

SAMUEL H. DURGIN, M.D.,

Chairman.

Deaths during the month of January, 1893, Population estimated at 469,647.	Rate per 1,000 inhabitants, 26.21
Total number	NATIVITY.
SEX.	United States 655
Males	Ireland
Females	England
CONDITION.	Scotland
Married	Germany
	British America 54
Single	Italy
Widows	Other Countries
Widowers	Unknown
Unknown	PARENTAGE.
COLOR.	United States
White	Irish
Colored	English
	Scotch
,	German
Under 1 year 159	British American
Total deaths of children Under 2 years 219	Italian
Under 5 years 297	Other Countries
,	Mixed
Under 1 year	Unknown
Diarrheal diseases Under 5 years	
All ages 7	Still-births during the month

CAUSES OF DEATH.										SE	IX.													
CAUSES OF DEATH.	otal Mortality for January, 1893.	ality	January, 1892.	Under 3 mos.	s mos. and under 6 mos.	months and under 1 year.	l year and under 2 yrs.	years and under 3 yrs.	years and under 4 yrs.	years and under 5 yrs.	otal under 5 years.	years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	TO years and under 80 yrs.	30 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	Маlея.	emules.
I. ZYMOTICS.				5			_ =	21		==	1.0	100	0 =			9 =	200		102	800	96	2		-
ALCOHOLISM	5		7					_		-				1	3			1					8	1
CROUP	9		7	_		1	2		4		9													
CARBUNCLE																	-							
CHOLERA MORBUS																								1
Cholera Infantum	1		1	1							1	1 7 1		-									1	1
CEREBRO-SPINAL MENINGITIS	2		2									1		1										
Congestive Fever											4					-		- 0					2	4
DIARRHŒA	6	3	2				1				1				1	1		3						
DYSENTERY		,	~						10	-	90.1									_			28	21
DIPHTHERIA	49	28				3	9	f 9	12	6	39	8	2				2	4						4
ERYSIPELAS	8		2	1		1					2			1	1		2	1	1				4	4
INTERMITTENT FEVER					-		_																	
INFLUENZA	1	6						Ш												1			1	
MEASLES	2		1			1					1	1											1	1
PURPURA	3			1			1				2							1		_			1	2
PUERPERAL FEVER	4	-	1											1	8							-		4
PYÆMIA	1	i				_										_	1						1	
REMITTENT FEVER							_											_			_			
RHEUMATISM	1		3					_									1				-	-		1
SCARLATINA	26	2	9				8	4	4	5	21	2	3								-		12	14
SMALL POX																					<u> </u>			
SYPHILIS (CONGENITAL)	1	-				1		_	_		1										_			1
SYPHILIS																	;				_		1	
SEPTICÆMIA	3	:	1						1		1			1	1			1	-		-		1	2
Tonsillitis,			1														_				_			
TYPHOID FEVEE	13	:	2			}		1			1		2	2	3	2	1	2					8	5
TYPHUS FEVER																								
WHOOPING COUGH	1		9			1					1										-	1_		1
YELLOW FEVER																								
OTHER ZYMOTIC DISEASES																								
II. CONSTITUTIONAL.																								
CANCER	29	1	9												4	6	15	3	1				10	19
Hydrocephalus and Tuberc. Meningitis	17	1	.6	1	4	3	4		1		13	2		1			1						10	7
Marasmus, Scrofula and Tabes Mesenterica	16	2	4	7	2		3		1		13			1	1			1					6	10
PHTHISIS PULMONALIS	132	15	0	1	2					1	4		7	43	29	18	19	7	4	1			. 67	65
OTHER CONSTITUTIONAL DISEASES .	13	1	7	1		1				1	3		1	2	4		1	1	1				4	9
	-				-		-						-				-		-	-		_	-	



SANITARY STATISTICS OF BOSTON, MASS. JANUARY, 1893.

Wards. Highest Street Grade. Street Grade. Ward 1 86 16 16 17 10 106 17 11 16 14 18 18 16 17 18 18 16 17 18 18 16 17 10 106 17 10 106 17 10 106 17 10 106 17 10 106 17 10 106 17 10 106 17 10 106 17 10 106 17 10 106 17 10 106 17 10 106 17 10 106 17 10 106 17 10 106 17 10 106 17 10 106 17 10 106 107 106 106 106 106 107 106	STREE	T GR	ADES BY	WARDS.
"" 2 64 16 "" 3 74 17 "" 4 108 16 "" 5 68 17 "" 6 55 15 "" 7 48 15 "" 8 42 15 "" 9 106 17 "" 10 106 17 "" 11 31 14 "" 12 31 15 "" 13 31 16 "" 14 71 16 "" 15 95 14 "" 16 24 12 "" 17 18 13 "" 18 18 16 "" 19 60 17	WAR	DS.	STREET	STREET
"" 3 74 17 "" 4 108 16 "" 5 68 17 "" 6 55 15 "" 7 48 15 "" 8 42 15 "" 9 106 17 "" 10 106 17 "" 11 31 14 "" 12 31 15 "" 13 31 16 "" 14 71 16 "" 15 95 14 "" 16 24 12 "" 17 18 13 "" 18 18 16 "" 19 60 17	Ward	1	86	16
" 4 108 16 " 5 68 17 " 6 55 15 " 7 48 15 " 8 42 15 " 9 106 17 " 10 106 17 " 11 31 14 " 12 31 15 " 13 31 16 " 14 71 16 " 15 95 14 " 16 24 12 " 17 18 13 " 18 18 16 " 19 60 17	66	2	64	16
" 5 68 17 " 6 55 15 " 7 48 15 " 8 42 15 " 9 106 17 " 10 106 17 " 11 31 14 " 12 31 15 " 13 31 16 " 14 71 16 " 15 95 14 " 16 24 12 " 17 18 13 " 18 18 16 " 19 60 17	66	3	74	17
" 6 55 15 " 7 48 15 " 8 42 15 " 9 106 17 " 10 106 17 " 11 31 14 " 12 31 15 " 13 31 16 " 14 71 16 " 15 95 14 " 16 24 12 " 17 18 13 " 18 18 16 " 19 60 17	6.6	4	108	16
"" 7 48 15 "" 8 42 15 "" 9 106 17 "" 10 106 17 "" 11 31 14 "" 12 31 15 "" 13 31 16 "" 14 71 16 "" 15 95 14 "" 16 24 12 "" 17 18 13 "" 18 18 16 "" 19 60 17	66	5	68	17
"8 42 15 "9 106 17 "10 106 17 "11 31 14 "12 31 15 "13 31 16 "14 71 16 "15 95 14 "16 24 12 "17 18 13 "18 18 16 "19 60 17	66	6	55	15
" 9 106 17 " 10 106 17 " 11 31 14 " 12 31 15 " 13 31 16 " 14 71 16 " 15 95 14 " 16 24 12 " 17 18 13 " 18 18 16 " 19 60 17	66	7	. 48	15
" 10 106 17 " 11 31 14 " 12 31 15 " 13 31 16 " 14 71 16 " 15 95 14 " 16 24 12 " 17 18 13 " 18 18 16 " 19 60 17	6.6	8	42	15
"10 10 "11 31 14 "12 31 15 "13 31 16 "14 71 16 "15 95 14 "16 24 12 "17 18 13 "18 18 16 "19 60 17		9	106	17
" 12 31 15 " 13 31 16 " 14 71 16 " 15 95 14 " 16 24 12 " 17 18 13 " 18 18 16 " 19 60 17	6.6	10	106	17
" 13 31 16 " 14 71 16 " 15 95 14 " 16 24 12 " 17 18 13 " 18 18 16 " 19 60 17	66	11	31	14
" 14 71 16 " 15 95 14 " 16 24 12 " 17 18 13 " 18 18 16 " 19 60 17	66	12	31	15
15 95 14 16 24 12 17 18 13 18 16 19 10 10 10 11 10	6.6	13	31	16
16 24 12 17 18 13 18 18 16 19 60 17	66	14	71	16
17 18 13 18 18 16 19 60 17		15	95	14
" 18 18 16 16 17	6.	16	24	12
" 19 60 17	. 6	17	18	13
10 10		18	18	16
66 20 116 14	66	19	60	17
20 110 11	66	20	116	14
· 21 149 28	6.	21	149	28
" 22 164 17	66	22	164	17
., 23 301 35	.6	23	301	35
· · 24 165 14		24	165	14
" 25 174 13	6.6	25	174	13

Area of City, 37 Square miles.

" " Acres, 23,707.

Miles of Streets, 558; paved 71.25; macadamized, 204.56; gravel, etc., 282.19.

Area of Parks 1,669 acres; Public Grounds 143 acres.


Number of Dwellings, (including tenement houses), 56,809.

" Tenement Houses, (three or more families), 10,763.

Daily Consumption of Water, 44,500,000 gallons.

Daily Capacity of Water Supply, 60,000,000 "

Storage Reservoirs, 7.





of January, Classified by Cause, Age and Sex.

	for .	For									A	G :	E.									S	EX,
CAUSES OF DEATH. III. LOCAL.	Total Mortality f	Total Mortality f	Under 3 mos.	3 mos. and under 6 mos.	6 mos. and under I year.	1 year and under 2 yrs.	2 years and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	Total under 5 years	5 years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 30 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	Males.	Females.
APOPLEXT	31	34											1	2	8	5	9	3	3			15	16
Bright's Disease	18	13						1		1			1	1	2	2	6	5				10	8
Bronchitis	57	109	10	4	5	10	4	2		35	1					5	4	6	5	1		19	38
HEART DISEASE	85	84	2	1						3	2	3	6	10	14	1ã	13	13	5	1		46	39
MENINGITIS	23	38	1	1	4	4	2	1	2	15	4			2	1	1						15	8
Nephritis	17	24				1				1				2	5	3	3	1	2			7	10
PLEURISY	1	6														1							1
PNEUMONIA	184	240	5	3	14	15	3	1	1	42	7	8	21	20	24	26	18	14	4			98	86
OTHER LOCAL DISEASES	138	135	15	6	ő	1	3	1		31	3	6	11	10	10	22	21	14	10			69	69
IV. DEVELOPMENTAL.																							
CYANOSIS	2	1	1	1						2		-										1	1
INANITION	6	7	5	1						6												3	3
OLD AGE	29	42				-											2	8	14	5		9	20
PREMATURE BIRTH	21	13	18	1	1		1			21												15	6
PUERP'L DISEASES (not including Puerp'l Fever)		3																					
Other Developmental Diseases	23	21	14	2	1	1	1			19					2		2					12	11
V. VIOLENT.																							
ACCIDENTAL	37	26	2				2	1		5	3	2	13	3	3	5	1	1	1			29	8
HOMICIDAL	3	2			1					1			1	1					_			1	2
SUICIDAL	5	4										_	2	1	1				1			4	1
OTHER VIOLENT CAUSES	1	2			-												1						1
Unknown Causes	2	1	2							2						1		1					. 2
TOTAL FROM ALL CAURES	1026	1190	88	28	43	60	31	30	17	297	34	34	110	102	97	126	100	72	47	7		522	504
TOTAL FROM ZAMOTIC DISEASES	156 299	376	3		8	21	15	21	12	80	12	7	7	12	3	5	8	1	1			72	64
Total from Constitutional Diseases	207	226	10	8	4	7		2	2	33	2	8	47	38	24	36	12	6	1			97	110
" " Local do	554	683	33	15	28	31	12	6	3	128	17	17	40	47	64	80	74	56	29	2		279	275
" " DEVELOPMENTAL do	81	87	38	5	2	1	2			48					2		4	8	14	5		40	41
" " VIOLENT CAUSES	46	34	2		1		2	1		6	3	2	16	5	4	5	2	1	2			34	12

Comparative Statement of Cases of Contagious Disease reported to the Board of Health for the month of January, 1893, and for the corresponding month in 1892.

CASES REPORTED DURIN	IG JANUAI	RY, 1893.	CASES REPORTED DURING	3 JANUAR	Y, 1892.
	City.	Quarantine.		City.	Quarantine.
Diphtheria	152		Diphtheria	102	
Measles	437		Measles	48	****
Smail Pox			Small Pox	****	****
Scarlatina	282		Scarlatina	290	
Typhoid Fever	34	1	Typhoid Fever	25	
Typaus Fever	****	· · · · ·	Typhus Fever		****
Yellow Fever	****	***	Yellow Fever		****

METEOROLOGICAL OBSERVATIONS TAKEN AT THE U. S. WEATHER BUREAU OFFICE, BOSTON.

For the month of January, 1893, as reported by J. W. SMITH, Observer and Local Forecast Official.

	DAILY MEAN	DAILY MEAN	DAILY MEAN	PREVAILING	DAILY		
DATE.	BAROMETER.	TEMPERATURE.	HUMIDITY.	DIRECTION OF WIND.	RAIN FALL.	GENERA	I. ITEMS.
1	29.86	32	80	EW.	0.20	Mean Barometer, 29.93.	
2	29.27	44	70	w.	.80	Highest Barometer, 30.58, on the 28th Lowest Barometer, 29.11, on the 10th	
						Monthly Range of Barometer, 1.47.	
3	29.66	26	50 -	W.	.00	Mean Temperature, 20.7.	
4	29.80	14	58	W.	.00	Highest Temperature, 53.0, on the 2d	
5	29.65	22	90	N.E.	0.20	Lowest Temperature, — 4.0, on the 1 Monthly Range of Temperature, 57.0	
6	29.48	16	68	N.	0.50	Greatest Daily Range of Temperatur	
- 7	29.88	18	57	w.	.00	Least Daily Range of Temperature,	
8	29.85	14	50	N.W.	.00	Mean Daily Range of Temperature, Mean Daily Dew-point, 12.0.	14.5.
9	29.56	18	90	S.E.	0.16	Mean Daily Relative Humidity, 71.0.	
	29.19	18	82	w.	0.26	Prevailing Direction of Wind, W.	
	.1					Total Movement of Wind, 8,620 Miles Highest Velocity of Wind and Direct	
11	29.74	4	74	W.	.00	Number of Foggy Days, 0.	. ,
12	29.64	. 7	76	W.	T	Number of Clear Days, 11.	
18	29.57	. 12	57	N.W.	Т	Number of Fair Days, 9. Number of Cloudy Days, 11.	
14	30.02	14	56	W.	.00	Total Number of Days on which Rais	n or Snow fell, 17.
15	29.86	14	90	N.W.	0.10	Depth of unmelted Snow on ground	at end of month, 3.
16	30.12	10	70	W.	0.02	Dates of Auroras. Dates of Solar Halos.	
17	30,32	10	74	N.W.	т	Dates of Lunar Halos, 30th.	
18	30,34	12	70	N.W.	.00	Thunder storm,	Dates of Frosts,
		18	84	N.W.	.00	Mean Max. Temp., 28.1. COMPARATIVE TEMPERATURE.	Mean Min. Temp., 13.3. Comparative Precipitations.
19	29.96			W.	.00	1871 26	Inches.
20	29.88	17	66			1872	1871 0.92 1872 2.11
21	30.07	17	57	W.	.00	1873	1873 5.76
22	30.22	18	58	N.W.	.00	1875 20	1874 4.32
23	30.12	23	86	S.	0.01	1876	1875 3.68 1876 1.87
24	30.12	32	84	s.w.	Т	1877 23	1877 3.33
25	29.98	36	78	W.	0.07	1879 24	1878 7.60 1879 2.79
26	30.11	32	63	W.	.00	1880	1880 3.72
2"	30.34	28	48	N.W.	.00	1882 26	1881 7.21 1882 3.68
28	30.54	19	92	N.W.	Т	1880	1883 3.59
29	30.09	32	96	N.W.	0.23	1885 27	1884 6,27 1885 5,33
80	30,25	34	51	W.	.00	1886	1886 7.08
31	30.34	30	68	N.W.	.01	1888 20	1887 4.86
-						1889	1888 2.26 1889 4.11
TOTALS	_	_	_	-	_	1890	1890 2,00
						1892 28	1891 4.39 1892 4.62
MEANS	29.93	20.7	71.0	W.	2,56	1893 21	1893 2.56

Statement of Deaths for the month of February, 1893.

With an enumeration of the more prominent causes; accompanied by an abstract of Meteorological Observations.

Published by order of the Board of Health.

SAMUEL H. DURGIN, M.D.,

Chairman.

0/6/19

Deaths during the month of February, 1893, Population estimated at 469,647.	Rate per 1,000 inhabitants, 23.22
Total number	NATIVITY.
SEX.	United States 615
Males 479	Ireland
Females	England
CONDITION.	Scotland 6
Married	Germany
	British America
Single	Italy
Widows	Other Countries
Widowers	Unknown
Unknown	PARENTAGE.
COLOR.	United States
White	Irish
Colored	English
Colored T. C.	Scotch
	German
Under 1 year 189	British American 64
Total deaths of children Under 2 years 249	Italian
Under 5 years 303	Other Countries
Charles years , . 500	Mixed
Under 1 year	Unknown
Under 2 years	Ulikilowii
Under 5 years	
(All ages 3	Still-births during the month 49

	for 33.	for 2.									A	. G	E.									SI	EX.
CAUSES OF DEATH.	Total Mortality for February, 1893.	otal Mortality f February, 1892.	Under 3 mos.	3 mos. and under 6 mos.	6 months and under I year.	1 year and under 2 yrs.	2 years and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	Total under 5 years.	5 years and under 10 yrs.	der 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	der 50 yrs.	50 years and under 60 yrs.	80 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	years and over.	e8.	Femules.
I. ZYMOTICS.	Tote	Total	Unc	3 m	du 9	1 ye	2 ye	3 ye	4 ye	Tota	o ye	10 y	20 y un	30 y	40 y	an nu	80 y	70 y	80 y un	90 y	100	Males.	Fen
ALCOHOLISM	7	4											1	3	2		1					5	2
CROUP	9	6				5	1		2	8		1										3	6
CARBUNCLE																							
CHOLERA MORBUS																_							
CHOLERA INFANTUM	1	1		1						1												1	
CEREBRO-SPINAL MENINGITIS	2	3		1						1			1									1	1
Congestive Fever																							
DIARRHŒA	2					-				, à							2					2	
DYSENTERY		1																					
DIPHTHERIA	32	31		1	1	8	9	2	3	24	6	1			1							23	9
ERYSIPELAS	5	3											2				2	1				3	2
INTERMITTENT FEVER																							
INPLUENZA	2	16						1		1									1			1	1
Measles	3			1	1	1				3												1	2
PURPURA		1																					
PUERPERAL FEVER	4	3											2	1	1								4
Ружміа	4		1	-						1			1	1	1								4
REMITTENT FEVER				-		_																	
RHEUMATISM	2	4													1			1	_			1	1
SCARLATINA	22	20	-		2	4	1	4	4	15	5	2						- !	-,			15	7
SMALL POX																							
Syphilis (Congenital)	3		1	1		1			-	3												1	2
SYPHILIS		- 1															-						-
SEPTICÆMIA	5	3	-	-									1	3			1					-	5
Tonsillitis,		-																					
Typhoid Fevee	9	5	-									1	4	2	2				-			4	5
Typhus Fever												-								-			
WHOOPING COUGH	2	8		1				1		2					-			- 1				1	1
YELLOW FEVER			-												100000								
OTHER ZYMOTIC DISEASES	1													-	1	[-	**.	-		1	
												-									-1		
															- 1							1	
																		- 1				1	
II. CONSTITUTIONAL.					1																		
CANCER	23	17												2	3	11	6	1			-	6	17
LYDROCEPHALUS AND TUBERC. MENINGITIS	18	13		2	2	5	2	-	1	13	1	1	2	-1		1	-					10	8
MARASMUS, SCROPULA AND TABES MESENTERICA	14	13	6	3	3	1				13	-	1					-			-	-	6	8
PHTHISIS PULMONALIS	96	93			-	2	-	-		2	1		29	37	11	8	1	97		-		52	44
							-							-						-			-
OTHER CONSTITUTIONAL DISEASES .	18	14				1	1			2	2		3	3	2	2	3	1		1		10	8



SANITARY STATISTICS OF BOSTON, MASS. FEBRUARY, 1893.

STREET GRA	ADES BY	WARDS.
WARDS.	HIGHEST STREET GRADE.	Lowest Street Grade.
Ward 1	86	16
66 2	64	16
, , 3	74	17
" 4.	108	16
. 5	68	17
** 6	55	15
66 7	48	15
8	42	15
9	106	17
" 10	106	17
" 11	31	14
" 12	31	15
" 13	31	16
66 14	71	16
" 15	95	14
" 16	24	12
17	18	13
18	18	16
. " 19	60	17
" 20	116	14
·· 21	149	- 28
22	164	17
16 23	301	35
" 24	165	14
" 25	- 174	13

Area of City, 37 Square miles.

" " Acres, 23,707.

Miles of Streets, 558; paved 71.25; macadamized, 204.56; gravel, etc., 282.19.

Area of Parks 1,669 acres; Public Grounds 143 acres.


Number of Dwellings, (including tenement houses), 56,809.

" Tenement Houses, (three or more families), 10,763.

Daily Consumption of Water, 44,500,000 gallons.

Daily Capacity of Water Supply, 60,000,000 "

Storage Reservoirs, 7.





of February, Classified by Cause, Age and Sex.

	for 3.	for 2.						`		-	A	G:	E.									81	EX,
CAUSES OF DEATH.	Total Mortality for February, 1893.	Total Mortality for February, 1892.	Under 3 mos.	3 mos. and under 6 mos.	6 mos. and under 1 year.	1 year and under 2 yrs.	2 years and under 3 yrs.	Sycans and under 4 yrs.	4 years and under 5 yrs.	Total under	5 years and under 10 yrs.	201	200	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 50 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	Mules.	Репп ек.
	30	30	1		1		=	=		2	-	=	1	1	4	4	4	9	5	-		19	11
APOPLEXT	19	7			-		-	-		-	1	2	1	2	5	2	5	1		-	-	12	7
Bright's Disease	57	66	9	13	7	4	8	1		37			1	2	2	4	4	6	1			29	28
BRONCHITIS	70	75	1 1	1		1	-			3	2	6	4	11	8	16	- 8	11				37	33
HEART DISEASE	28	23	1	2	4	11	5	-		23	1	2		1	1	-					-	15	13
MENINGITIS	24	1 17			-		1		-	1	-	1	4	2	7	3	1	3	2			14	10
NEPHRITIS	1	3		! :			-						-	-	-	-	_	1					1
PLEURIST	159	120	1 10	6	15	15	3	3	1	53	4	2	11	21	19	17	13	13	6			89	70
PNEUMONIA	117	118	19	7	5			2	2	35	1	5	12	6	11	9	19	11		2		57	60
OTHER LOCAL DISEASES			-	-						-00	-		12			-	19		-	-			
IV. DEVELOPMENTAL.																							
CYANOSIS	2	1	2							2												2	
INANITION	13	5	12					~~		12					1							3	10
OLD AGE	18	18					_										1	5	8	4		5	13
PREMATURE BIRTH	17	17	17							17												6	11
PUERP'L DISEASES (not including Puerp'l Fever)		1																		-			
OTHER DEVELOPMENTAL DISEASES	34	13	22	1	1					24		1	1		1	1	2	2	1	1		17	17
V. VIOLENT.																i							
Accidental	27	28	2			1		1		4	1	1	9	4	3	2	1	1	1			19	8
Homicidal	1	1											1									1	
SUICIDAL	6	8											1	1	1	2		1				6	
OTHER VIOLENT CAUSES	1	1											1										1
Unenown Causes	1	1		1						1						_						1	
TOTAL FROM ALL CAUSES	909		105	42	42	60	26	15	13 3	303	25	32	93 1	.03	88	82	74	70	32	7		479	430
TOTAL FROM ZYMOTIC DISEASES INCLUDING TUBERCULAR DISEASES	267	251	2	6	4	19	11	8	9	59	11	5	12	10	9		6	2	1			63	52
TOTAL FROM CONSTITUTIONAL DISEASES	169	150	7	5	5	9	3		1	30	4	7	34	42	16	22	10	4			11	84	85
" " LOCAL do	505	459	41	29	32	31	12	6	3	154	9	18	34	46	57	55	54	55	21	2	- 11	272	233
	84	55	53	1	1					55		1	1		2	1	3	7	9	5	11	33	51
" " DEVELOPMENTAL do	84	99	00	-	-		- 1	1		99		-	-		-		-	. 1	0	0	- 11	00	0.1,

Comparative Statement of Cases of Contagious Disease reported to the Board of Health for the month of February, 1893, and for the corresponding month in 1892.

CASES REPORTED DURIN	G FEBRUA	.RY, 1893.	CASES REPORTED DURING	FEBRUA	RY, 1892.
	City.	Quarantine.		City.	Quarantine
Diphtheria	115		Diphtheria	108	
Measles	551		Measles	92	1
Small Pox	****		Small Pox	****	
Scarlatina	193		Scarlatina	291	1
Typhoid Fever	17		Typhoid Fever	23	
Typhus Fever			Typhus Fever		****
Yellow Fever	****		Yellow Fever	****	

METEOROLOGICAL OBSERVATIONS TAKEN AT THE U. S. WEATHER BUREAU OFFICE, BOSTON.

For the month of February, 1893, as reported by J. W. SMITH, Observer and Local Forecast Official.

DATE.	DAILY MEAN BAROMETER.	Daily Mean Temperature.	DAILY MEAN HUMIDITY.	PREVAILING DIRECTION OF WIND.	DAILT RAIN FALL.	GENERA	AL ITEMS.
1	30.36	26	92	N.W.	0.01	Mean Barometer, 30.07.	
2	30.35	29	62	N.W.	0.17	Highest Barometer, 30.79, on the 9th Lowest Barometer, 28.90, on the 22d	
						Monthly Range of Barometer, 1.89.	•
8	30.11	26	91	N.	0.29	Mean Temperature, 26.8.	
4	30.50	14	42	N.W.	.00	Highest Temperature, 53.0, on the 15	
5	30.74	10	54	N.W.	.00	Lowest Temperature, — 1.0, on the a	
6	30.21	29	90	g.	0.15	Greatest Daily Range of Temperature, 32.0	
- 4	30.04	36	70	w.	0.20	Least Daily Range of Temperature,	
,				N.W.		Mean Daily Range of Temperature,	15.5.
В	30.62	16	58		.00	Mean Daily Dew-point, 18.4. Mean Daily Relative Humidity, 73.0.	
9	30.65	26	65	S.	.00	Prevailing Direction of Wind, W.	
10	29.79	40	82	S.	0.92	Total Movement of Wind, 9,476 Mile	
11	30.13	37	70	w.	.00	Highest Velocity of Wind and Direc	tion, 45 miles W. on the 20th.
12	1 30.59	28	64	E.	.00	Number of Foggy Days, 0. Number of Clear Days, 8.	
18	30,30	32	92	N.E.	1.13	Number of Fair Days, 6.	
						Number of Cloudy Days, 14.	
14	30.24	38	72	N.	0.28	Total Number of Days on which Rai Depth of unmelted Snow on ground	
15	29.84	46	66	s.w.	.00	Dates of Auroras, 15th.	at end of motion, 15.
16	30.00	36	71	W.	T	Dates of Solar Halos.	
17	30.26	14	71	N.	T	Dates of Lunar Halos, 4th, 5th.	D. C. C.
18	29.58	21	93	N.	0.87	Thunder storm, Mean Max. Temp., 34.6.	Dates of Frosts, Mean Min. Temp., 19.1.
19	29.50	22	78	w.	0.04	COMPARATIVE TEMPERATURE.	COMPARATIVE PRECIPITATIONS.
20	29.28	22	70	W.	0.24	1871 29	Inches.
						1872	1871 2.63
21	30.02	14	50	W.	.00	1878	1873 3.21
22	29.24	28	87	N.W.	1.40	1875	1874 3.41
23	29.72	28	67	W.	T	1876	1875 3.74 1876 4.54
24	29.55	26	76	W.	0.18	1877	1877 0.45
25	29.84	26	82	W.	0.15	1879 24	1878 4.40
26	30.05	30	81	N.W.	0.15	1880 32	1879 4.35
2"		26	58	W.	.00	1881	1881 4.89
	80.27					1883	1882 4.77
28	30.25	26	76	N.W.	0.04	1884 31	1883 2.74
						1885 20	1884 5.74
						1886	1886 7.04
	1					1888 28	1887 3.69
						1889	1888 2.36 1889 1.54
TALS	_	_	_	_	6.22	1890	1890 2.29
						1892	1891 3.66
SANS	30.07	26.8	73.0	W.	,222	1893 27	1892 2.15 1893 6.22

Statement of Deaths for the month of March, 1893.

With an enumeration of the more prominent causes; accompanied by an abstract of Meteorological Observations.

Published by order of the Board of Health.

SAMUEL H. DURGIN, M.D.,

Chairman.

Deaths during the month of March, 1893,	
Population estimated at 469,647.	Rate per 1,000 inhabitants, 26.41
Total number	NATIVITY.
SEX.	United States
Males	Ireland
Females	England
CONDITION,	Scotland
Married	Germany
	British America 67
Single	Italy
Widows	Other Countries
Widowers	Unknown
Unknown	PARENTAGE.
COLOR.	United States
White	Irish
Colored	English
	Scotch
(German
Under 1 year 179	British American 60
Total deaths of children Under 2 years 237	Italian
Under 5 years 309	Other Countries
(**)	Mixed
Under 1 year — Under 2 years —	Unknown
Under 5 years —	
(All ages —	Still-births during the month

	for	for	1			-					A	Gł:	E.	-				-				SE	X.
CAUSES OF DEATH.	Total Mortality March, 1893.	Fotal Mortality March 1892.	Under 3 mos.	mos. and under 6 mos.	nonths and	1 year and under 2 yrs.	years and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	Total under 5 years.	o years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	o years and over.	Mules.	Fennles.
1. ZYMOTICS.	'I'o	T.	5	3,1	un g	1 a	22	3.5	4 3	Tol	n	01 n						07	08	90 In	10		
ALCOHOLISM	12	9											1	2	5	1	2	1				11	1
CROUP	9	5	-		1	1	-8 	2	2	9												7	
Carbuncle		1																					
CHOLERA MORBUS																							
CHOLERA INFANTUM																						-	
CEREBRO-SPINAL MENINGITIS																							
Congestive Fever																							
Diarrhœa		6											-										
DYSENTERY		1																					
DIPHTHERIA	31	35	11		2	8	8	5	4	27	3		1									16	15
ERYSIPELAS	6	7	3							3				1			2					5	1
INTERMITTENT FEVER																							
Inpluenza	5	7														1	1	1	2				5
MEASLES	4	2			1	2				3		1										1	3
PURPURA	1																	1				1	
l'uerperal Fever	2	4						1					1	1									2
PYÆMIA	1	1														1						1	
REMITTENT FEVER	1													1									1
RHEUMATISM	1	5											1				1					1	
SCARLATINA	22	28			2	3	3	4	1	13	4	1	3				1 -					10	12
SMALL POX												1			!								
SYPHILIS (CONGENITAL)	5	2	4			1				5												1	4
SYPHILIS			1		1																		
SEPTICÆMIA	8	4				1				1			1	3	2		1					2	6
Tonshlates		1																					
TYPHOID FEVER	6	7			-			1		1		1			1	2	1					ā	1
Typhus Fever																							
WHOOPING COUGH	2	6	1		-	1				2													2
YELLOW FEVER					-								-										
OTHER ZYMOTIC DISEASES		2					-					_		-									
					1																		
			-																				
		1						1															
II. CONSTITUTIONAL.	1		H							1													
CANCER	26	20	11 -					1					1	5	3	7	7	2	1			9	17
Hydrocephalus and Tuberc, Meningitis	21	26	4	2	2	3	1	2	1	15	1	1	2	1	1							9	12
Marasmus, Scrofula and Tabes Mesenterica		24	6		2		1	-		16							1	_				8	9
PRITHIBIS PULMONALIS	126	114			2		1		1	4		16	32	36	22	9	7					60	66
	-								1	7	2	4	1	3	5	1		2				17	12
OTHER CONSTITUTIONAL DISEASES .	29	22	1		1	2	2	1	1	1	i z	4	1 1	0	9	1	1 1/2	4					

LARY OF ALLOHOUS OF FOLLOW, MADE.

THE SEC TO STA

Fereil Community (Community Community Communit

. I. I. a sea can a toronomy promotily one off a company and I produce the company and I produce the company and I produce the company and the

SANITARY STATISTICS OF BOSTON, MASS. MARCH, 1893.

STREET GRA	DES BY V	VARDS.
WARDS.	HIGHEST STREET GRADE.	Lowest Street Grade.
Ward 1	86	16
. 2	64	16
" 3	74	17
" 4	108	16
5	68	17
" 6	55	15
7	48	15
8	42	15
- 6 9	106	17
" 10	106	17
" 11	31	14
" 12	31	15
" 13	31	16
" 14	71	16
" 15	95	14
·· 16	24	12
17	18	13
., 18	18	16
" 19	60	17
" 20	116	14
·· 21	149	28
· · 22	164	17
23	301	35
24	165	14
25	174	13

Area of City, 37 Square miles.

" " Acres, 23,707.

Miles of Streets, 558; paved 71.25; macadamized, 204.56; gravel, etc., 282.19.

Area of Parks 1,669 acres; Public Grounds 143 acres.


Number of Dwellings, (including tenement houses), 56,809.

" Tenement Houses, (three or more families), 10,763.

Daily Consumption of Water, 44,500,000 gallons.

Daily Capacity of Water Supply, 60,000,000 "

Storage Reservoirs, 7.





of March, Classified by Cause, Age and Sex.

	for	for	1								A	G:	E.									8:	EX.
CAUSES OF DEATH.	Total Mortality March, 1893.	Total Mortality March, 1892.	Under 3 mos.	3 mos. and under 6 mos.	6 mos, and under 1 year.	1 year and under 2 yrs.	2 years and under 3 yrs.	S years and under 4 yrs.	4 years and under 5 yrs.	Total under	5 years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	Males.	Females.
APOPLEXT	27	37	1		1	1				3				3	4	6	5	4	1	1		11	16
BRIGHT'S DISEASE	23	16						1		1		2	1	2	4	2	8	8				9	14
Bronchitis	62	55	7	8	8	6	4	2		35		-	3	2	3	5	3	5	5	1		26	36
HEART DISEASE	74	112	2		_					2	1	4	2	10	13	13	13	13	2	1		33	41
MENINGITIS	38	34	4	6	4	6	3	1	3	26		2	3	4	-	1	1	1		-		16	22
NEPHRITIS	16	26										1	1		3	5	2	3	1			10	€
PLEURISY	1	1 5					-								1			1			1		1
PNEUMONIA ,	192	119	7	10	13	19	3		2	54	2	2	15	23	28	23	21	19	5			120	72
Other Local Diseases	134	125	16	5	10	2	1	,1	4	39	4	2	12	18	20	11	16	8	3	1		63	71
IV. DEVELOPMENTAL.																							
Cyanosts	5	3	4					1		5												1	4
INANITION	9	12	6	1	1	1				9												2	7
OLD AGE	27	27		İ													1	12	11	3		8	19
PREMATURE BIRTH	8	17	8						!	8												2	6
PUERP'L DISEASES (not including Puerp'l Fever)	4	2	11							-			1	3									4
OTHER DEVELOPMENTAL DISEASES .	18	29	12			1	1			14					1		1	2				12	6
V. VIOLENT.		[
ACCIDENTAL	48	27	2				1	1		4	8	3	12	7	3	7	4	3	2			32	16
Homicidal		2								1			1										*2
SUICIDAL	8	5											3	2		1	2					6	2
OTHER VIOLENT CAUSES																							
UNKNOWN CAUSES	3	2	1	1						2						}	1					2	1
TOTAL FROM ALL CAUSES	1034	995	90	40	49	5S	32	21	19	309	20	40	97	127	119	96	106	80	33	7		517	517
TOTAL FROM ZYMOTIC DISEASES	316	133 323	. 8		6	17	14	12	7	64	7	3	7	8	8	5	9	3	2			61	55
Total From Constitutional Diseases	219	206	11	9	6	ô	5	3	3	42	3	21	36	45	31	17	19	4	1			103	116
" " LOCAL do	567	529	37	29	36	34	11	4	9	160	7	13	37	62	76	66	69	56	17	4		288	279
" " DEVELOPMENTAL do	71	90	30	1	1	2	1	1		36			1	3	1	-	2	14	11	3		25	46
" " VIOLENT CAUSES	58	35	3				1	1		5	3	3	16	9	3	8	6	3	2			38	20

Comparative Statement of Cases of Contagious Disease reported to the Board of Health for the month of March, 1893, and for the corresponding month in 1892.

CASES REPORTED DURI	NG MARCI	H, 1893.	CASES REPORTED DURIN	IG MARCH	t, 1892.
	City.	Quarantine.	- Longe	City.	Quarantine
Diphtheria	116		Diphtheria	114	
Measles	648		Measles	86	1 1
Small Pox			Small Pox		
Scarlatina	228		Scarlatina	447	
Typhoid Fever	24		Typhoid Fever	24	
Typhus Fever	****		Typhus Fever		****
Yellow Fever			Yellow Fever		

METEOROLOGICAL OBSERVATIONS TAKEN AT THE WEATHER BUREAU STATION. BOSTON.

For the month of March, 1893, as reported by J. WARREN SMITH, Observer, Weather Bureau.

=							
DATE.	DAILY MEAN	DAILY MEAN	DAILY MEAN	PREVAILING DIRECTION	DAILY	(1777)	L ITEMS.
DATE.	BAROMETER.	TEMPERATURE.	HUMIDITY.	of Wind.	RAIN FALL.	GENERA	I, ITEMS.
1	29.85	36	70	N.W.	0.80	Mean Barometer, 30.04.	
2	29.85	29	50	w.	.00	Highest Barometer, 30.57, on the 29th Lowest Barometer, 29.45, on the 4th.	
2	29,81	28	70	s.w.	т	Monthly Range of Barometer, 1.12.	
,	29.46	28	75	N.	0,09	Mean Temperature, 33.8.	a.L.
+						Highest Temperature, 58.0, on the 24 Lowest Temperature, - 13.0, on the	
5	29.80	17	50	W.	.00	Monthly Range of Temperature, 45.0.	
6	30.05	23	56	W.	.00	Greatest Daily Range of Temperatur	
- 7	29.89	36	66	s.w.	.00	Least Daily Range of Temperature, 2	
8	30.04	38	58	N.W.	.00	Mean Daily Dew-point, 24.8.	
9	29.77	39	96	N.E.	1.21	Mean Daily Relative Humidity, 70.4.	
10	30.32	35	84	N.E.	0.05	Prevailing Direction of Wind, W. 26 Total Movement of Wind, 9,807 Miles	
11	29.76	36	96	E.	.00	Highest Velocity of Wind and Direct	
				W.		Number of Foggy Days, 0.	
12	29.80	41	94		0.21	Number of Clear Days, 11. Number of Fair Days, 8.	
13	29.96	45	68	N.W.	.00	Number of Cloudy Days, 12.	
14	29.96	42	84	E.	.00	Total Number of Days on which Rain	
15	29.62	32	79	W.	0.78	Depth of unmelted Snow on ground Dates of Auroras, 0.	at end of month, 0.
16	30.03	20	52	W.	.00	Dates of Solar Halos, 27th.	
17	30.18	28	50	w.	.00	Dates of Lunar Halos, 7th, 25th, 31st.	
18	30.06	32	50	N.W.	.00	Thunder storm, 15th. Mean Max. Temp., 40.2.	Dates of Frosts, Mean Min. Temp., 27.3.
19	30.26	22	71	E. & N.W.	Т	Comparative Temperature.	COMPARATIVE PRECIPITATIONS.
20	30.41	28	54	N.W.	.00	1871	Inches. 1871 4.55
21	30.12	38	79	s.w.	0.03	1873	1872 4.05
2:2	30.34	38	79	N.W.	т	1874	1873 3.76
21		30		Е.	0.06	1875	1874 1.60 1875 5.04
	30.48		86			1877	1876 7.19
24	29.81	44	98	s.w.	0.07	1878 39	1877 9.79
25	29.90	48	82	W.	Т	1879	1879 3.90
26	30.14	36	76	N.E.	.00	1881	1880 3,25
27	30.20	33	69	E.	.00	1882 35	1881 9.86 1882 3.35
28 .	30.36	30	60	N.	т	1883 31	1883 2.33
29	80.54	32	58	E.	.00	1885 28	1884 4.86
30	80.08	41	71	8.W.	т	1886 34	1885 1.15 1886 3,20
81	29,83	42	56	w.	т	1887	1887 3.86
	20,01		-			1889	1888 3.32
TOTALS					2.80	1890	1889 1.19 1890 5.88
LUIALS			_		4.00	1891	1891 3.94
35 11 12 12	20.04	99.0	70.4	307	000	1693	1892
MEANS	30.04	33.8	70.4	W.	.090		1893 2.80

Statement of Deaths for the month of April, 1893.

With an enumeration of the more prominent causes; accompanied by an abstract of Meteorological Observations.

Published by order of the Board of Health.

SAMUEL H. DURGIN, M.D.,

Chairman.

Deaths during the month of April, 1893, Population estimated at 469,647.	Rate per 1,000 inhabitants, 27.21
Total number	NATIVITY.
SEX.	United States
Males	Ireland
Females	England
CONDITION.	Scotland
Married	Germany
	British America
Single	Italy
Widows	Other Countries
Widowers	Unknown
Unknown	PARENTAGE.
COLOR.	United States
White	Irish
Colored	English
	Scotch
	German
Under 1 year 149	British American
otal deaths of children Under 2 years 200	Italian
Under 5 years	Other Countries
(**	Mixed
Under 1 year	Unknown
Diarrhœal diseases Under 5 years	
All ages	Still-births during the month

	for	for	1								Ā	G	Ē.									SI	EX.
CAUSES OF DEATH.	Total Mortality for April, 1895.	Total Mortality April, 1892.	Under 8 mos.	8 mos. and under 6 mos.	months and under I year.	1 year and under 2 yrs.	2 years and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	Total under 5 years.	o years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	Males.	Females.
I. ZYMOTICS.	Tol	To	5	3 n	6 n	l y	2 y	3 y	4 7	Tot	y č	10 m	20 n	30	40 ur	50 ur	90 ar	70 In	80 ur	06 nu	100	Ma	Fe
ALCOHOLISM	10	7									-		1	2	3	2	1	1				7	3
CROUP	4	5			1	1	2			4						_		_				2	2
Carbuncle	1	1														_			1				1
CHOLERA MORBUS		1																					
CHOLERA INFANTUM	4	2	2		2					4												3	1
CEREBRO-SPINAL MENINGITIS	2	1				1				1			1									1	1
Congestive Fever																							
Diarrhœa	3	1													1	1		1					3
DYSENTERY		1																					
DIPHTHERIA	27	52			1	3	9	4	5	22	4	1										11	16
ERYSIPELAS	11	3	2	1					1	4			2	1	2	2						7	4
INTERMITTENT FEVER	1															1						1	
INPLUENZA	15	3												2	2	2	3	2	8	1		3	12
Measles	2	1				1	1			2												1	1
PURPURA		1		_																			
PUERPERAL FEVER	3	6		-										3									3
Ружміа	2		1							1			1									1	1
REMITTENT FEVER																							
RHEUMATISM	7	4		-								2	1	1	1	1		1				5	2
SCARLATINA	25	25			1	3	8	3	2	17	5	1	2	_				-	_			15	10
SMALL POX																							
STPHILIS (CONGENITAL)	3	5	2	1				-		3								-				2	1
Syphilis	4							-					2	2								1	3
Septicæmia	3		_		_					-				2	1	_						1	2
Tonsillitis,	1					1				1							-						1
TYPHOID FEVER	10	7			1				—i	1		2	3	2	1	1						6	4
Typhus Fever			-		-		_				-	_								-			
WHOOPING COUGH	1	3	-		1					1											-		1
YELLOW FEVER			-		-			—i			-				-								
OTHER ZYMOTIC DISEASES		1	-				i																
			_							_									-	-			
													1										
II, CONSTITUTIONAL.																							
CANCER	23	33							-					3	-6	2	8	3	1	-		7	16
Hydrocephalus and Tuberc. Meningitis	17	15	1		-	-	-	2		10				0		4	0	0	1			8	9
MARASMUS, SOROFULA AND TABES MESENTERICA	18		1	2	2	4	1			12	2	2	1	_	_					_	-	4	14
		27	9	2	2	2	1			16			-	1	1								
PHTHISIS PULMONALIS	141	135					1	1	1	3	3	13	51	32	22	6	7	2	2			72	69
OTHER CONSTITUTIONAL DISEASES .	20	25		2	1	1				4	2	1	6	3	2	2						8	12



SANITARY STATISTICS OF BOSTON, MASS. APRIL, 1893.

STREET GRA	ADES BY	WARDS.
WARDS.	HIGHEST STREET GRADE.	Lowest Street Grade.
Ward 1	. 86	16
· · 2	64	16
" 3	74 -	17
66 4	108	16
،، 5	68	17
" 6	55	15
7	48	15
" 8	42	15
9	106	17
" 10	_106	17
" 11	31	14
" 12	31	15
" 13	31	16
" 14	71	16
" 15	95	14
· 16	24	12
17	. 18	13
18	18	16
" 19	60	17
" 20	116	T4
· · · 21	149	28
" 22	164	17
٠، 23	301	35
" 24	165	14
" 25	174	13

Area of City, 37 Square miles.

" " Acres, 23,707.

Miles of Streets, 558; paved 71.25; macadamized, 204.56; gravel, etc., 282.19.

Area of Parks 1,669 acres; Public Grounds 143 acres.


Number of Dwellings, (including tenement houses), 56,809.

" Tenement Houses, (three or more families), 10,763.

Daily Consumption of Water, 44,500,000 gallons.

Daily Capacity of Water Supply, 60,000,000 "

Storage Reservoirs, 7.





of April, Classified by Cause, Age and Sex.

	- Lo	lor.	11								A	G	E.									8:	EX,
CAUSES OF DEATH.	Total Mortality April, 1893.	Total Mortality April, 1892.	Under 8 mos.	3 mos. and under 6 mos.	6 mos. and under 1 year.	1 year and under 2 yrs.	2 years and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	Total under	5 years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	Males.	Fenules.
APOPLEXT	38	16							1	1				2	2	10	7	9	7			18	20
BRIGHT'S DISEASE	7	:0				-		-			-	_	2	1	1		1	1	1			2	5
Bronchitis	62	51	4	8	11	7	3	1		34	1		2	-	3	7	8	3	4			31	31
HEART DISEASE	58	90	1		-	1		-		2		2	5	7	13	4	13	11		1		26	32
Meningitis	39	27	1	2	7	9	1	1		21	2	2	2	6	1	2	1	2	_			31	8
Nephritis	20	12					_	1	·	1	1	1	1		2	6	5	2	1			11	9
PLEURISY		1																					
PNEUMONIA	240	102	E	5	6	11	7	8	1	44	4	4	17	35	45	38	27	18	7		1	142	98
OTHER LOCAL DISEASES	139	132	19	6	8	5	4	2		44	4	6	13	15	13	13	13	14	3	1		69	70
																		3.					
IV. DEVELOPMENTAL.																							
CYANOSIS	1	1	1							1							_			_		1	
INANITION	7	15	4	1	1					6						1						2	5
OLD AGE	28	24														2	3	10	12	1		11	17
PREMATURE BIRTH	11	13	11							11												8	3
PUERP'L DISEASES (not including Puerp'l Fever)	3	3											2	1									3
OTHER DEVELOPMENTAL DISEASES	16	21	7							7			1			3		5				11	ō
V. VIOLENT.																							
ACCIDENTAL	27	29				1	2	1		+	2	5	7	4	3		1	1				18	9
Homicidal	1	2															1						1
SUICIDAL	6	10											2	1	2	1						3	3
OTHER VIOLENT CAUSES	1	1	1							1												1	
Unknown Causes	3	3			2					2					1							2	1
TOTAL FROM ALL CAUSES	1065	938	72	30	47	51	40	24	11 2	75	30	42 1	125 1	26 1	28 1	107	99	86	42	4	1	550	512
TOTAL FROM ZYMOTIC DISEASES	- 139 353	130 321	7	2	7 1	10	20	7	8	61	9	6	13	15	11	10 ,	4	5	+ 1	1)	67	72
TOTAL FROM CONSTITUTIONAL DISEASES	219	235	10	6	5	7	3	3	1	35	7	16	58	39	31	10	15	5	3			99	120
" " LOCAL do	603	451	31	21	32	33	15	13	2	147	12	15	42	66	80	80	75	60	23	2	1	330	273
" DEVELOPMENTAL do	66	77	23	1	1					25			3	1		6	3	15	12	1		33	33
" " VIOLENT CAUSES	35	42	1			1	2	1		5	2	5	9	5	5	1	2	1,				22	13
	-				-											-							-

Comparative Statement of Cases of Contagious Disease reported to the Board of Health for the month of April, 1893, and for the corresponding month in 1892.

CASES REPORTED DUR	ING APRII	J, 1893.	CASES REPORTED DURI	NG APRIL	, 1892.
	City.	Quarantine.		City.	Quarantine
Diphtheria	70		Diphtheria	135	
Measles	684		Measles	124	1
Small Pox		1	Small Pox		
Scarlatina	245	****	Scarlatina	339	1
Typhoid Fever	34		Typhoid Fever	31	* * ***
Typhus Fever		*	Typhus Fever		
Yellow Fever	****		Yellow Fever		

METECROLOGICAL OBSERVATIONS TAKEN AT THE WEATHER BUREAU STATION, BOSTON.

For the month of April, 1893, as reported by J. WARREN SMITH, Observer, Weather Bureau.

DATE.	DAILY MEAN BAROMETER.	DAILY MEAN TEMPERATURE.	DAILY MEAN HUMIDITY.	PREVAILING DIRECTION OF WIND.	DAILY RAIN FALL.	GENERA	AL ITEMS.
1	29.63	52	52	S.	0.01	Mean Barometer, 30.07.	
2		41	42	N.W.	.00	Lowest Barometer, 29.48, on the 4th.	
2	30.27	39	52	s.w.		Monthly Range of Barometer, 1.14.	
	29,65	48	92	S.W.	0.04	Mean Temperature, 44.4. Highest Temperature, 68.0, on the 14	(+ h
*						Lowest Temperature, -26.0, on the	
5	29.98	48	44	W	0.02	Monthly Range of Temperature, 42.0	
6	30.43	31	80	N.	0.31	Greatest Daily Range of Temperature,	
7	30.48	32	90	S.E.	0.34	Mean Daily Range of Temperature,	
8	29.84	44	86	W.	0.44	Mean Daily Dew-point, 83.4.	
9	30.03	50	āu	N.W.	.00	Mean Daily Relative Humidity, 69.0. Prevailing Direction of Wind, N.W.	
10	30.22		78	E.	.00	Total Movement of Wind, 8,602 Mile	
17	30.37	42	48	E.	00	Highest Velocity of Wind and Direct	tion, 42 miles W. on the 5th.
12	30.46	48	44	s.w.	,00	Number of Foggy Days, 0. Number of Clear Days, 10.	
	30.10	48	66	S.	Т	Number of Fair Days, 4.	
18						Number of Cloudy Days, 16.	
14	29.89		85	s.w.	0.06	Total Number of Days on which Rai Depth of unmelted Snow on ground	
15	29.80	37	94	N.E.	0.74	Dates of Auroras, 0.	at end of month, o.
16	30.13	39	74	N.W.	.00	Dates of Solar Halos,	
17	30.16	89	81	N.E.	T	Dates of Lunar Halos, 26th. Thunder storm, 8th.	Dates of Frosts,
18	29.84	42	48	N.W.	.00	Mean Max. Temp., 51.9.	Mean Min. Temp., 36.8.
19	30.01	46	42	W.	.00	COMPARATIVE TEMPERATURE.	Comparative Precipitations.
20		38	76	E.	0.10	1871	Inches. 3.79
21	29.87	44	96	E.	0.70	1878 47	1872 1.31
	29.78	42	90	N.E.	0.05	1874	1873 3.83
23	29.89	46	74	W.	T	1875	1874 7.97 1875 4.92
						1877	1876
24	30.14	48	68	W.	.00	1878 47	1877 4.19
25	30.09	49	71		0.09.	1879	1879 6.58
26	30.42	40	45	N.W.	.00	1881	1880 2.85
27	30.22	42	82	S.E.	0.17	1882 42	1881 1.66 1882 2.50
28	30.02	52	80	W.	T	1883 44	1883 2.83
29	29.91	59	64	s.w.	Т	1885	1884 4.76
30	30,14	52	78	N.	.00	1886 48	1885 3.30 1886 1.70
						1887	1887 2.62
						1889 48	1898 2.04
TOTALS					3.07	1890	1889 3.07
TOTAL					17101	1891 48 1892 48	1891 1.71
MEANS	30.07	44.4	69	N.W.	.102	1893 44	1892 0.98
ALL LOUIS CO. C.		77.7	00	24.44.	.102		10.00

Statement of Deaths for the month of May, 1893.

With an enumeration of the more prominent causes; accompanied by an abstract of Meteorological Observations.

Published by order of the Board of Health.

SAMUEL H. DURGIN, M.D.,

Chairman.

Deaths during the month of May, 1893, Population estimated at 469,647.	Rate per 1,000 inhabitants, 25.80
	Kate per 1,000 mmabitants, 25.00
Total number 1010	NATIVITY.
SEX.	United States 652
Males 548	Ireland
Females	England ,
	Scotland
CONDITION.	Germany
Married	British America 63
Single	Italy
Widows 92	Other Countries
Widowers 46	Unknown
Unknown 10	PARENTAGE.
COLOR.	Thitad States
White	United States
	Irish
Colored	English
	Scotch
(Under 1 year 165	German
Cotal deaths of children Under 2 years 219	British American
	Italian
(Under 5 years 292	Other Countries
(Under 1 year 5	Mixed
Diarrhœal diseases Under 2 years	Unknown
Under 5 years 7	
(All ages	Still-births during the month 42

	for						EX.																
CAUSES OF DEATH.	Total Mortality May, 1893.	Total Mortality May, 1892.	Under 3 mos.	3 mos. and under 6 mos.	6 months and under I year.	1 year and under 2 yrs.	2 years and under 3 yrs.	years and under 4 yrs.	4 years and under 5 yrs.	otal under 5 years.	o years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	To years and under So yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	(rs.	Ретивек.
I. ZYMOTICS.	Tota	Tot	Unc	8 m	6 m	l y	2 ye	3 ye	4 ye	Tota	o ye	10 y	20 y	30 y	40 y	50 3	60 y	70 y	80 y	90 y	100	Malcs.	Fen
ALCOHOLISM	6	4											1	1	1	2		1				ō	1
CROUP	5	5			1				2	8	2											3	2
CARBUNCLE																							
Cholera Morbus																							
CHOLERA INFANTUM	4	1		1	2	1				4												2	. 2
CEREBRO-SPINAL MENINGITIS	3	3			-						1		1		1							2	1
CONGESTIVE FEVER																							
DIARRHŒA	8														1	1	1						3
DYSENTERY	4	1			2	1				3							1			1		2	2
DIPHTHERIA	33	39			1	5	6	5	3	20	9	2	1	1								18	15
ERYSIPELAS	6	3	3		1					4						1		1				2	4
INTERMITTENT FEVER																							
INPLUENZA	10	2		1						1			2			2	1	3	1			3	7
MEASLES	7				1	5	1			7												2	5
Purpura	1														1				-				1
PUERPERAL FEVER	2					_					1	1	1										2
Ружміа														1								1	
REMITTENT FEVER																							
RHEUMATISM	4	4													1		1	1	1	_		3	1
SCARLATINA	25	34			1	2	7	3	6	19	4		2									11	14
SMALL Pox																							
SYPHILIS (CONGENITAL)	1		1			_				1												1	
SYPHILIS		1																					
SEPTICÆMIA	3	4	1							- 1 .		_		1	-		1	-	-			2	1
Tonsillitis		1											_										
Typhoid Feyer	13	9									2	2	1	4	1	3	-		Π				S
Typhus Fever				_										_	_				П				
WHOOPING COUGH	1	8	1	-						1		_	-										1
YELLOW FEVER																			;				
OTHER ZYMOTIC DISEASES	2	2				1				1			1									1	1
																_	-						
																	1						
													1				1						
11. CONSTITUTIONAL.			1					1			.												
CANCER	27	25		1						1				3	6	10	â	1		1		7	20
HYDROCEPHALUS AND TUBERC. MENINGITIS	29	16	1	3	6	5	2	3		20	1	1	3		3	1						20	9
Marasmus, Scropula and Tabes Mesenterica	24	26	11	2	5			1		19	-				2		2		1			11	13
PHTHISIS PULMONALIS	111	129			3	1			1	5	3	7	34	28	22	9	1	2				57	54
OTHER CONSTITUTIONAL DISEASES .	25	18	1	1	4	1	2	1		10		7 ;	3	2	2	-	1					14	11
Older Constitutions See Annual Constitution of the Constitution of				-									- 1					1			- 11		



SANITARY STATISTICS OF BOSTON, MASS. MAY, 1893.

STREET GR	ADES BY	WARDS.					
WARDS.	HIGHEST STREET GRADE.	Lowest Street Grade.					
Ward 1	86	16					
" 2	64	16					
3	- 74	17					
66 4	108	16					
. 5	68	17					
6	55	15					
7	48	1 ð					
** 8	42	15					
	106	17					
" 10	106	17					
** 11	31	14					
" 12	31	15					
" 13	31	16					
" 14	71	16					
" 15	95	14					
·· 16	24	12					
17	18	13					
** 18 ·	18	16					
" 19	60	17					
" 20	116	14					
21	149	28					
** 22	164	17					
. 23	301	35					
24	165	14					
25	174	13					

Area of City, 37 Square miles.

" " Acres, 23,707.

Miles of Streets, 558; paved 71.25; macadamized, 204.56; gravel, etc., 282.19.

Area of Parks 1,669 acres; Public Grounds 143 acres.


Number of Dwellings, (including tenement houses), 56,809.

" Tenement Houses, (three or more families), 10,763.

Daily Consumption of Water, 44,500,000 gallons.

Daily Capacity of Water Supply, 60,000,000 "

Storage Reservoirs, 7.





of May, Classified by Cause, Age and Sex.

	for	For	11								A	G	E.									8	EX,
CAUSES OF DEATH. HI. LOCAL.	Total Mostality May, 1893.	Total Mortality May, 1892.	Under 3 mos.	3 mos. and under 6 mos.	6 mos. and under I year.	1 year and under 2 yrs.	2 years and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	Total under	5 years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yes.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	Males.	Ветален.
APOPLEXT	34	26			1		1			2			1	4	3	6	7	7	3	1		17	17
Bright's Disease	16	8	1		-	-	1	-		1	1		2	3	3	3	2	1				12	4
Bronchitis	44	87	5	2	3	7	2	1	1	21	2		3	1	3	2	4	6	1	1		19	25
HEART DISEASE	63	86			1			-		1	8	2	9	7	7	10	12	8	3	1		36	27
MENINGITIS	41	29	3	4	4	4	4	1	2	22	4	2	6	3		2	1	1				23	18
Nephritis	14	11	1			-			1	2	1	-	4	1	1	1	2	2				7	7
PLEURIST	2	2						1		1		-		1				-				2	
PNEUMONIA	175	105	2	е	8	11	5	4	1	37	3	2	27	20	23	26	18	15	3]		102	73
OTHER LOCAL DISEASES	163	129	17	9	3	9	4			42	2	3	18	15	17	20	17	19	8	2		92	71
IV. DEVELOPMENTAL.																							
IV. DEVELOPMENTAL.				İ																			
CYANOSIS	1	4	1							1													1
INANITION	4	8	4	_						4												3	1
OLD AGE	15	21															2	7	5	1		5	10
Premature Birth	14	15	13			1				14												8	6
PUERP'L DISEASES (not including Puerp'l Fever)		2																					
OTHER DEVELOPMENTAL DISEASES	26	26	19		1			1		21	1				3		1					14	12
V. VIOLENT.									1														
ACCIDENTAL	39	48		1						1	3	1	11	7	8	2	3	1	2			31	8
HOMICIDAL	1							-						1								1	
SUICIDAL	4	6												1	1	2			-			3	1
OTHER VIOLENT CAUSES	2]												1		1							2
UNENOWN CAUSES		1	2					-		2												1	1
POTAL FROM ALL CAUSES	1010	895	86	31	48	54	35	21	17 2	292	42	30	31 1	06 1	10 1	104	83	76	28	8		548	462
TOTAL FROM ZYMOTIC DISEASES	134 334	301	6	2	9	15	14	8	11	65	18	5	10	8	6	9	5	6	2	F1250000	CONTRACTOR OF THE PERSON OF TH	63	71
COTAL FROM CONSTITUTIONAL DISEASES ,	216	214	13	7	18	7	4	5	ı	55	4	15	40		35	20	9	3	1	1		109	107
" " LOCAL do. ,	552	433	_	21	20	31	17	7	5	129	16		70	55	57	70	63	59	18	6		310	242
" DEVELOPMENTAL do	60	76	37		1	1		1		40	1				8		3	7	5	1		30	30
" VIOLENT CAUSES , . ,	46	55	-	1						1	3	1	11	10	9	5	3	1	2			35	11

Comparative Statement of Cases of Contagious Disease reported to the Board of Health for the month of May, 1893, and for the corresponding month in 1892.

CASES REPORTED DUF	RING MAY,	1893.	CASES REPORTED DUR	ING MAY,	1892.
	City.	Quarantine,		City.	Quarantine.
Diphtheria	86		Diphtheria	107	1
Measles	595	1	Measles	178	
Small Pox		1	Small Pox	****	
Scarlatina	205		Scarlatina	373	***
Typhoid Fever	55		Typhoid Fever	89	
Typhus Fever			Typhus Fever		
Yellow Fever	****		Yellow Fever		

METECROLOGICAL OBSERVATIONS TAKEN AT THE WEATHER BUREAU STATION, BOSTON.

For the month of May, 1893, as reported by J. WARREN SMITH, Observer, Weather Bureau.

DATE.		DAILY MEAN		PREVAILING DIRECTION OF WIND.	DAILT RAIN FALL.	GENERA	AL ITEMS.
1	30.21	48	86	E.	0.20	Mean Barometer, 29.90.	
2	30.08	42	96	E.	0.03	Highest Barometer, 30.30, on the 9th Lowest Barometer, 29.31, on the 4th.	
	30.06	42	98	N.E.	0.82	Monthly Range of Barometer, 0.99.	
"						Mean Temperature, 56.0.	
4	29.46	46	94	8.	2.71	Highest Temperature, 88.0, on the 28 Lowest Temperature, — 38.0, on the	
,	29.66	52	74	W.	T	Monthly Range of Temperature, 50.0	
¢	29.84	53	70	W.	T	Greatest Daily Range of Temperatur	
2	30.10	48	72	E.	.00	Least Daily Range of Temperature, Mean Daily Range of Temperature,	
5	30.24	52	58	E.	.00	Mean Daily Dew-point, 46.2.	10.0.
u	30.28	54	66	s.w.	.00	Mean Daily Relative Humidity, 73 %.	
10	30.19	66	46	w.	.00	Prevailing Direction of Wind, W.	
						Total Movement of Wind, 8,551 Mile Highest Velocity of Wind and Direct	
11	30.16	68	39	EW.	.00	Number of Foggy Days, 0.	,
12	29.98	68	58	s.w.	.00	Number of Clear Days, 8.	
13	29.68	49	94	N.E.	0.33	Number of Fair Days, 12. Number of Cloudy Days, 11.	
14	29.67	49	94	E.	0.09	Total Number of Days on which Rai	n or Snow fell, 14.
15	29.81	55	88	E.	.00	Depth of unmelted Snow on ground	at end of month, 0.
16	29.78	50	95	E.	0.09	Dates of Auroras, 0. Dates of Solar Halos,	
17	29.38	57	93	S.E., S.	1.05	Dates of Lunar Halos,	
				s.w.		Thunder storm, 27th.	Dates of Frosts,
15	29.40	56	86		0.03	Mean Max. Temp., 64.0.	Mean Min. Temp., 48.7.
10	29.74	56	70	N.W.	.00	COMPARATIVE TEMPERATURE.	COMPARATIVE PRECIPITATIONS. Inches.
20	80.01	58	64	W.	.00	1872	1871 4.54
21	29.72	71	58	W.	.00	1873	1872 3.29
22	29.82	70	44	W.	.00	1874	1873 5.16
20	29.63	75	68	s.w.	.00	1876 54	1875 3.76
24	29.93	65	62	w.	0.02	1877	1876 2.70
25	29,96	62	48	s.w.	.00	1878 60	1878 1.03
1				N.W.		1880 63	1879 0.97
27	30.06	57	64		0.02	1881	1880 1.67 1881 4.16
27	29.99	49	90	E.	0.05	1882	1882 6.05
28	29.81	56	77	W.	0.31	1884 54	1883 5.11
29	29.86	54	71	E.	.00	1885 52	1884 3.31 1885 4.26
30	29.96	60	65	s.w.	.00	1886	1886
31	30.24 1	59	72	s.	0.01	1888	1887 1.67
						1889 60	1888 5.20
TOTALS				_	5.26	1890	1889 4.15 1890 4.48 1891 1.56
MEANS	29.90	56	78	w.	.169	1893	1892 5.15 1893 5.23

34613

HEALTH DEPARTMENT OF THE CITY OF BOSTON.

Statement of Deaths for the month of June, 1893.

With an enumeration of the more prominent causes; accompanied by an abstract of Meteorological Observations.

Published by order of the Board of Health.

SAMUEL H. DURGIN, M.D.,

Chairman.

Deaths during the month of June, 1893, Population estimated at 487,397.	Rate per 1,000 inhabitants, 21.05
Total number	NATIVITY.
SEX.	United States 484
Males	Ireland
Females	England
CONDITION.	Scotland
Married	Germany
	British America
Single	Italy
Widows	Other Countries
Widowers	Unknown
Unknown	PARENTAGE.
COLOR.	United States
White	Irish
Colored	English
	Scotch
,	German
Under 1 year 127	British American
Total deaths of children Under 2 years 173	Italian
Under 5 years	Other Countries
(Under 1 year 9	Mixed
Under 2 years	Unknown
Diarrheal diseases Under 5 years 9 All ages 10	Still-births during the month 41

Total Deaths with Principal Causes for the month

	for	for			-					-	A	G	E.									SI	EX.
CAUSES OF DEATH.	Total Mortality for June, 1893.	l'otal Mortality June, 1892.	Under 3 mos.	3 mos. and under 6 mos.	6 months and under 1 year.	1 year and under 2 yrs.	ears and nder 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	Potal under 5 years.	5 years and under 10 vrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	CH.	Fennales.
I. ZYMOTICS.	Tot	Tot	Ü	m 8 m	0 m	l y	2 2 2	3 ye	4 30	Tota	an c	10 s	20 1	30 3	40 y	90 y	00 J	70 3	80 3	90 3	100	Males,	Regis
ALCOHOLISM	7	4											2	2	3							5	2
CROUP	3	3				1		2		3												1	2
CARBUNCLE																							
CHOLERA MORBUS		1																					
CHOLERA INFANTUM	8	16	1	4	3					8												3	5
CEREBRO-SPINAL MENINGITIS	3	1	1				1			2			1									2	1
Congestive Fever																							
DIARRHŒA	2	2	1							1				1									2
DYSENTERY		1																					
DIPHTHERIA	25	23			3	7	1	3	2	16	5	1	2	1								10	15
ERYSIPELAS	5	. 6	2					1		3						1	1					1	4
INTERMITTENT FEVER	1																1					1	
INFLUENZA	1	2																1					1
MEASLES	2	4							1	1		1										1	1
Purpura	1				-								1		F		-					1	-
PUERPERAL FEVER	1	4											1						-				1
Ружміа		1																					-
REMITTENT FEVER				_																			
RHEUMATISM	3	6					1			1			1			1				Т		1	2
SCARLATINA	26	18	1			5	3	6		18	7	1										13	13
Small Pox										-			-										
SYPHILIS (CONGENITAL)	2			1	1					2	-1								-	=		2	
SYPHILIS	-																						
SEPTICÆMIA	3	1						1		1	-		1			1						2	1
Tonsillitis	1	2						1		1												1	
Typhoid Fever	12	1 6										2	- â	2	2	1							5
Typhus Fever																							
Whooping Cough	1	3			1					1			-										1
YELLOW FEVER			-				-									-						-	-
OTHER ZYMOTIC DISEASES							—							—		-		-					
				-																			-
II. CONSTITUTIONAL.	1																						
CANCER	17	33		-				***			-				8	4	5	 5				s	9
Hydrocephalus and Tuberc. Meningitis	21	20	-	1	5	3	1	1		12	3	2	1	2	"	1	-	-		-		13	8
MARASMUS, SCROFULA AND TABES MESENTERICA		13	5	2	3	- 3	-			17	1		-			1	2	-	-			11	10
PHTHISIS PULMONALIS	99	90	-	1	-		2		2	5	1	14	30	21	18	10	4	1	-			51	48
									-			-	-					1	-				
OTHER CONSTITUTIONAL DISEASES .	23	17	1	2	1					4	1	5	6	3	1	2	1					9	14



SANITARY STATISTICS OF BOSTON, MASS. JUNE, 1893.

STREET GRA	ADES BY V	VARDS.
WARDS.	HIGHEST STREET GRADE.	Lowest Street Grade.
Ward 1	86	16
" 2	64	16
" 3	74	17
66 4	108	16
5	68	17
· · 6	. 55	15
7	48	15
" 8	42	15
9	106	17
" 10	106	17
" 11	31	14
" 12	31	15
" 13	31	16
" 14	71	16
15	95	14
. 16	24 -	12
• 17	18	13
* 18	18	16
" 19	60	17
" 20	116	14
·· 21	149	28
" 22	164	17
., 23	301	35
" 24	165	14
" 25	174	13

Area of City, 37 Square miles.

" " Acres, 23,707.

Miles of Streets, 558; paved 71.25; macadamized, 204.56; gravel, etc., 282.19.

Area of Parks 1,669 acres; Public Grounds 143 acres.

Number of Dwellings, (including tenement houses), 56,809.


" Tenement Houses, (three or more families), 10,763.

Daily Consumption of Water, 44,500,000 gallons.

Daily Capacity of Water Supply, 60,000,000 "

Storage Reservoirs, 7.

Reservoir Capacity, 5,000,000,000 gallons.



T-Typhoid Fever.

M - Measles.

Showing the density of population on basis of assessed polls of 1892, with the deaths from Diphtheria, Scarlatina, Typhoid Fever and Measles.

CITY HOSPITAL,

D. -- 11. T. - 2.

52 to 80 **

" 111 to 123 " " 151 to 213 " 8.6



of June, Classified by Cause, Age and Sex.

	For	for-									A	G:	E.									SI	EX.
CAUSES OF DEATH.	Potal Morality June, 1893.	Total Mortality June, 1892.	Under 3 mos.	3 mos. and under 6 mos.	6 mos. and under 1 year.	1 year and under 2 yrs.	2 years and under 3 yrs.	Syears and under 4 yrs.	4 years and under 5 yrs.	Total under 5 years	5 years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	Males.	Femules.
								-	4				=							155 -			
APOPLEXT	32	30			-						1	2	-	1		10	14	3	1			15	17
BRIGHT'S DISEASE	8	10												2	2		2	2				5	
Bronchitis	22	36	1 1	5	3	1		1	1	12			2		3		2	2	1	-		8	14
HEART DISEASE	62	62	1	L						1	2	4	8	7	6	12	11	7	3	1	-	31	31
Meningitis	25	29	2	1	3	4		1	3	14	3	2	2	2		2			_	_		14	11
Nephritis	19	13				-			1	1	1	1	4	1	2		7	2				10	
PLEURIST		1																			- '		
PNEUMONIA	85	58	1 4	4	1	12	2	1		24	1	3	9	12	9	9	7	10	1			46	35
OTHER LOCAL DISEASES	125	125	15	4	4	9	3			35	1	5	12	16	18	12	10	12	3	1		72	50
IV. DEVELOPMENTAL.																							
CYANOSIS	3	3	3			-				3								-				2	
NANITION	7	5	3	2		1				е	1	Π							-		-	5	-
OLD AGE	16	18							-							1	4	1 4	4	9		7	-
PREMATURE BIRTH	9	11	9					1		9						_						5	
PUERP'L DISEASES (not including Puerp'l Fever)	1	5												1			ī						
OTHER DEVELOPMENTAL DISEASES	22	15	14	1	1				1	17				1	1		1		2			11	1
v. violent.																							
ACCIDENTAL	35	38	1		-		1	1	1	4	1	2	5	12	3	5	2		1		-	27	
IOMICIDAL		1																					
SUICIDAL	6	9											1	8	1	1						0	
OTHER VIOLENT CAUSES	5	2	-						1				2	2			1						
Unknown Causes	2	1	1						7	3				1					-		H		
TOTAL FROM ALL CAUSES	772	749	70	28	29	46	16	19	15 2	23	29	45	96	93	67	74	75	49	16	5		407	365
TOTAL FROM ZYMOTIC DISEASES	107 240	256	6	ō	8	13	6	14	6	58]	12	5	14	6	5	4	2	1			- 0	51	50
FOTAL FROM CONSTITUTIONAL DISEASES	181	173	10	6	9	6	4	1	2	38	6	21	37	26	17	18	12	6				92	
" " LOCAL do	378	364	23	14	11	26	5	3	5	87	9	17	37	41	40	45	53	38	9	2	-	201	177
" DEVELOPMENTAL do	58	57	29	3	1	1			1	35	1			2	1	1	5	4	- 6			30	2
					-			1	1		1	-	8		4	6	3					33	13

Comparative Statement of Cases of Contagious Disease reported to the Board of Health for the month of June, 1893, and for the corresponding month in 1892.

CASES REPORTED DUR	ING JUNE	, 1893.	CASES REPORTED DURI	NG JUNE,	1892.
	City.	Quarantine.	at the same and	City.	Quarantine.
Diphtheria	112		Diphtheria	77	
Measies	363		Measles	177	1
Small Pox			Small Pox	****	****
Scarlatina	149	1	Scarlatina	217	****
Typhoid Fever	43		Typhoid Fever	60	1
Typhus Fever			Typhus Fever		
Yellow Fever			Yellow Fever		

METEOROLOGICAL OBSERVATIONS TAKEN AT THE WEATHER BUREAU STATION, BOSTON.

For the month of Jnue, 1893, as reported by J. WARREN SMITH, Observer, Weather Bureau.

DATE.	DAILY MEAN BAROMETER.	DAILY MEAN Temperature.	DAILY MEAN HUMIDITY.	PREVAILING DIRECTION OF WIND.	DAILY RAIN FALL,	GENERA	L ITEMS.
1	30.32	62	78	S.	00	Mean Barometer, 30.03.	
2	30.28	60	80	S.	.00	Highest Barometer, 30.33, on the 1st. Lowest Barometer, 29.74, on the 22d.	
8	30.24	56	91	E.	0.05	Monthly Range of Barometer, 0.59.	
ő						Mean Temperature, 65.0.	
4	30.04	66	86	S.E., S.W.	T	Highest Temperature, 94.0, on the 201 Lowest Temperature, - 52.0, on the	
5	29.88	78	71	s.w.	.00	Monthly Range of Temperature, 42.0.	
6	29.83	82	78	S.W.	T	Greatest Daily Range of Temperatur	
7	30.05	70	67	W.	0.02	Least Daily Range of Temperature, 3	
- 8	30.25	66	56	W.	.00	Mean Daily Dew-point, 58.2.	2100
9	30.16	66	66	s.w.	.00	Mean Daily Relative Humidity, 83 %.	
10	29.98	. 70	77	N.E.	.00	Prevailing Direction of Wind, E. Total Movement of Wind, 6,841 Miles	
11		80	64	W., S.W.	.00	Highest Velocity of Wind and Direct	
						Number of Foggy Days, 0.	
12	30.06	61			0.07	Number of Clear Days, 8. Number of Fair Days, 13.	
18	30.20	61	97		0.08	Number of Cloudy Days, 9.	
14	30.07	61	96	E.	0.14	Total Number of Days on which Rain	
15	29.90	74	, 87	E., S.W.	.00	Depth of unmelted Snow on ground Dates of Auroras, 0.	at end of month, 0.
16	30.13	56	91.	N.E.	.00	Dates of Auroras, o. Dates of Solar Halos,	
17	30.03	54	98	N.E.	0.24	Dates of Lunar Halos,	
18	29.96	63	94	N., E.	0.04	Thunder storm, 12th. Mean Max. Temp., 72.0.	Dates of Frosts, Mean Min. Temp., 58.0.
19	30.02	68	73	E.	.00	Comparative Temperature.	COMPARATIVE PRECIPITATIONS.
20	29.90	82	62	N.W.	.00	1871 66	Inches. 1871 5.55
21	29.78	70	77	E.	.00	1870 68	1872 4.84
22	29.75	58	90	E.	0.79	1874	1874
23	29.84	56	98	N.E.	0.67	1875 67	1875 7.25
		58	96	N., E.	0.10	1877 67	1876 1.72
24	29.98			E.		1878 64	1877 3.21
25	29.95	58	96		.00	1879 64	1879 6.24
26	29.85	59	94	E.	Т	1881 61	1880 0.75
27	30.00	58	86	N.E.	T	1882 66	1881 7.79 1882 1.03
28	30.18	58	88	E.	.00	1884 66	1880 2.07
29	30.16	62	82	s.w.	.00	1885 66	1884 4.01 1885 3.70
80	30.10	64	87	s.w.	.00	1886 63	1886 1.34
						1887 64 1888 67	1887 1,98
						1889 68	1886 2.69
TOTALS					2.20	1890 64 1891 65	1890 2.21
I UIALS					2120	1892 70	1891 3.06
MEANS	30.03	65.0	83.0	E.	.073	1893 65	1892 3.05 1893 2.20

HEALTH DEPARTMENT OF THE CITY OF BOSTON.

Statement of Deaths for the month of July, 1893.

With an enumeration of the more prominent causes; accompanied by an abstract of Meteorological Observations.

Published by order of the Board of Health.

SAMUEL H. DURGIN, M.D.,

Chairman.

Deaths during the month of July, 1893, . Population estimated at 487,397.	Rate per 1,000 inhabitants, 24.64
Total number	NATIVITY.
SEX.	United States
Males	Ireland
Females	England ,
	Scotland
CONDITION.	Germany
Married	British America 50
Single	Italy
Widows	Other Countries
Widowers	Unknown
Unknown	PARENTAGE.
COLOR.	United States
White	Irish
Colored	English
Colorett	Scotch
	German
(Under 1 year 313	British American
Total deaths of children Under 2 years	Italian
(Under 5 years 429	Other Countries
(Under 1 year 151	Mixed
Diarrhœal diseases Under 2 years 165	Unknown
Under 5 years 167	
(All ages 176	Still-births during the month

Total Deaths with Principal Causes for the month

	for	for									A	G	E.							-		SI	ex.
CAUSES OF DEATH.	fotal Mortality for July, 1893.	Total Mortality July, 1892.	Under 3 mos.	3 mos. and under 6 mos.	6 months and under I year.	1 year and under 2 yrs.	2 years and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	Fotal under 5 years.	5 years and under 10 yrs.	cars and der 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	To years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over,	7.8.	tallow
I. ZYMOTICS.	Tota J.	Tot	Unc	3 111	6 m	1 y	2 70	3 34	4 3.0	Tota	o ye	10 5	20.3	30 3	40 3	50 3	60 y	70 3	80 3	90 y	100	Males.	Female
ALCOHOLISM	9	8											2	6	1							7	2
CROUP	2	2				2				2												1	1
CARBUNCLE	1																1					1	
CHOLERA MORBUS	3	10													1		1	1				1	2
CHOLERA INFANTUM	156	269	21	46	74	14				155	1											89	67
CEREBRO-SPINAL MENINGITIS																							
Congestive Fever																							
DIABRHŒA	11	18	2	4	2			1		9						1		1				6	5
DYSENTERY	6	6			2				1	3				1			1	1				8	8
DIPHTHERIA	30	19				2	10	7	3	22	5	1			1	1						17	13
ERYSIPELAS	1	4	1							1												1	
INTERMITTENT FEVER																							
INFLUENZA	2													1					1			1	1
MEASLES	1	1			1					1													1
Purpura			_																				
PUERPERAL FEVER	4	1											3	1					_				4
Ружміа		2																					
REMITTENT FEVER			_										_					_					
RHEUMATISM	4	9			1					1						1	2					1	3
SCARLATINA	16	10	-			2	3	1	2	8	7	1										10	6
SMALL POX																							
SYPHILIS (CONGENITAL)	1	1	-				1			1												1	
SYPHILIS	1			_													1					1	
SEPTICÆMIA	3	1	-											1	1		1					1	2
Tonsillitis,				_									_										
Typhoid Fever	7	6									1	1	3	2			-					6	1
Typhus Fever													_				_						
WHOOPING COUGH	3	1	1		1	1				3												1	2
VELLOW FEVER																			_				
OTHER ZYMOTIC DIMEANES		4					-												_				
																		_					-
II. CONSTITUTIONAL.																							
CANCER	22	22		1						1				2	3	4	7	4	1			12	10
Hydrocephalus and Tuberc. Meningitis	15	19		2	5	2	2			11	1		2	1								10	5
Marashus, Scrofula and Tabes Mesenterica	89	35	9	11	8	4	2			34		1	_		-	1	1	1	1	-		15	24
PHTHISIS PULMONALIS	112	137	-	-	1	1		1	1	4		19	42	28	10	å	2	2				53	59
Other Constitutional Diseases .	12	22	1							1	1	2		3			1	-				5	7
OTHER CONCILLUTIONAL DISEASES .	12	4.5	1									- 2	*	0			-					- 1	



SANITARY STATISTICS OF BOSTON, MASS. JULY, 1893.

STREET GR	ADES BY	WARDS.
Wards.	HIGHEST STREET GRADE.	LOWEST STREET GRADE.
Ward 1	86	16
" 2	64	16
٠٠ 3	74	17
66 4	108	16
5	68	17
٠٠ 6	55	15
7	48	15
" 8	42	15
9	106	17
" 10	106	17
" 11	31	14
" 12	31	15
" 13	31	16
" 14	71	16
" 15	95	14
" 16	24	12
17	18	13
" 18	18	16
" 19	60	17
20	116	14
21	149	28
" 22	164	17
. 23	301	35
" 24	165	14
25	174	13

Area of City, 37 Square miles.

" " Acres, 23,707.

Miles of Streets, 558; paved 71.25; macadamized, 204.56; gravel, etc., 282.19.

Area of Parks 1,669 acres; Public Grounds 143 acres.

Number of Dwellings, (including tenement houses), 56,809.


" Tenement Houses, (three or more families), 10,763.

Daily Consumption of Water, 44,500,000 gallons.

Daily Capacity of Water Supply, 60,000,000 "

Storage Reservoirs, 7.

Reservoir Capacity, 5,000,000,000 gallons.



S - Scarlatina.

T-Typhoid Fever.

M - Measles.

Showing the density of population on basis of assessed polls of 1892, with the deaths from Diphtheria, Scarlatina, Typhoid Fever and Measles.

CITY	HOSPITAL,	$ \begin{cases} D14 \\ S4 \\ T2 \end{cases} $
------	-----------	---

11 151 to 213 11 11 6



of July, Classified by Cause, Age and Sex.

	for	for									A	G	E.								-	8	EX.
CAUSES OF DEATH.	Total Morrality July, 1893.	Total Mortality July, 1892.	Under 8 mos.	3 mos. and under 6 mos.	6 mos. and under I year.	1 year and under 2 yrs.	2 years and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	Total under 5 years	5 years and under 10 yrs.	10 yearн and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	Males.	Females.
APOPLEXY	33	27			1	1	1			3		1	1	3	3	5	7	7	8			16	17
Bright's Disease	9	12	11	-		-	-	-	-		-	1	3	1	2	2	-					6	3
Bronchitis	26	19	2	4	7	1	1	_		15	1	-	1	-			4	4	_	1		11	15
HEART DISEASE	65	52					2			2	3	2	8	5	10	11	14	8	2	-	-	32	33
Meningitis	32	31	3	2	8	3	3		4	23	3		2	2		2					-	16	16
NEPHRITIS	11	12				1	_			1			4	2		2		2				4	7
PLEURISY	1														1						-	1	
PNEUMONIA	56	36		1	4	6	2	1		14	1		10	9	9	8	4	1				38	18
Other Local Diseases	183	214	19	14	24	9	5	. 2		73	4	4	15	11	20	18	17	15	6			97	86
					-		Ξ																
IV. DEVELOPMENTAL.																							
CYANOSIS											-	_					-		-	-			
INANITION	4	2	4				-		-	4	-			-	-		_					2	2
OLD AGE	15	13															4	1	9	1	-	4	11
PREMATURE BIRTH	11	16	11							11				_				_				7	4
Puerp'L Diseases (not including Puerp'l Fever)	4	15							_			1	1	1	1			-	-	_			4
OTHER DEVELOPMENTAL DISEASES	19	15	13		1	2				16					1		1		1			9	10
V. VIOLENT.																							
ACCIDENTAL	63	31		1		3		4	2	10	2	5	12	14	9	6	2	3	-			48	15
HOMICIDAL		2					П																
SUICIDAL	7	4					-	-			-		1	2		2	2	_	_			6	1
OTHER VIOLENT CAUSES	1	1 1						_			-	1					_		-			1	
		ļ																					
Unknown Causes		2																			-		
TOTAL FROM ALL CAUSES	1001	1111	87	86	140	54	32	17	13 4	129	30	40	114	96	73	69	78	51	24	2		541	.460
TOTAL FROM ZYMOTIC DISEASES	261 395	372 537	25	50	81	21	14	9	6	206	14	3	8	12	4	3	7	3	1			148	113
Total from Constitutional Diseases	200	. 235	10	14	14	7	4	1	1	51	2	22	48	34	13	10	11	7	2			95	105
" " LOCAL do	416	403	24	21	44	21	14	3	4	131	12	8	44	33	45	48	46	37	11	1		221	195
" " DEVELOPMENTAL do	53	61	28		1	2				31		1	1	1	2		5	1	10	1		22	31
" " VIOLENT CAUSES	71	38	-	1		3		4	2	10	2	6	13	16	9	8	4	3	-	-		55	16
														-	-								

Comparative Statement of Cases of Contagious Disease reported to the Board of Health for the month of July, 1893, and for the corresponding month in 1892.

CASES REPORTED DUR	ING JULY,	1893.	CASES REPORTED DURI	NG JULY	1892.
	City.	Quarantine.	100	City.	Quarantine
Diphtheria	89		Diphtheria	76	
Меаніев	200		Measles	81	19
Small Pox			Small Pox		
Scarlatina	144		Scarlatina	124	
Typhoid Fever	41		Typhoid Fever	60	****
Typhus Fever			Typhus Fever		
Yellow Fever			Yellow Fever		

METEOROLOGICAL OBSERVATIONS TAKEN AT THE WEATHER BUREAU STATION, BOSTON.

For the month of July, 1893, as reported by J. WARREN SMITH, Observer, Weather Bureau.

DATE.	DAILY MEAN BAROMETER.	DAILY MEAN TEMPERATURE.	DAILY MEAN HUMIDITY.	PREVAILING DIRECTION OF WIND.	DAILT RAIN FALL.	GENERAL ITEMS.
1	30.04	66	82	s.w.	.00	Mean Barometer, 29.92.
2	29.94	70	82	s.w.	.00	Highest Barometer, 30.178, on the 11th. Lowest Barometer, 29.618, on the 22d.
. 3	29.88	70	84	s.w.	T	Monthly Range of Barometer, .560.
. 0						Mean Temperature, 71.4.
4 ,	29.88	73	83	W.	.00	Highest Temperature, 91.0, on the 22d, 26th. Lowest Temperature, — 54.0, on the 24th.
5	29.91	70	65	W.	T	Monthly Range of Temperature, 37.0.
6	29.90	70	62	N.W.	0.14	Greatest Daily Range of Temperature, 28.0 on the 26th.
7	30.06 ₹	71	56	E.	.00	Least Daily Range of Temperature, 6.0 on the 27th. Mean Daily Range of Temperature, 17.9.
В	29.90	74	56	s.w.	.00	Mean Daily Dew-point, 58.3.
9	29.80	77 "	63	w.	0.07	Mean Daily Relative Humidity, 68.2.
10	30.04	68	· 52	N.W.	.00	Prevailing Direction of Wind, W. Total Movement of Wind, 7,836 Miles.
11	30,14	70	58 .	w.	•00	Highest Velocity of Wind and Direction, 33 miles N.W. on the 27th.
			- "			Number of Foggy Days, 0.
12	30.04	78	64		0.03	Number of Clear Days, 11. Number of Fair Days, 15.
13	29.87	72	78	S.W.	0.01	Number of Cloudy Days, 5.
14	29.98	64	55	E.	.00	Total Number of Days on which Rain or Snow fell, 11.
15	21.91	70	54	s.w.	1 .00	Depth of unmelted Snow on ground at end of month, 0. Dates of Auroras, 0.
16	29,72	79	62	s.w.	.00	Dates of Solar Halos, 0,
17	29.86	75	63	w.	T	Dates of Lunar Halos, 0,
18	29.88	78	75	W.	0.23	Thunder storm, 5th, 18th, 22d, 23d, 26th. Mean Max. Temp., 80.4. Dates of Frosts, 0. Mean Min. Temp., 62.5.
19	29.98	74	66	N.W.	0.02	Comparative Temperature. Comparative Precipitations.
20	30.08	70	54	N.W.	.00	1871
21	29.88	75	54	w.	.00	1873 73
22	29,66	78	72	w.	0.38	1874
23	29.71	66	70	N.W.	0.69	1875
24	30.01	63	66	w.	.00	1877
				w.	0.09	1878
25	80.06	66	75			1880
26	29.72	77	73	s.w.	0.08	1881
2"	29.88	74	56	N.W.	0.03	1882
28	30.11	70	51	W.	.00	1884
29	29.93	72	64	s.w.	.00	1885
30	29.93	81	64	w.	.00	1886
31	29.90	72	62	s.	.00	1888
						1889 60 1888 1.79
TOTALS	-	_	-	-	,1.77	1891
MEANS	29.92	71.4	68.2	W.	.057	1893

HEALTH DEPARTMENT OF THE CITY OF BOSTON.



Statement of Deaths for the month of August, 1893.

With an enumeration of the more prominent causes; accompanied by an abstract of Meteorological Observations.

Published by order of the Board of Health.

SAMUEL H. DURGIN, M.D.,

Chairman.

Population estimated at 487,397.	Rate per 1,000 inhabitants, 26.3
Total number	NATIVITY.
SEX.	United States
Males	Ireland
Females	England
CONDITION.	Scotland
	Germany
Married	British America
Single	Italy
Widows 80	Other Countries 26
Widowers 43	Unknown
Unknown 6	PARENTAGE.
COLOR.	United States
White	Irish
Colored	English
Colored	Scotch
	German
(Under 1 year 377	British American
Fotal deaths of children Under 2 years 433	Italian
Under 5 years 487	Other Countries
Under 5 years 407	Mixed
(Under 1 year 166	
Diarrhœal diseases	Unknown
Under 5 years 188 All ages 210	
[A11 MURS A A A A A A A A A A A A A A A A A A A	Still-births during the month

Total Deaths with Principal Causes for the month

	for	for									A	G	E.									SI	EX.
CAUSES OF DEATH.	Total Mortality August, 1893.	Mortality gust, 1892.	Under 3 mos.	nes. and	6 months and under 1 year.	1 year and under 2 yrs.	2 years and under 3 yrs.	ears and	4 years and under 5 yrs.	d under 6 years.	5 years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	80 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	les.	Females.
1. ZYMOTICS.	Tot	Total	E E	3 n	6 m	1 y	2 2	8 yr	4 y	Total	y e	10 10	200	30 1	40 ar	200	80	70 2	90	90	100	Males.	Fee
ALCOHOLISM	6	11											1	1	2	2						3	3
CROUP	6	1			1		3	1	1	6				_								4	2
CARBUNCLE												,											
CHOLERA MORBUS	7	8												1	2	3	1						7
CHOLERA INFANTUM	177	196	45	44	67	13	5	3		177												96	81
CEREBRO-SPINAL MENINGITIS		1																					
Congestive Fever																				1			
DIABRHŒA	19	19	3	3	3	1				10					1	1	4		2	1		9	10
DYSENTERY	9	7		1						1					1		2	3				5	2
DIPHTHERIA	28	23			3	4	3	5	4	19	7	1			1							15	13
ERYSIPELAS		1																					
INTERMITTENT FEVER	3			1					1	2				1									3
Influenza																							
MEASLES	1	2					1			1	_											1	
PURPURA												_											
PUERPERAL FEVER	3	3							_			1	1	1									3
PYEMIA							_																
REMITTENT FEVER			-	-																			
RHEUMATISM		3	-								-		-							-			
SCARLATINA	12	14			2	1	2	1		6	5			1								5	7
SMALL POX														_									
SYPHILIS (CONGENITAL)											-									=			_
SYPHILIS	1		-								-		_	1					—				1
Septicæmia	4	4			-		-				-	-		1	2					-		1	3
Tonsillitis,						_		_			-									_			
Typhoid Fever	15	15	-							-	1	1	5	3	1	2	2					13	2
Typhus Fever					-		_		_		-												-
WHOOPING COUGH	8	2	-	2	4	1	1		_	8		-	-	-	-	_	-			_		2	6
YELLOW FEVER																							
OTHER ZYMOTIC DISEASES		2									-	-								_			
					-							_				-		=					
II. CONSTITUTIONAL.																							
CANCER	36	26	-	-					_	-	-	1	3	1	12	-6	6	-6			-	12	24
HYDROCEPHALUS AND TUBERC. MENINGITIS	15	17	-	2		4	3	1		15	-				14							11	4
MARASMUS, SCROFULA AND TABES MESENTERICA			10		_	4		1			_						_						21
PHTHISIS PULMONALIS	113	51	19	11	15					45	-		439		10	10	_			-		24	50
I HITHOUS FULBONALIS	-	106	1	-	1		1	-		3	-	9	47	21	13	13	4	3				63	90
OTHER CONSTITUTIONAL DISEASES .	21	14	1		1	1				3	2	1	5	5	2		2	1				9	12



SANITARY STATISTICS OF BOSTON, MASS. AUGUST, 1893.

STREET GRA	ADES BY	WARDS.
WARDS.	HIGHEST STREET GRADE.	Lowest Street Grade.
Ward 1	86	16
" 2	64	16
" 3	74	17
4	108	16
5	68	17
6	55	15
66 7	48	15
66 8	42	15
9	106	17
" 10	106	17
: 11	31	14
" 12	31	15
" 13	31	16
" 14	71	16
** 15	95	14
" 16	24	12
" 17	18	13
" 18	18	16
" 19	60	17
20	116	14
٠٠ 21	149	28
" 22	164	17
23	301	35
،، 24	165	14
" 25	174	13

Area of City, 37 Square miles.

" " Acres, 23,707.

Miles of Streets, 558; paved 71.25; macadamized, 204.56; gravel, etc., 282.19.

Area of Parks 1,669 acres; Public Grounds 143 acres.

Number of Dwellings, (including tenement houses), 56,809.


" Tenement Houses, (three or more families), 10,763.

Daily Consumption of Water, 44,500,000 gallons.

Daily Capacity of Water Supply, 60,000,000 "

Storage Reservoirs, 7.

Reservoir Capacity, 5,000,000,000 gallons.



S - Scarlatina.

M - Measles.

T-Typhoid Fever.

Showing the density of population on basis of assessed polls of 1892, with the deaths from Diphtheria, Scarlatina, Typhoid Fever and Measles.

CITY HOSPITAL, $\begin{cases} D.-1 \\ S.-2 \\ T.-6 \end{cases}$

Under 20 inhabitants to a square acre.

" 151 to 213 "



of August, Classified by Cause, Age and Sex.

	for	for	1								A	G	E.					-				S	EX.
CAUSES OF DEATH.	Total Mortality August, 1893.	Total Mostality August, 1892.	Under 3 mos.	3 mos. and under 6 mos.	6 mos. and under 1 year.	1 year and under 2 yrs.	2 years and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	Total under	5 years and under 10 yrs.	C 01	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and	80 years and under 90 yes.	90 years and under led yes.	100 years and over.	Males.	Femal++.
APOPLEXY	25	25											1	3	2		11	3				13	12
Bright's Disease	12	12	11	-		-					1	2			3	4		2			-	6	6
Bronchitis	28	15	1	2	3	3		1		10	_		2	2	1	5	4	4				16	12
HEART DISEASE	58	57	1 1	-		-			2	3	1		8	5	9	5	19	7	1			29	29
Meningitis	. 35	31	6	2	6	11	1	1	1	28	2	2		2	1			-	-		-	25	10
Nephritis	14	16		1							1	1	1	-	2	1	2	6	-		-	7	7
PLEURISY	-										-								-				
PNEUMONIA	30	24			3	2	2	1		8		1	4	3	7	3	2		2		-	19	11
Other Local Diseases	192	176	27	14	23	12	3	-	_	79	7	3	13	10	12	26	17	18	7			88	104
				-				-	_		-		_						-	-			
IV. DEVELOPMENTAL.																							
Cyanosis	2	1	2	-			-	-	-	2	-	-		_		-		-	-	_	-	1	1
INANITION	16	7	11	2	3			_		16					-		100000	_				10	6
OLD AGE	82	25														1	1	7	15	8		13	19
PREMATURE BIRTH	20	21	20							20								_	1		1	12	8
PUERP'L DISEASES (not including Puerp'l Fever)	8											1	4	3				-	(8
OTHER DEVELOPMENTAL DISEASES	19	34	17	1						18						1						10	9
V. VIOLENT.																							
ACCIDENTAL	40	39				3		2	2	7	1	1	7	6	7	4	2	3	2			85	5
Homicidal	2	1												2			-					1	1
SUICIDAL	6	3												1	1		4	_				5	1
OTHER VIOLENT CAUSES	2													1			1						2
UNENOWN CAUSES	1	1									1												1
TOTAL FROM ALL CAUSES	1069	1014	154	85	138	56	25	16	13	187	29	25	102	75	82	81	84	63	32	9		563	506
TOTAL FROM ZYMOTIC DISEASES INCLUDING TUBERCULAR DISEASES	297 440	312 476	48	51	80	20	15	10	6	230	13	3	7	10	10	9	9	3	2	1		154	143
TOTAL FROM CONSTITUTIONAL DISEASES	230	214	21	13	20	5	4	1	2	66	2	11	55	27	27	19	12	10	1		J.	119	1111
" " Local do	394	356	35	18	35	28	6	3	3	128	12	9	29	25	37	47	55	40	12			203	191
" DEVELOPMENTAL do	97	88	50	3	3					56		1	4	3		2	1	7	15	8		46	51
" " VIOLENT CAUSES	50	43	1			3		2	2	7	1	1	7	10	8	4	7	8	2		11	41	9

Comparative Statement of Cases of Contagious Disease reported to the Board of Health for the month of August, 1893, and for the corresponding month in 1892.

CASES REPORTED DURIN	G AUGUS	Г, 1893.	CASES REPORTED DURIN	G AUGUST	7, 1892.
	City.	Quarantine.		City.	Quarantine.
Diphtheria	104		Diphtheria	78	
Measles	74		Measles	61	****
Small Pox			Small Pox	1	
Scarlatina	141	1	Scarlatina	86	2000
Typhoid Fever	89		Typhoid Fever	89	
Typhus Fever			Typhus Fever		
Yellow Fever			Yellow Fever		

METEOROLOGICAL OBSERVATIONS TAKEN AT THE WEATHER BUREAU STATION, BOSTON.

For the month of August, 1893, as reported by J. WARREN SMITH, Observer, Weather Bureau.

DATE.		Daily Mean Temperature.	DAILY MEAN HUMIDITY.	PREVAILING DIRECTION OF WIND.	DAILY RAIN FALL.	GENERA	L ITEMS.
1	29.84	71	84	s.w.	.01	Mean Barometer, 29.976.	
2	30.12	72	53	N.W.	.00	Highest Barometer, 30.269, on the 23 Lowest Barometer, 29.679, on the 249	
	30.18	71	56	S., N.W.	.00	Monthly Range of Barometer, 0.590.	
۰						Mean Temperature, 69.6.	
4	80.08	72	63	S.	.00	Highest Temperature, 93.0, on the 25 Lowest Temperature, — 53.0, on the	
5	29.91	75	94	N.	1.87	Monthly Range of Temperature, 40.0	
Ġ.	29.98	72	64	W.	1.07	Greatest Daily Range of Temperatur	e, 25.0 on the 25th.
-	29.76	69	88	E., W., N.W.	1.21	Least Daily Range of Temperature,	
5	29.96	72	70	N.W.	.00	Mean Daily Range of Temperature, Mean Daily Dew-point, 59.4.	14.4.
	30.14	74	66	N.W.	.00	Mean Daily Relative Humidity, 59.4.	
3 1						Prevailing Direction of Wind, N.W.	
10	30.07	80	70	s.w.	.00	Total Movement of Wind, 7,585 Mile Highest Velocity of Wind and Direct	
11	29.95	72 .	86	E.	.00	Number of Foggy Days, 0.	ion, S. 46 miles on the 29th.
12	29.83	66	86	E.	.00	Number of Clear Days, 9.	
13	30.00	66	57	N.W.	0.01	Number of Fair Days, 14.	
14	30.00	64	43	N.W.	.00	Number of Cloudy Days, 8. Total Number of Days on which Rai:	on Chow fall 19
	29.92	70		N.W.	.00	Depth of unmelted Snow on ground	
15			50			Dates of Auroras, 0.	
16	29.96	62	70	N.W.	۵00	Dates of Solar Halos, 0.	
17	29.87	64	84	E.	.0	Dates of Lunar Halos, 0. Thunder storm, 6th, 7th.	Dates of Frosts, 0.
18	29.82	52	90	N.E.	.03	Mean Max. Temp., 76.7.	Mean Min. Temp., 62.4.
19	29.98	62	82	E.	.02	Comparative Temperature.	COMPARATIVE PRECIPITATIONS.
20	30.06	64	89	E	.02	1871	1871 3.08
21	29.82	60	89	N.E.	1.65	1873 69	1872 10.68
92	30.11	70	78	w.	•00	1874 68	1878 6.21
				Ε.		1875	1874 6.67 1875 3.50
23	30.24	67	85		.00	1876	1876 1.23
24	29.78	68	85	E., S.W.	.13	1878 68	1877 4.49
25	29.93	80	71	s.w.	.00	1879 68	1878 7,66 1879 6.71
26	30.00	80	65	E.	.00	1880 69	1880 2.99
27	30.08	70	89	E.	.07	1882 70	1881 1.23
28	30.01	78	86	8.W.	.00	1883 68	1882 1.46
29	29.72	76	77	s., s.w.	.24	1884 68 1885 67	1884 5.01
						1886 68	1885 7.64
30 '	30.04	68	58	W.	.00	1887 67	1886 3.64
31	30.14	68	58	W.	.00	1888	1888 6.53
	·=					1889 67	1889 3.95
OTALS	_		-	- 1	6.42	1891 70	1890 2.70
						1892 70	1891 3.87
EANS	29.976	69.6	59.4	N.W.	.207	1893 70	1893 6.42

HEALTH DEPARTMENT OF THE CITY OF BOSTON.

Statement of Deaths for the month of September, 1893.

With an enumeration of the more prominent causes; accompanied by an abstract of Meteorological Observations.

Published by order of the Board of Health.

SAMUEL II. DURGIN, M.D.,

Chairman.

Deaths during the month of September, representation estimated at 487,397.	Rate per 1,000 inhabitants, 23.21
Total number	NATIVITY.
SEX.	United States
Males	Ireland
Females	England 20
CONDITION.	Scotland 10
Married	Germany
	British America
Single	Italy
Widows	Other Countries
Widowers	Unknown
Unknown	PARENTAGE.
COLOR.	United States
White	Irish
Colored	English
	Scotch
/	German
Under 1 year 300	British American
Total deaths of children Under 2 years	Italian
Under 5 years 418	Other Countries
(17-3-1 100	Mixed
Under 1 year	Unknown
Diarrhœal diseases Under 5 years	
(All ages	Still-births during the month 51

Total Deaths with Principal Causes for the month

	0 %	for 92.									A	G	E.									SI	ix.
CAUSES OF DEATH.	Total Mortality for September, 1893.	Total Mortality for September, 1892.	Under 3 mos.	3 mos. and	6 months and under 1 year.	1 year and under 2 yrs.	ars and	3 years and under 4 yrs.	ars and	Total under 5 years.	b years and under 10 vrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	ears and er 100 yrs.	100 years and over.	es.	Females,
1. ZYMOTICS.	Tou	Tot	Un	3 m	9 000	1 mm	2 3.6	3 3	4 34	Tota	o y c	10 3	20 y	30 y	40 y	50 s	60 y	70 y	80 y	90 y	100	Males.	Fem
ALCOHOLISM	8	1												1	2							3	
CROUP	1	3					1			1													1
CARBUNCLE		1																					
CHOLERA MORBUS	2	2										1						1					2
CHOLERA INFANTUM	106	57	22	24	40	18			1	105	1											56	50
CEREBRO-SPINAL MENINGITIS																							
Congestive Fever																							
Diarrhea	18	20	4	3	6	1				14			1				1	1	1			5	13
DYSENTERY	13	5	1					1		2			1	3	1		2	4				4	9
DIPHTHERIA	31	31		1		6	3	5	3	18	9	3			1							14	17
ERYSIPELAS	2					1			1	2												1	1
INTERMITTENT FEVER																							
INFLUENZA							_																
MEASLES	2				1	1				2													2
PURPURA	1			1	-		_			1	-	-	-	-								1	
PUERPERAL FEVER	2	1		_									1	1									2
Ружміа	2	3												1			1					1	
REMITTENT FEVER		1	_				_																
RHEUMATISM	5	2	1							1			2	1								1	4
SCARLATINA	12	9				7	1		1	9	2	1		-								5	7
SMALL POX									-	-													
	1		1							1												1	
			1							-													
SEPTICÆMIA	1	1													1								1
Tonsillitis																							
Typhoid Fever	14	18			_						1	1	4	6	2							6	8
Typhus Fever			_														_						
WHOOPING COUGH	6	6		1	1	1	2			5	1											3	3
YELLOW FEVER													:										
OTHER ZYMOTIC DISEASES		3									_												
															- 1								
II. CONSTITUTIONAL.			l l																				
CANCER	27	33											1	2	3	8	11	2				5	22
HVDROCEPHALUS AND TUBERC. MENINGITIS	26	9	3	1	13	4	2			23		2				1						12	14
MARASMUS, SCROPULA AND TABES MESENTERICA	58	50	22	17	8	5	1	1		54	1		1	1			1					31	27
Parthisis Pulmonalis	118	109			2	1				3		11	38	42	11	8	4 .	1				51	67
OTHER CONSTITUTIONAL DISEASES .	18	25			1	2			1	4	1	2	2	3	1		1			-		6	7



SANITARY STATISTICS OF BOSTON, MASS. SEPTEMBER, 1893.

STREET GRA	ADES BY	WARDS.
Wards.	HIGHEST STREET GRADE.	Lowest Street Grade.
Ward 1	86	16
" 2	64	16
3	- 74	17
4	108	16
" 5	68	17
٠٠, 6	55	15
7	48	15
٠، 8	42	15
9	106	17
. " 10	106	17
" 11	31	14
. 12	31	15
" 13	31	16
" 14	71	16
" 15	95	14
" 16	24	12
" 17	18	13
" 18 .	18	16
" 19	60	17
20	116	14
. 21	149	28
22	164	17
23	301	35
24	165	14
66 25	174	13

Area of City, 37 Square miles.

" .. " Acres, 23,707.

Miles of Streets, 558; paved 71.25; macadamized, 204.56; gravel, etc., 282.19.

Area of Parks 1,669 acres; Public Grounds 143 acres.

Number of Dwellings, (including tenement houses), 56,809.


" Tenement Houses, (three or more families), 10,763.

Daily Consumption of Water, 44,500,000 gallons.

Daily Capacity of Water Supply, 60,000,000 "

Storage Reservoirs, 7.

Reservoir Capacity, 5,000,000,000 gallons.





of September, Classified by Cause, Age and Sex.

	AGE.								SI	SEX,													
CAUSES OF DEATH.	Total Mortality for September, 1893.	Total Mortality fo September, 1892	=	3 mos. and under 6 mos.	8 9	year an	2 years and under 3 yrs.	Syears and under 4 yrs.	4 years and under 5 yrs.	Total under 5 years	5 years and under 10 yrs.	- C3	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	Males.	Femules.
APOPLEXT	27	27		-				-		=		=	2	2	1	8	5	5	4			12	15
BRIGHT'S DISEASE.	13	11				-		-				-	1	-	3	2			1			7	6
BRONCHITIS	22	16	5	1.	3	2	3		1	14	1		1	1		_	1	4	-			11	
	49	49	1			-	-			1	2	4	4	8	2	11			4	1		19	30
MENINGITIS	32	18	3	4	5		4			24		-	2	5	-	-	-	1	-	-	-	21	
Nephritis	15	10	-	-	-	-	-		-		1	2	1	4	2	2	1	2	(main			8	
				-			-	-	-					_									
	46	46	3	2	3	4	3	1		16	2	2	3	2	6	5	5	2	3			24	92
OTHER LOCAL DISEASES	161	167	17		20	10		3	3	69	2	5	12	13	19		13		6	-		93	68
OTHER LUCAL DISEASES	1 101			-				-			_			-				-	_		-		
IV. DEVELOPMENTAL.																							
CYANOSIS	1	1	1							1													1
Inanition	, 10	17	6	2	1	1			_	10												5	5
OLD AGE	15	9		1	_												1	4	8	2		7	8
PREMATURE BIRTH	17	7	16	1						17												11	6
PUERP'L DISEASES (not including Puerp'i Fever)	2	2											2										2
Other Developmental Diseases	24	18	15	1	1				1	18							2	2	2			12	12
																							-
V. VIOLENT.																							
ACCIDENTAL	36	39					1	1	1	3	1	6	10	4	3	6		1	2		-	28	8
Homicidal		1																					
SUICIDAL	7	2				-							1	2	1	3						4	3
Other Violent Causes	2	1												1	1							1	1
UNKNOWN CAUBES		2										-				[
TOTAL FROM ALL CAUSES	943	833	121	74 1	105	72	21	12	13	118	24	40	90 1	103	61	72	59	42	31	3		460	474
TOTAL FROM ZIMOTIC DISEASES	411	317	29	30	48	35	7	6	6	161	14	6	9	13	8	1	4	6	1			101	121
TOTAL FROM CONSTITUTIONAL DISEASES	242	226	25	18	24	12	3	1	1	84	1	lő	42	48	15	17	17	3	1			105	137
" " LOCAL do	365	344	29	22	31	24	10	4	4	124	8	13	26	35	33	46	35	26	18	1		195	170
" " DEVELOPMENTAL do	69	54	38	4	2	1			1	46			2			-	3	6	10			35	34
" " VIOLENT CAUSES	45	43					1	1	1	3	1	6	11	7	ō	9		1.	2		1	33	12
			-	-	-	-	-			-	-	-		_		-	-	-					

Comparative Statement of Cases of Contagious Disease reported to the Board of Health for the month of September, 1893, and for the corresponding month in 1892.

CASES REPORTED DURIN	G SEPTEM	BER, 1893.	CASES REPORTED DURING SEPTEMBER, 1892.									
	City.	Quarantine.		City.	Quarantine							
Diphtheria	91		Diphtheria	79								
deasles	27	1	Measles	81	9							
mall Pox			Small Pox		***							
Scarlatina	179		Scarlatina	100								
'yphoid Fever	164		Typhoid Fever	143								
'yphus Fever			Typhus Fever									
Tellow Fever	****		Yellow Fever		****							

METEOROLOGICAL OBSERVATIONS TAKEN AT THE WEATHER BUREAU STATION, BOSTON.

For the month of September, 1898, as reported by J. WARREN SMITH, Observer, Weather Bureau.

DATE.	DAILY MEAN BAROMETER.	Daily Mean Temperature.		PREVAILING DIRECTION OF WIND.	DAILY RAIN FALL.	GENERAL ITEMS.
1 .	30.10	. 60	74	N.E.	T	Mean Barometer, 30.03.
2 .	29.90	64	so.	w.	.37	Highest Barometer, 30.395, on the 12th. Lowest Barometer, 29.626, on the 16th.
8	29.95	58	65	w.	.00	Monthly Range of Barometer, 0.769.
4	29.92	60	• 60	N.W.		Mean Temperature, 60.0.
,	9					Tighest Temperature, 20.0, on the 5th. Lowest Temperature, -43.0, on the 30th.
5 /	29.87	66	71	S.W.	.00	Monthly Range of Temperature, 37.0.
6 /	30.01	64	1 62	N.W.	.00	Greatest Daily Range of Temperature, 29.0 on the 5th. Least Daily Range of Temperature, 7.0 on the 27th, 29th.
7'	29.98	. 60	82	S.	.02	Mean Daily Range of Temperature, 15.6.
8	30.02	62	68	N.W.	.32	Mean Daily Dew-point, 51.2.
9	30.15	62	73	W.	.00	Mean Daily Relative Humidity, 77.3. Prevailing Direction of Wind, W.
10	30.04	66	76	N.	.00	Total Movement of Wind, 7,584 Miles.
11	30.30	55	61	E.	.00	Highest Velocity of Wind and Direction, 44 miles N.W. on the 7th.
12	30.38	60	70	s.w.	.00	Number of Foggy Days, 1. Number of Clear Days, 14.
15	30.32	62	80	s.w.	.00	Number of Fair Days, 5.
14	30.22	68	. 84	s., s.w.		Number of Cloudy Days, 11. Total Number of Days on which Rain or Snow fell, 16.
15	30.04	70	89	s.		Depth of unmelted Snow on ground at end of month, 0.
	29.71	64	90	s., s.w.	.54	Dates of Auroras, 8th.
16						Dates of Solar Halos, 0. Dates of Lunar Halos, 21st.
17	29.82	58	84	W.	.01	Thunder storm, 7th. Dates of Frosts, 0.
18	29.92	58	88	W.	T	Mean Max. Temp., 67.8 Mean Min. Temp., 52.2.
19	29.75	64	92	W.	.19	COMPARATIVE TEMPERATURE. COMPARATIVE PRECIPITATIONS. 1871 59 Inches.
20	29.86	66	82	WN.W.	.00	1872
21	30.06	56	74	N.W.	.00	1872 62 1872 6.04 1874 64 1870 2.91
22	29.92	57	89	s.	T	1874
23	29.88	64	92	EW.	.02	1879
24	30.06	62	73	N.W.	.00	187 64 1876 3.84 187
25	29.95	62	92	s.	.05	187 61 1878 3.47
26	30.31	52	73	N.W.	:02	188 64 1879 1.84 188 66 1880 2.36
27	30.29	50	82	N. 1	Т	188
28	30.12	52	80	N.	.00	188:
29	30.06	48	79	N,	.01	188
30		52	60	N.W.	.02	1885 1.70
00 1		02	00 1	21. 17 1	+0.2	1887 60 1880 2.78 1888 60 1887 0.97
						1889 6.77
m-m					1.59	1890
TOTALS	_	-		_	1.09	1802 62 1801 2.29
MEAKK	30.03	69.0	77.3	W.	.053	1803 60 1802 1,90 1803 1,59

wers . 1 3461, 9

HEALTH DEPARTMENT OF THE CITY OF BOSTON.

Statement of Deaths for the month of October, 1893.

With an enumeration of the more prominent causes; accompanied by an abstract of Meteorological Observations.


Published by order of the Board of Health.


SAMUEL H. DURGIN, M.D.,

Deaths during the month of October, 1893, Population estimated at 487,397.	Rate per 1,000 inhabitants, 23.80
Total number	NATIVITY.
SEX.	United States 661
Males	Ireland
Females	England
CONDITION.	Scotland
	Germany
Married	British America 46
Single	Italy
Widows	Other Countries
Widowers	Unknown
Unknown	PARENTAGE.
COLOR.	United States 203
White	Irish
Colored	
(Under 1 year 232	German
Total deaths of children Under 2 years 295	British American
	Italian
(Under 5 years 368	Other Countries
(Under 1 year	Mixed
Diarrheal diseases Under 2 years 42	Unknown
Under 5 years 42	
(All ages 49	Still-births during the month

Total Deaths with Principal Causes for the month

	or	for	11	_			_			-	A	G	E.	-								SI	EX.
CAUSES OF DEATH.	Total Mortality for October, 1893.	Mortality ober, 1892	Under 3 mos.	s. and er 6 mos.	6 months and under 1 year.	1 year and under 2 yrs.	2 years and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	under 5 years.	und 0 yrs.	and 20 yrs.	and yre.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	TO years and under 80 yrs.	80 years and under 90 yrs.	ars and r 100 yrs.	100 years and over.		llek.
I. ZYMOTICS.	Total	Total	Unde	3 mos. n	e mo	1 yea	2 yes	3 yea	4 yea	Total	o years	10 years under 20	20 ye	30 ye	40 ye und	50 ye	60 ye	70 ye	80 ye und	90 ye	100 y	Malcs.	Femal
ALCOHOLISM	7	5											2	2	2		1					3	4
CROUP	5	6		1		1		2		4	1		1				1					3	2
CARBUNCLE	1	1													1							1	
CHOLERA MORBUS	1															1						1	
CHOLERA INFANTUM	30	17	8	6	12	4				30												22	8
CEREBRO-SPINAL MENINGITIS	1	-				1				1		1											1
Congestive Fever																							
DIARRHŒA	11	2	4	3	1	2				10							1					9	2
DYSENTERY	7	1			1	1				2				1		1	1	1	1			2	5
DIPHTHERIA	72	35			3	9	13	17	9	51	14	4	1	1			1					35	37
ERYSIPELAS	2	2			1					1					1							1	1
INTERMITTENT FEVER	1															1						-	1
INPLUENZA	1	1																1				1	
Measles	2	1		1		1				1		1										2	
PURPURA																							
PUERPERAL FEVER	1			-										1									1
Ртжміа	2			1											1		1	-				1	1
REMITTENT FEVER	1		Г							-			1										1
RHEUMATISM	, 3	1														1		_2				2	1
SCARLATINA	24	24	1		3	4	3	3	4	18	4	1	1	-				-				10	14
SMALL POX																			,				
SYPHILIS (CONGENITAL)																					-		
SYPHILIS	1						-			-					1	-				-		1	
Septicæmia	4	3				-						1		1	1		1					1	3
Tonsillitis		2																					
Typhoid Fever	26	29	1	-			-		2	3		5	11	2	2	2		1			-	16	10
Typhus Fever												******		-									
WHOOPING COUGH	4		3		1			-		4							-	-	-		-1	2	2
Vellow Fever																							
OTHER ZYMOTIC DISEASES		3																					
			-							-				-									
																						1	
II. CONSTITUTIONAL.					-				1				1	-									
CANCER	33	42											4		9	10	6	4			-1	7	26
Hydrocephalus and Tuberc. Meningitis	20	20	3	8	4	4			1	15	1	2			2	-	-					10	10
Marasmus, Scrofula and Tabes Mesenterica				13	MO. SE .	!	2			52	-	-	1	-	-	1		- 1				30	24
Patrisis Pulmonalis	115	110		1	3					5		7,1	32	38	16	8	1	1				55	60
OTHER CONSTITUTIONAL DISEASES .	14	17			1	1	1			3	2	3	4		1	1	1					12	2





of October, Classified by Cause, Age and Sex.

	for	for .	il -								A	G	E.								-	81	EX,
CAUSES OF DEATH.	Total Mortality October, 1893.	Total Mortality f.	Under 3 mos.	3 mos. and under 6 mos.	6 mos, and under I vear,	1 year and under 2 yrs.	2 years and under 3 vrs.	Syears and under 4 yrs.	4 years and under 5 yrs.	Total under	5 years and under 10 yrs.	10 years and under 20 yrs.	IE S	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 20 year.	90 years and under 100 yrs.	100 yeans and over.	Males,	Females.
APOPLEXT	35	29			-:-	1		1		1		-		2	6	7		7	2	1	-	18	17
Bright's Disease	17	11						-	1	1			1.	2	1	5	5	2				12	5
Bronchitis	35	48	3	2	5	3	2			. 15			1	1.	3	5	5	3	1	1		15	20
HEART DISEASE	62	55		1		1				2		8	5	8	10	3	14	11	6			25	37
MENINGITIS	25	13	3	2	6	5	2	2		20		1	1		1	1		1				12	13
Nephritis	14	11						-					3	3	2	2	3		1			10	4
PLEURIST		3																					
PNEUMONIA ,	.68	45	2	2	5	9	4	1.		23	1	2	5	2	6	11	9	5	3	1		31	87
OTHER LOCAL DISEASES ,	133	130	20	8	9	6-	1	2	1	47	1	2	15	14	11	13	15	14	1			60	73
IV. DEVELOPMENTAL.																							
CYANOSIS	1	1	1					-		1													1
INANITION	9	8	7		1	1				9												7	2
OLD AGE	28	18														1	• 4	7	12	4		14	14
PREMATURE BIRTH	19	13	19							19												10	9
PUERP'L DISEASES (not including Puerp'l Fever)	1	2												1									1
Other Developmental Diseases	35	16	26	1	1					28					2		1	3	1			11	24
v. violent.																							
ACCIDENTAL	30	36	1			1				2		1	7	8	4	2	3	2	1			24	6
Homicidal		1																					
SUICIDAL	10	8		_								_	2	3	3	1		1				6	4
OTHER VIOLENT CAUSES	2	1											_	1	_	1							2
UNKNOWN CAUSES		1											-										
TOTAL FROM ALL CAUSES	967		122	43	67	63	28	27	18 3	68	24	40	97	91	86	77	82	66	29	7		482	485
TOTAL FROM ZIMOTIC DISEASES	207 353	133	17	10	22	23	16	22	15	125	19	12	16	8	9	6	6	5	1			113	94
TOTAL FROM CONSTITUTIONAL DISEASES	236	220	23	17	18	13	3		1	75	3	19	41	38	28	19	8	5				114	122
" " LOCAL do	389	345	28	15	25	25	9	5	2	109	2	8	31	32	40	47	60	43	14	3		183	206
" " DEVELOPMENTAL do	93	58	53	1	2	1				57				1	2	1	5	10	18	4		42	51
" " VIOLENT CAUSES	42	46	1			1				2		1	9	12	7	4	3	3	1			30	12

Comparative Statement of Cases of Contagious Disease reported to the Board of Health for the month of October, 1893, and for the corresponding month in 1892.

CASES REPORTED DURI	ING OCTOR	BER, 1893.	CASES REPORTED DURING OCTOBER, 1892.										
	City.	Quarantine.		City.	Quarantine								
Diphtheria	196		Diphtheria	144									
Measles	34		Mensles	64									
Small Pox		1 1	Small Pox										
Scarlatina	308		Scarlatina	188	1								
Typhoid Fever	148	1	Typhoid Fever	148									
Typhus Fever	****		Typhus Fever										
Yellow Fever	****		Yellow Fever		1								

METEOROLOGICAL OBSERVATIONS TAKEN AT THE WEATHER BUREAU STATION. BOSTON. For the month of October, 1893, as reported by J. WARREN SMITH, Observer, Weather Bureau.

DATE.	DAILY MEAN BAROMETER.	DAILY MEAN TEMPERATURE.	DAILY MEAN HUMIDITY.	PREVAILING DIRECTION OF WIND.	DAILY RAIN FALL.	GENERAL ITEMS.
1	29.71	52	62	N.W.	T	Mean Barometer, 30.12.
2	29.90	55	. 88	E.	.00	Highest Barometer, 30.60, on the 19th. Lowest Barometer, 29.46, on the 14th.
	80.10	55	82	E	т	Monthly Range of Barometer, 1.14.
8						Mean Temperature, 55.0.
4	30.04	53	92	N.E.	.01	Highest Temperature, 79.0, on the 9th. Lowest Temperature, — 30.0, on the 31st.
б	30.04	58	80	N.W.	T	Monthly Range of Temperature, 49.0.
6	30.14	57	84	E.	.00	Greatest Daily Range of Temperature, 28.0 on the 17th.
7	30.01	65	86	s.	T	Least Daily Range of Temperature, 4.0 on the 4th. Mean Daily Range of Temperature, 14.1.
8	30.02	62	68	w.	.00	Mean Daily Dew-point, 44.0.
9	29.80	66	55	s.w.	т	Mean Daily Relative Humidity, 72.0.
10	30.08	55	54	N.W.	.00	Prevailing Direction of Wind, S.W. Total Movement of Wind, 7,959 Miles.
				N.W.	.00	Highest Velocity of Wind and Direction, 49 miles S. on the 14th.
11	30.24	53	63			Number of Foggy Days, 0.
12	30.23	61	70	W.	.00	Number of Clear Days, 16. Number of Fair Days, 10.
13	30.08	60	78	S.W.	.00	Number of Fair Days, 10. Number of Cloudy Days, 5.
14	29.49	66	84	s.	.80	Total Number of Days on which Rain or Snow fell, 5.
15	29.84	57	51	s.w.	.00	Depth of unmelted Snow on ground at end of month, 0.
16	30,26	46	64	N.W.	.00	Dates of Auroras, 9th, 11th. Dates of Solar Halos, 13th.
17	30.38	50	62	w.	.00	Dates of Lunar Halos, 22d.
18	30.50	50	65	E.	.00	Thunder storm, 0. Dates of Frosts, 17th. Mean Max. Temp., 62.0 Mean Min. Temp., 48.0.
19		46	68	E.	.00	Mean Max. Temp., 62.0 Mean Min. Temp., 48.0. COMPARATIVE TEMPERATURE. COMPARATIVE PRECIPITATIONS.
	30.58	1				187) 54 Inches.
20	30.40	54	77	s.	.00	1872
21	30.22	62	80	s.w.	.00	1873
22	30.37	56	75	E.	.00	1875 40 1874 1.39
23	30.30	56	97	N.E.	.49	1876
24	29.90	65	92	s.w.	1.40	1877
25	29,96	60	72	N.W.	.00	1879
26	30.26	46	68	É.	.00	1879
2"	30.10	54	83	S.	.00	1881
				w.	.24	1882 2.29
28	29.80	56	77			1884
29	30.08	45	56	W.	.00	1885
30	30.40	40	58	N.W.	.00	1887
31	30,43	37	58	N.W.	.00	1886
						1889
TOTALS	. -	-			2.94	1891
						1892 53 1891 2.56 1892 2.31
MEANS	. 30.12	55.0	72.0	s.w.	.094	1893

HEALTH DEPARTMENT OF THE CITY OF BOSTON.

Statement of Deaths for the month of November, 1893.

With an enumeration of the more prominent causes; accompanied by an abstract of Meteorological Observations.

Published by order of the Board of Health.

SAMUEL H. DURGIN, M.D.,

Deaths during the month of November, 186	303	. 856
Population estimated at 487,397.	Rate per 1,000 inhabitants	
Total number	NATIVITY.	
SEX.	United States	. 582
Males	Ireland	. 162
Females	England	. 9
CONDITION.	Scotland	. 12
	Germany	. 15
Married	British America	. 45
Single	Italy	. 12
Widows	Other Countries	. 11
Widowers	Unknown	
Unknown 4	PARENTAGE.	
COLOR.	United States	212
White	Irish	
Colored	English	
Colored	Scotch	
	German	
Under 1 year 181	British American	
Total deaths of children Under 2 years 221	Italian	
1	Other Countries	
(Under 5 years 293	Mixed	
(Under 1 year 9		
Diarrheal diseases Under 2 years	Unknown	. 84
Under 5 years 11		
(All ages	Still-births during the month	. 50

Total Deaths with Principal Causes for the month

	10 .	lo.	;	-	CH QUANTE	Pel Province		-				A	G	E.	***************************************		Service Co.	MOSPYTON					SI	EX.
CAUSES OF DEATH.	Potal Mortality for November, 1893.	Total Mortality for	dinuer, 1092	r 3 mos.	3 mos. and under 6 mos.	6 months and under 1 year.	1 year and under 2 yrs.	2 years and under 3 yrs.	3 years and under 4 yrs.	er 5 yrs.	inder 5 years.	5 years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	urs and	100 years		les.
I. ZYMOTICS.	Total	Total	1	Unde	S mos	6 mon unde	1 year	2 year	3 years	4 year	Total unde	5 year	10 year	20 yes	30 yes	40 year	50 year	80 yes	70 year	80 yes	90 year	100 1	Males.	Femules.
ALCOHOLISM	6	5													2	2	1		1				4	2
CROUP	4	12							i		1	3											1	3
CARBUNCLE		1																						
CHOLERA MORBUS	1	1																1					1	
CHOLERA INFANTUM	9	3			2	6	1				9												5	4
CEREBRO-SPINAL MENINGITIS	2								1		1		1										1	1
Congestive Fever																								
DIARRHŒA	4	4			1		1				2				1				1				3	1
DYSENTERY	1	4																	1				1	-
Diphtheria	58	46			1	3	9	14	ā	10	4:2	12	4										35	23
Erysipelas	2	1		1	1						2												1	1
Intermittent Fever																								
Inpluenza	3	2		. 1	1						1		-			1				1			2	1
Measles		4	-11																					-
PURPURA			- 1								-													
Puerperal Fever		1																		-				
Ружміа		1									-													
REMITTENT FEVER		-		-	-			_			_													
RHEUMATISM	ļ	1															-							
SCARLATINA	14	26	-11-			_	2	4	2	1	9	2	3			- !							7	7
SMALL POX		40	1-				2			-		-	0											
SYPHILIS (CONGENITAL)	1	3		1							1												1	
		-		1																				
		1	- -												-									3
SEPTICÆMIA	3													2	1									
Tonsillitis.	1	2								1	1									- 1			1	
TYPHOID FEVER	17	18											5	4	5	1	2						13	4
Typhus Fever																								
WHOOPING COUGH	4	2		3			1				4					*****							2	2
YELLOW FEVER																								
OTHER ZYMOTIC DISEASES	3	2				1					1	1		1										3
II. CONSTITUTIONAL.																								
CANCER	16	27														3	5	6	1	1			8	8
Hydrocephalus and Tuberc. Meningitis	16	10			1	2	2	5	1	2	13	2		1									8	8
MARASMUS, SCROFULA AND TABES MESENTERICA	25	21		11	5	8	1				25												10	15
PHTHISIS PULMONALIS	103	125		1	1	1	1	-	1		5	1	9	32	24	19	10	2	-	1			58	50
OTHER CONSTITUTIONAL DISEASES .	9	24		2				1	2		5		3	1							1		4	5



SANITARY STATISTICS OF BOSTON, MASS. NOVEMBER, 1893.

STREET GRA	DES BY W	ARDS.
Wards.	HIGHEST STREET GRADE.	LOWEST STREET GRADE.
Ward 1	86	16
2	64	16
" 3	74	17
" 4	108	16
5	68	17
6	ðð	15
7	48	15
46 8	42	15
66 9	106	17
" 10	106	17
" 11	31	14
" 12	31	15
" 13	31	16
" 14	71	16
" 15	95	14
" 16	24	12
" 17	18	13
" 18	18	16
" 19	60	17
" 20	116	14
" 21	149	28
" 22	164	17
" 23	301	35
66 24	165	14
" 25	174	13

Area of City, 37 Square miles.

" " Acres, 23,707.

Miles of Streets, 558; paved 71.25; macadamized, 204.56; gravel, etc., 282.19.

Area of Parks 1,669 acres; Public Grounds 143 acres.

Number of Dwellings, (including tenement houses), 56,809.


" Tenement Houses, (three or more families), 10,763.

Daily Consumption of Water, 44,500,000 gallons.

Daily Capacity of Water Supply, 60,000,000 "

Storage Reservoirs, 7.

Reservoir Capacity, 5,000,000,000 gallons.





of November, Classified by Cause, Age and Sex.

Management of the Control of the Con	for 33.	ity for 1892.									A	G	E.						-			SI	ex,
CAUSES OF DEATH.	Total Montality for November, 1893.	Total Mortality November, 189	Under 3 mos.	3 mos, and under 6 mos.	6 mos, and under I year,	I year and under 2 yrs.	2 years and under 3 yrs.	S years and under 4 vrs.	4 years and under 5 vrs.	Total under	5 years and under 10 yrs.	201	20 years and under 30 yrs.	30 years and under 40 yes.	40 years and under 59 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yes.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over,	Males.	Females.
APOPLEXY	25	37	1		1					2				2	1	6	4	5	3			8	17
Bright's Disease	10	21					-	-		-			1	2	3	2	2			-		3	7
Bronchitis	34	54	3	2	7	3		-		15		-	3	2	2	3	- 8	3	3	-		20	14
HEART DISEASE	58	91	5	1			1			1 7	3	1	2	4	4	12	12	10	3	-	-	30	28
MENINGITIS	19	8		1	3	3	1		1	9	3			4	1		1		1			11	8
Nephritis	23	16		1					1	2	1	3	2	3	2	3	5	2				8	15
PLEURIST		1																					
PNEUMONIA	103	83	4	4	9	6	5	1	2	31	7	3	6	7	12	10	15	6	- 6			43	60
OTHER LOCAL DISEASES	153	115	21	12	6	7	3	3	2	54		5	8	12	20	14	19	19	2			75	78
IV. DEVELOPMENTAL.										,												i	
CYANOSIS		4							-			_											
INANITION	4	10	4							4		_										2	2
OLD AGE	22	16		İ													1	7	10	4		6	16
PREMATURE BIRTH	17	24	17							17												7	10
PUERP'L DISEASES (not including Puerp'l Fever)	2	1							-				1	1									2
OTHER DEVELOPMENTAL DISEASES	30	19	17	2	2	2				23				2	8			1	1			14	16
v. violent.																							
ACCIDENTAL	87	87	1	1		1				2		1	9	4	4	8	4	4	1			28	9
HOMICIDAL	2	2						_			_				_	2	_		_			2	
SUICIDAL	7	7	-		-			_	_				2		3	1	1	_				6	1
OTHER VIOLENT CAUSES	4					_	1			1	_						-	1	!			1	3
UNKNOWN CAUSES	4	2	3							4						}						1	3
TOTAL FROM ZYMOTIC DISEASES	856	895	95	- 08	-		_			-				-		-		-		6	- !	426	430
Including Tubercular Diseases	260	300	5	6	10	14	18	9	12	74	18	13	7	9	4	3	1	3	1			78	55
TOTAL FROM CONSTITUTIONAL DISEASES	169	207	14	7	11	4	6	4	2	48	3	12	34	24	22	15	8	1	2			83	86
41 44 LOCAL do	425	426	34	21	26	19	10	4	6	120	14	12				50	61	-	18	2		198	227
" " DEVELOPMENTAL do	75	74	38	2	2	2				44			1	3	3		1		11	4		29	46
" " VIOLENT CAUSES	50	46	1			1	1			8		1	13	4	7	11	5	5	1		- 11	37	13

Comparative Statement of Cases of Contagious Disease reported to the Board of Health for the month of November, 1893, and for the corresponding month in 1892.

CASES REPORTED DURIN	IG NOVEM	BER, 1893.	CASES REPORTED DURING	3 NOVEME	ER, 1892.
	City.	Quarantine.		City.	Quarantine.
Diphtheria	260		Diphtheria	185	
Measles	44		Measles	241	
Small Pox	8	!	Small Pox		****
Scarlatina	283		Scarlatina	228	
Typhoid Fever	110		Typhoid Fever	89	
Typhus Fever	****	1	Typhus Fever		****
Yellow Fever			Yellow Fever		

METEOROLOGICAL OBSERVATIONS TAKEN AT THE WEATHER BUREAU STATION, BOSTON.

For the month of November, 1893, as reported by J. WARREN SMITH, Observer, Weather Bureau.

DATE.	DAILY MEAN BAROMETER.	DAILY MEAN TEMPERATURE.		PREVAILING DIRECTION OF WIND.	DAILY RAIN FALL.	GENERA	L ITEMS.
1	30.35	46	57	S.W.	.00	Mean Barometer, 30.094.	
2	30.19	54	71	s.w.	.00	Highest Barometer, 30.640, on the 26t Lowest Barometer, 29.505, on the 15tl	
		59	76		.00	Monthly Range of Barometer, 1.135.	Δ.
8	30.00			S.W., W.		Mean Temperature, 42.2.	
4	30.12	43	87	N.	.43	Highest Temperature, 68.0, on the 3d	
5	30.25	40	80	N.	.22	Lowest Temperature, - 20.0, on the 3 Monthly Range of Temperature, 48.0.	
6	30.28	46	66	w.	.00	Greatest Daily Range of Temperatur	e, 27.0 on the 17th.
- 7	30.49	4:2	65	S.E., N.W.	.00	Least Daily Range of Temperature, 6	
R	11 30.30	42	78	W.	.00	Mean Daily Range of Temperature, 1 Mean Daily Dew-point, 31.1.	4.2.
0	30.06	48	68	N.E.	.00	Mean Daily Relative Humidity, 68.6.	
						Prevailing Direction of Wind, S.W.	
10	30.36	34	68	N.E.	.00	Total Movement of Wind, 8,124 Miles Highest Velocity of Wind and Direct	
11	30.41	40	74	W.	.00	Number of Foggy Days, 1.	on, so miles outs. On suc 20tis.
12	30.42	42	70	S.E.	.00	Number of Clear Days, 8.	
13	30.11	50	76	s.w.	T	Number of Fair Days, 13. Number of Cloudy Days, 9.	
14	29.95	50	72	s.w.	Т	Total Number of Days on which Rain	or Snow fell, 9.
15	29.61	38	76	w.	.21	Depth of unmelted Snow on ground	
16	1 29.84	34	58	W.	.00	Dates of Auroras, 1st.	
		42		S.W.	.00	Dates of Solar Halos, 14th, 23d. Dates of Lunar Halos, 21st.	
17	30.04		58			Thunder storm, 0.	Dates of Frosts, 0.
18	29.90	48	58	s.w.	T	Mean Max. Temp., 49.3.	Mean Min. Temp., 35.1.
19	30.01	37	70	W.	,00	Comparative Temperature.	COMPARATIVE PRECIPITATIONS. Inches.
20	30.02	35	82	N.W.	.02	1871	1871 6.42
21	30.14	36	64	w.	.00	1878	1872 3.66
22	11 29.68	46	84	E., S.W.	.56	1874 41	1878 8.34 1874 2.85
23	29.74	46	68	s.w.	.00	1875	1875 5.47
24	29.72	38	58	N.W.	.00	1877	1876 11.03
						1878 40	1877 9.62
25	30,23	30	56	W.	.00	1879	1879 2.97
26	80.59	26	48	N.W.	.00	1881 42	1880 2.80
27	30.51	30	66	S.E.	.00	1882 38	1881 3.73 1882 1.20
28	29.74	48	74	S.E., S.W.	.39	1883 42 1884 41	1883 2.08
29	29,92	46	66	s.w.	.00	1885 44	1884 3.03
30	29,84	48	61	W.	.00	1886 43	1885 5.78 1886 3.59
	11 20.02		7,1			1887	1887 2.22
	1					1889 45	1888 4.97
Dec.					4.00	1890 42	1889 4.91
TOTALS		_	_		1.83	1891 41	1890 0.97
						1893 42	1892 4.45
MEANS	30.094	42.2	68.6	S.W.	.061		1893 1.83

/\ 3461 /

HEALTH DEPARTMENT OF THE CITY OF BOSTON.

Statement of Deaths for the month of December, 1893.

With an enumeration of the more prominent causes; accompanied by an abstract of Meteorological Observations.

Published by order of the Board of Health.

SAMUEL H. DURGIN, M.D.,

Population estimated at 487,397.	Rate per 1,000 inhabitants, 26.02
Total number	NATIVITY.
SEX.	United States
Males	Ireland
Females	England
CONDITION.	Scotland
Married	Germany
ev	British America
Single	Italy
Widows	Other Countries
Widowers	Unknown
Unknown	PARENTAGE.
COLOR.	United States
White	Irish
Colored	English
	Scotch
	German
Under 1 year 160	British American 63
Total deaths of children Under 2 years 224	Italian
Under 5 years	Other Countries
	Mixed
Under 1 year	Unknown
Diarrheal diseases Under 5 years	
All ages 8	Still-births during the month 61

Total Deaths with Principal Causes for the month

	for 3.	far 6								_	_	.A.	G+:	E.					_		_	i	SE	x.
CAUSES OF DEATH.	Total Mortality for December, 1893.	Total Mortality for		Under 3 mos.	under 6 mos.	months and under 1 year.	1 year and under 2 yrs.	years and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	Fotal under 5 years.	5 years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 80 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	0 years and nder 100 yrs.	100 years and over.	Males.	Females.
	6	7		1		9			00	4	H	10		3	2	1	-0	9		00	8 2	-	4	2
ALCOHOLISM	13	12	-11-		-	1	6	2	2		11	2				_							5	8
CROUP	10							_			-	-												-
CARBUNCLE			- -															-						
CHOLERA MORBUS	3				1		2				3												2	1
CHOLERA INFANTUM		1			-		-				-					-								
CEREBRO-SPINAL MENINGITIS		- 4														_								
Congestive Fever	4	3		2						1	3									1			2	2
DIARRHŒA							-				1									1			2	
DYSENTERY	1	2				5	9		10	-		00		-	1									1
Diphtheria	60	52				0	9	9	10	4	87	20	1	1									30	30
ERYSIPELAS	8		-	1				1			2			4		2					-		2	6
INTERMITTENT FEVER							!																	
INPLUENZA	28	- 1							1		1	1	1	1	2	2	2	5	7	6			11	
Measles	1	8							1		1									-			1	
PURPURA		1	1																					
Puerperal Fever	2	4	4								1			1	1									2
PYÆMIA			1								l													
REMITTENT FEVER								-												!	[
RHEUMATISM	2		1											-			1	1						2
SCARLATINA	24	2	5			1	5	6	3	1	16	5	2	1									13	11
SMALL POX	4			1							1		1	2										4
Stphilis (Congenital)																								
SYPHILIS	1															1							1	
SEPTICÆMIA	3		6											1	1	1							1	2
Tonsillitis		1																						
Typhoid Fever	6	1	5											2	2	2							6	
Typhus Fever																								
WHOOPING COUGH	7		2	1	3	1	2				7												3	4
YELLOW FEVER						-	-																	
Other Zymotic Diseases	2					1					1		-	1	1							i	1	1
II. CONSTITUTIONAL.																			-					
CANCER	31	1 8	31											2	7	2	7	7	ō	1			9	22
Hydrocephalus and Tuberc. Meningitis	12		23		1	3	3	1	1		9		1	- 2									7	5
MARASMUS, SCROFULA AND TABES MESENTERIO			12	13	5	2	2				22	-				-	-		2	1	1		11	15
PHTHISIS PULMONALIS			16	-		1		1			- 2		6	28	28	19	7	6			-	1	55	43
					1					-	-		-1		-i			-			-	-	-	
OTHER CONSTITUTIONAL DISEASES .	14		20		1			1			2	2	3	4	2			1	1	1		1	5	9



SANITARY STATISTICS OF BOSTON, MASS. DECEMBER, 1893.

STREET GRADES BY WARDS.											
Wards.	HIGHEST STREET GRADE.	Lowest Street Grade.									
Ward 1	86	16									
" 2	64	, 16									
" 3	74	17									
" 4	108	16									
" 5	68	17									
" 6	55	15									
" 7	48	15									
" 8	42	15									
9	106	17									
" 10	106	17									
" 11	31	14									
" 12	31	15									
" 13	31	16									
" 14	71	16									
" 15	95	14									
" 16	24	12									
" 17	18	13									
" 18	18	16									
" 19	60	17									
" 20	116	14									
· · 21	149	28									
" 22	164	17									
" 23	301	35									
" 24	165	14									
" 25	174	13									

Area of City, 37 Square miles.

" " Acres, 23,707.

Miles of Streets, 558; paved 71.25; macadamized, 204.56; gravel, etc., 282.19.

Area of Parks 1,669 acres; Public Grounds 143 acres.

Number of Dwellings, (including tenement houses), 56,809.


" Tenement Houses (three or more families), 10,763.

Daily Consumption of Water, 44,500,000 gallons.

Daily Capacity of Water Supply, 60,000,000 "

Storage Reservoirs, 7.

Reservoir Capacity, 5.000,000,000 gallons.





of December, Classified by Cause, Age and Sex.

	for 3.	for 2.									A	G :	E.								-	SI	ex,
CAUSES OF DEATH.	Total Mortality fo December, 1893.	Total Mortality fo December, 1892.	Under 3 mos.	3 mos. and under 6 mos.	6 mos. and under 1 year.	1 year and under 2 yrs.	2 years and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	Total under 5 years	5 years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	Males.	Females.
APOPLEXT	47	40											1	2	2	9	16	12	5			20	27
Bright's Disease	16	17		-							-	_	-		2	4	-6	4	-		-	9	7
Bronchitis	58	51	4	3	7	10	1		1	26			1	1	1	2	8	12	6	1	-	24	34
HEART DISEASE	81	77	1							1	2	2	2	14	12	17	18	. 9	4			39	42
MENINGITIS	20	25	1	1	5	3	3	1		14		-	2	1	1	1	1					11	9
Nephritis	14	21									1		1		2	2	7	1				7	7
PLEURISY	2	3							-		1			1								2	
PNEUMONIA	202	144	7	4	7	18	3	5	1	40	4	5	16	26	36	17	16	22	17	8		96	106
OTHER LOCAL DISEASES	124	139	16	2	7	7	7	1		40	2	7	10	9	10	14	15	11	4	2		64	60
IV. DEVELOPMENTAL.																							
CYANOSIS	1	2	1		_					1		<u> </u>											1
INANITION	. 9	12	8	-						8				.1								5	4
OLD AGE	30	24															3	13	9	5		10	20
PREMATURE BIRTH	13	22	13							13												6	7
PUERP'L DISEASES (not including Puerp'l Fever)	6	. 6		_									8	3									6
OTHER DEVELOPMENTAL DISEASES	30	25	21	4	1					26					1	1		2				16	14
V. VIOLENT.																							
ACCIDENTAL	34	35	2		-	1		1		4			10	5	6	2	2	4	1			21	13
Homicidal	2	1														1		1	-				2
SUICIDAL	7	10			-								1	2	1	1	2					ő	2
OTHER VIOLENT CAUSES	ō	3											 -		3	1.	1						5
UNKNOWN CAUSES	1			1						1					!							1	
TOTAL FROM ALL CAUSES	1058	1000	92	26	42	64	35	26	8	293	40	29	100	111	107	89	114	108	55	12		505	553
TOTAL FROM ZYMOTIC DISEASES	175 235	1 141	_11 5	1 4	1 0	25	138	17	6	84	1 29	5	17	9	9	3	6	7	7			82	9.3
TOTAL FROM CONSTITUTIONAL DISEASES	181	202	13	7	6	5	3	1		35	2	10	36	37	21	14	13	10	2	1	1 1	87	91
" " LOCAL do	564	517	29	10	26	33	14	7	2	121	10	14	33	54	66	98	87	71	36	6		272	292
" DEVELOPMENTAL do	89	91	43	4	1					48			3	4	1	1	3	15	9	5		37	52
" " VIOLENT CAUSES	48	49	2			1		1		4			11	7	10	5	5	5	1			26	22

Comparative Statement of Cases of Contagious Disease reported to the Board of Health for the month of December, 1893, and for the corresponding month in 1892.

CASES REPORTED DURIN	NG DECEM	BER, 1893.	CASES REPORTED DURING DECEMBER, 1892.								
	City.	Quarantine.		City.	Quarantine.						
Diphtheria	186		Diphtheria	175							
Measles	62		Measles	380	1						
Small Pox	17		Small Pox								
Scarlatina	238		Scarlatina	269	1000						
Typhoid Fever	59	** ***	Typhoid Fever	43							
Typhus Fever	****		Typhus Fever								
Yellow Fever	****		Yellow Fever		***						

METEOROLOGICAL OBSERVATIONS TAKEN AT THE WEATHER BUREAU STATION, BOSTON. For the month of December, 1893, as reported by J. W. SMITH, L. F. O.

DATE. I	DAILY MEAN	DAILY MEAN	DAILY MEAN	PREVAILING DIRECTION	DAILY	(LUNED A	L ITEMS.
1/3112	BAROMETER.	TEMPERATURE.	HUMIDITY.	of Wind.	RAIN FALL.	OWERE	17 11 15/10.5.
1	29.83	40	72	s.w.	.36	Mean Barometer, 30.09.	
2	30.25	28	56	W.	.00	Highest Barometer, 30.88, on the 14th Lowest Barometer, 29.37, on the 16th.	
3	29.95	33	96	N.W.	.90	Monthly Range of Barometer, 1.51.	
	30.12	28 .	88 .	N.W.		Mean Temperature, 30.4. Highest Temperature, 57.0, on the 25t	,
*					.79	Lowest Temperature, - zero, on the	
5	30.21	18	89	N.	.57	Monthly Range of Temperature, 57.0.	
6	30.23	29	74	W.	.26	Greatest Daily Range of Temperatur	
*	30.31	36	78	W.	.00	Least Daily Range of Temperature, 8 Mean Daily Range of Temperature, 1	
" %	30.41	29	64	N.W.	.00	Mean Daily Dew-point, 22.3.	· ************************************
p	30.14	35	88	s.w.	.33	Mean Daily Relative Humidity, 73.4.	
10	29.76	41	76	s.w.	.03	Prevailing Direction of Wind, W. Total Movement of Wind, 8,760 Miles	
		22	42 77	W.	.00	Highest Velocity of Wind and Direct	
11	30.16					Number of Foggy Days, 2.	
12	30.05	23	66 . , ; ;	N.W.	.02	Number of Clear Days, 8.	
13	30.56	9	51	N.W.	.00	Number of Fair Days, 9. Number of Cloudy Days, 14.	
14	30.78	8	59	W.	T o	Total Number of Days on which Rain	
15	30.19	21	96	N.	.61	Depth of unmelted Snow on ground	at end of month, 3.2.
16	29,62	. 87	96	N.W.	.82	Dates of Auroras, none. Dates of Solar Halos, 27th.	
17	29.67	36		w.	.08	Dates of Lunar Halos, 21st, 28th.	
				W.		Thunder storm, 0.	Dates of Frosts, 0.
18	29.96	22	71		.00	Mean Max. Temp., 37.6.	Mean Min. Temp., 23.1.
19	29.76	34 - 5 3	90	s.w.	.07	Comparative Temperature.	COMPARATIVE PRECIPITATE
20	30.24	24	52	W.	.00	1872	1871
21	30.16	30	53	s.w.	.00	1873 31	1872
13+3	30.38	38	80	w.	T	1874	1873
23	30.14	44	84	w.		1875	1875 0
	30.17	48	74	w.	.00	1877 35	1876
24						1878	1877
25	29.87	52	78	S.W.	.00	1879	1879
26	30.09	24	56	N.W.	.00	1881	1880
2"	30.06	28	60	W.	.00	1882 30	1881
28	29.72	34	68	s.w.	T	1883 29	1983
29	29.66	44	73	s.w.	.06	1885	1884 4
30	30.08	28	83	N.	.14	1886 29	1885
31	30.22	22	82	N.W.	.09	1887	1887
01	80.22	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	82	21.11.	.00	1889	1888 4
						1890 26	1890
OTALS	-	_	_		5.16	1891 40	1891
				MICONOMICS PROPERTY.		1892 30	1892 1.
EANS	30.09	30.4	78.4	W.	.166	3000	1893 5

SUMMARY OF DEATHS IN BOSTON.

With Principal Causes, for the year 1893. Compared with those of 1892.

Published by order of the Board of Health.

SAMUEL H. DURGIN, M.D.,

	1893.	1892.		1893.	1892.
Total No. of deaths from all causes	11,710	11,236	Influenza	68	97
Population (estimated)	487,397	469,647	Intermittent Fever	6	manag
Annual death rate per 1000 inhabitants	24.02	23.92	Measles	27	19
Total No. from Zymotic diseases	2,042	2,014	Purpura	7	3
Percentage of deaths from Zymotic dis-			Puerperal Fever	28	28
eases to total mortality	17.43	17.92	Pyæmia	13	9
Total No. of Still-births	605	633	Remittent Fever	2	1
Total deaths of children under 1 year .	2,531	2,466	Rheumatism	32	43
" " 2 years .	3,209	3,086	Scarlatina	248	262
" " 5 years .	3,987	3,735	Small Pox	4	_
Percentage of deaths under 5 years to			Syphilis (congenital)	18	12
total mortality	34.04	33.24	Syphilis	8	3
Total No. of deaths from diarrheal dis-			Septicæmia	43	28
eases, under 5 years	559	621	Tonsillitis	3	9
Total No. of deaths from diarrhœal dis-			Typhoid Fever	148	137
eases, all ages	635	693	Typhus Fever	- 1	terrophics.
Percentage of deaths from diarrheal dis-			Whooping Cough	40	45
eases to total mortality	5.4	6.16	Yellow Fever	- 1	
Alcoholism	84	72	Other Zymotic Diseases	8	19
Croup	70	67	Cancer	310	328
Carbuncle	3	4	Phthisis Pulmonalis	1,364	1,414
Cholera Morbus	14	23	Bright's Disease	168	158
Cholera Infantum	499	563	Bronehitis	507	557
Cerebro Spinal Meningitis	15	12	Heart Disease	785	890
Diarrhœa	83	77	Pneumonia	1,540	1,122
Dysentery	39	30	Old Age	275	258
Diphtheria	476	414	Violent Deaths	572	519
Erysipelas	56	37			









